Part A codebook, version 1 (frozen 24 October 2026)

Supports §5.2 (Sample and codebook) and §6. The codebook for the nine fields on which the 400 survey questions, and the mixed own and corpus questions, were coded. The article's nine fields are F1 (request type: the operation asked for), F2 (evidence source required), F3a place, F3b time and F3c criterion (whether the question states them), F4 (evidence relation: direct, through a related quantity, or not at all), F5 (answerable in principle by a typically instrumented building), F6 (purpose stated) and F7 (coding certainty).

This is the version frozen before any human coding and given to the second coder. Version 2 (28 October 2026) adds a not-applicable rule for place and time; see `PartA_codebook_v2_2026-10-28.pdf` and Appendix D. The "Procedure" section below is the plan written before coding: as §5.5 describes, an AI model proposed each code with this codebook and the first author reviewed every proposal, and the planned development session was not held (Appendix D). Tracker identifiers, plan sections and file paths refer to the authors' project records.

Edits for anonymity: the first author's name became "the first author" (3 places) and the building's name "Building A" (2 places). SHA-256 of the original, unedited file: `ebb9f3de94e7147dcaa3c1ac155c9da592e538961346a6f801a4b6ee36c72b1e`.

Part A codebook — v1 (tracker F1)

Status: v1, frozen 24 October 2026. No development session was held before the freeze (a deviation from the procedure below, made because of the submission date): the definitions are those drafted on 9 October and edited on 14 October. The SHA-256 of this file is in `CODEBOOK_PartA.sha256`. From now on it changes **only by issuing v2 with a new hash**, never by editing.

Unit. One archived submission row: the question text, and any context the archive recorded with it (stage, scenario prompt where shown). **Never shown to coders:** the persona, the automated labels (complexity tier, lexicon class, domain), or the other coder's codes.

Examples below are constructed, not taken from the corpus (the corpus may not be quoted without permission checks).

F1 Request type (multi-label)

What operation does the asker need performed? Code every operation the wording **requires**, not every one it permits.

Value	Definition	Constructed example
`fact`	Look up one current or stated value or attribute	"What temperature is the lab?"
`compare`	Two or more named things or periods against each other	"Is floor 2 warmer than floor 3?"
`summarise`	Aggregate over a period or set (average, total, trend)	"How much energy did we use last week?"
`rank`	Choose or order among candidates by a criterion	"Which meeting room is quietest?"
`explain`	Why something happened; a cause	"Why is it so stuffy in here?"
`capability`	Whether the building has or offers something; availability	"Is there a quiet room I can use?"
`action`	Asks the system to do something in the world	"Turn the heating up."
`unclear`	No operation can be determined	"Building?"

Rule. "Is X too hot?" is `fact` (with a criterion, F3), not `explain`. "Can I book X?" is `capability` + `action` only if it asks the system to make the booking.

F2 Evidence source required (multi-label)

Where must a **complete** answer come from? Code the source the answer **needs**, not the source the asker mentions.

Value	Definition	Constructed example
`measurement`	Sensor time series (readings over time)	"Was the room above 25 °C this afternoon?"
`description`	Static building-model facts: room type, capacity, equipment, location, layout	"How many people does room 2.13 hold?"
`record`	Dated operational entries: bookings, services, incidents, tests, work orders	"When was the fire alarm last tested?"
`document`	Policies, procedures, manuals, rules	"What do I do if the alarm sounds?"
`external`	Anything outside the building's own data: weather, transport, the web, people's opinions	"Will it rain at lunchtime?"
`none`	No evidence needed (greeting, opinion request) or cannot tell	"Hello"

Rule. Code `record` + `description` for "Is room 2.13 free now?" (bookings and room identity), and add `measurement` only if the wording asks whether anyone is *there*.

F3 Specification (three sub-codes, each `specified` / `missing` / `n/a`)

Sub-code	`specified` when...	Notes
F3a place	a room, floor, zone, asset or "the building" is named	"here", "this room" = `missing` (the deictic needs context the text lacks). **Do not infer a place from anything outside the row**
F3b time	a time, date, period or "now/today" is stated	"Is it warm?" = `missing` (implicit now): note it in F7
F3c criterion	a threshold, band or comparison standard is stated, or the question needs none	"too hot" = `missing`; "above 25 °C" = `specified`; "What is the temperature?" = `n/a`

F4 Evidence relation (single label)

Could the building's data, **if held**, establish the answer itself?

Value	Definition	Constructed example
`direct`	A datum is the asked property	"What was the CO_2 in room 5.01 at 10:00?"
`proxy`	Only a related quantity can exist; it cannot establish the asked property	"Is the room free?" when only occupancy is meant → presence ≠ booking. "Will I feel tired in there?" → CO_2 is a proxy for a feeling
`not_establishable`	No building datum can answer, even in principle	"Who is the best lecturer on floor 3?"
`unclear`	Cannot decide from the text	—

Rule. Prefer `direct` when a typical building could hold the asked property itself (bookings, capacity), even if this building does not. F4 is about the question, not about Building A.

F5 Answerable in principle (single label)

For a typically instrumented building with records (not Building A specifically):

`yes` (fully) · `partly` (some of the request) · `no`.

F6 Purpose stated (single label)

`yes` if the wording states **why** the asker wants it ("…so I can plan my meeting"); otherwise `no`. Code only what is stated.

F7 Coding certainty

`clear` · `uncertain` · `discuss`, plus a free-text note for anything not `clear`. Rows marked `discuss` by either coder go to the adjudication meeting first.

Procedure (plan 03 §3.4)

1. **Development session** (~2 h): the first author codes the 100 development rows, refines the definitions, briefs the second coder (30 minutes), and freezes v1 (SHA-256).
2. **Validation:** the first author codes all 400 validation rows; the second coder codes a seeded 100 of them (25 per stage, `../F_Analysis/draw_double_coding_sample.py`). Both work independently, blind to the automated labels and to each other. Use `sheets/partA_coding_sheet_TEMPLATE.csv`.
3. **External validation** (after the sessions): code the pooled participants' own questions mixed with 90 corpus rows, blind to source; the second coder codes a seeded 60 (`sheets/fresh_vs_corpus_coding_sheet_TEMPLATE.csv`).
4. **Agreement and adjudication** as in `Agreement_and_Adjudication_Procedure.md`.

Dates for each step are in the first author's own plan (the AI-made dates that stood here are withdrawn).

Changes made at the development session

Field	Change	Reason	Rows that prompted it
—	none: no development session was held (24 October 2026)	the submission date	—