# 2024 International Building Code®

First Printing: August 2023

ISBN: 978-1-959851-60-8 (soft-cover edition) ISBN: 978-1-959851-61-5 (loose-leaf edition) ISBN: 978-1-959851-62-2 (PDF download)

COPYRIGHT © 2023 by INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2024 International Building Code® is a copyrighted work owned by the International Code Council, Inc. ("ICC"). Without separate written permission from the ICC, no part of this publication may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying or recording by or in an information storage and/or retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, Illinois 60478; 1-888-ICC-SAFE (422-7233); https://www.iccsafe.org/about/periodicals-and-newsroom/icc-logo-license/.

Trademarks: "International Code Council," the "International Code Council" logo, "ICC," the "ICC" logo, "International Building Code," "IBC" and other names and trademarks appearing in this publication are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

T029292 PRINTED IN THE USA

# **NEW DESIGN FOR THE 2024 INTERNATIONAL CODES**




































**IPSDC** 

**ICCPC** 

The 2024 International Codes® (I-Codes®) have undergone substantial formatting changes as part of the digital transformation strategy of the International Code Council® (ICC®) to improve the user experience. The resulting product better aligns the print and PDF versions of the I-Codes with the ICC's Digital Codes® content.

The changes, promoting a cleaner, more modern look and enhancing readability and sustainability, include:



More information can be found at iccsafe.org/design-updates.



### **PREFACE**

#### FORMATTING CHANGES TO THE 2024 INTERNATIONAL CODES


The 2024 International Codes® (I-Codes®) have undergone substantial formatting changes as part of the digital transformation strategy of the International Code Council® (ICC®) to improve the user experience. The resulting product better aligns the print and PDF versions of the I-Codes with the ICC's Digital Code content. Additional information can be found at iccsafe.org/design-updates.

#### **Replacement of Marginal Markings with QR Codes**

Through 2021, print editions of the I-Codes identified technical changes from prior code cycles with marginal markings [solid vertical lines for new text, deletion arrows (➡), asterisks for relocations (⋆)]. The 2024 I-Code print editions replace the marginal markings with QR codes to identify code changes more precisely.

A QR code is placed at the beginning of any section that has undergone technical revision. If there is no QR code, there are no technical changes to that section.

In the following example from the 2024 International Building Code® (IBC®), a QR code indicates there are changes to Section 104 from the 2021 IBC. Note that the change may occur in the main section or in one or more subsections of the main section.



To see the code changes, the user need only scan the QR code with a smart device. If scanning a QR code is not an option, changes can be accessed by entering the 7-digit code beneath the QR code at the end of the following URL: qr.iccsafe.org/ (in the above example, "qr.iccsafe.org/9caa2e2"). Those viewing the code book via PDF can click on the QR code.

All methods take the user to the appropriate section on ICC's Digital Codes website, where technical changes from the prior cycle can be viewed. Digital Codes Premium subscribers who are logged in will be automatically directed to the Premium view. All other users will be directed to the Digital Codes Basic free view. Both views show new code language in blue text along with deletion arrows for deleted text and relocation markers for relocated text.

Digital Codes Premium offers additional ways to enhance code compliance research, including revision histories, commentary by code experts and an advanced search function. A full list of features can be found at codes.iccsafe.org/premium-features.

### **ACCESSING ADDITIONAL FEATURES VIA REGISTRATION OF BOOK**

Beginning with the 2024 International Mechanical Code® (IMC®) and the 2024 International Plumbing Code® (IPC®), users will be able to validate the authenticity of their book and register it with the ICC to receive incentives. Digital Codes Premium (codes.iccsafe.org) provides advanced features and exclusive content to enhance code compliance. To validate and register, the user will tap the ICC tag (pictured here and located on the front cover) with a near-field communication (NFC) compatible device. Visit iccsafe.org/nfc for more information and troubleshooting tips regarding NFC tag technology.



### **ABOUT THE I-CODES**

The 2024 I-Codes, published by the ICC, are 15 fully compatible titles intended to establish provisions that adequately protect public health, safety and welfare; that do not unnecessarily increase construction costs; that do not restrict the use of new materials, products or methods of construction; and that do not give preferential treatment to particular types or classes of materials, products or methods of construction.

The I-Codes are updated on a 3-year cycle to allow for new construction methods and technologies to be incorporated into the codes. Alternative materials, designs and methods not specifically addressed in the I-Code can be approved by the building official where the proposed materials, designs or methods comply with the intent of the provisions of the code.

The I-Codes are used as the basis of laws and regulations in communities across the US and in other countries. They are also used in a variety of nonregulatory settings, including:

- Voluntary compliance programs.
- The insurance industry.
- Certification and credentialing for building design, construction and safety professionals.

- · Certification of building and construction-related products.
- Facilities management.
- "Best practices" benchmarks for designers and builders.
- College, university and professional school textbooks and curricula.
- Reference works related to building design and construction.

#### **Code Development Process**

The code development process regularly provides an international forum for building professionals to discuss requirements for building design, construction methods, safety, performance, technological advances and new products. Proposed changes to the I-Codes, submitted by code enforcement officials, industry representatives, design professionals and other interested parties are deliberated through an open code development process in which all interested and affected parties may participate.

Openness, transparency, balance, due process and consensus are the guiding principles of both the ICC Code Development Process and OMB Circular A-119, which governs the federal government's use of private-sector standards. The ICC process is open to anyone without cost. Remote participation is available through cdpAccess®, the ICC's cloud-based app.

In order to ensure that organizations with a direct and material interest in the codes have a voice in the process, the ICC has developed partnerships with key industry segments that support the ICC's important public safety mission. Some code development committee members were nominated by the following industry partners and approved by the ICC Board:

- American Gas Association (AGA)
- American Institute of Architects (AIA)
- American Society of Plumbing Engineers (ASPE)
- International Association of Fire Chiefs (IAFC)
- National Association of Home Builders (NAHB)
- National Association of State Fire Marshals (NASFM)
- National Council of Structural Engineers Association (NCSEA)
- National Multifamily Housing Council (NMHC)
- Plumbing Heating and Cooling Contractors (PHCC)
- Pool and Hot Tub Alliance (PHTA), formerly The Association of Pool and Spa Professionals (APSP)

Code development committees evaluate and make recommendations regarding proposed changes to the codes. Their recommendations are then subject to public comment and council-wide votes. The ICC's governmental members—public safety officials who have no financial or business interest in the outcome—cast the final votes on proposed changes.

The I-Codes are subject to change through future code development cycles and by any governmental entity that enacts the code into law. For more information regarding the code development process, contact the Codes and Standards Development Department of the ICC at iccsafe.org/products-and-services/i-codes/code-development/.

While the I-Code development procedure is thorough and comprehensive, the ICC, its members and those participating in the development of the codes expressly disclaim any liability resulting from the publication or use of the I-Codes, or from compliance or noncompliance with their provisions. NO WARRANTY OF ANY KIND, IMPLIED, EXPRESSED OR STATUTORY, IS GIVEN WITH RESPECT TO THE I-CODES. The ICC does not have the power or authority to police or enforce compliance with the contents of the I-Codes.

#### **Code Development Committee Responsibilities (Letter Designations in Front of Section Numbers)**

In each cycle, proposed changes are considered by the Code Development Committee assigned to a specific code or subject matter. Committee Action Hearings result in recommendations regarding a proposal to the voting membership. Where changes to a code section are not considered by that code's own committee, the code section is preceded by a bracketed letter designation identifying a different committee. Bracketed letter designations for the I-Code committees are:

- [A] = Administrative Code Development Committee
- [BE] = IBC—Egress Code Development Committee
- [BF] = IBC—Fire Safety Code Development Committee
- [BG] = IBC—General Code Development Committee
- [BS] = IBC—Structural Code Development Committee
- [E] = Developed under the ICC's Standard Development Process
- [EB] = International Existing Building Code Development Committee
- [F] = International Fire Code Development Committee
- [FG] = International Fuel Gas Code Development Committee
- [M] = International Mechanical Code Development Committee

- [P] = International Plumbing Code Development Committee
- [SP] = International Swimming Pool and Spa Code Development Committee

For the development of the 2027 edition of the I-Codes, the ICC Board of Directors approved a standing motion from the Board Committee on the Long-Term Code Development Process to revise the code development cycle to incorporate two committee action hearings for each code group. This change expands the current process from two independent 1-year cycles to a single continuous 3-year cycle. There will be two groups of code development committees and they will meet in separate years. The current groups will be reworked. With the energy provisions of the *International Energy Conservation Code*® (IECC®) and Chapter 11 of the *International Residential Code*® (IRC®) now moved to the Code Council's Standards Development Process, the reduced volume of code changes will be distributed between Groups A and B.

Code change proposals submitted for code sections that have a letter designation in front of them will be heard by the respective committee responsible for such code sections. Because different committees hold Committee Action Hearings in different years, proposals for most codes will be heard by committees in both the 2024 (Group A) and the 2025 (Group B) code development cycles. It is very important that anyone submitting code change proposals understands which code development committee is responsible for the section of the code that is the subject of the code change proposal.

Please visit the ICC website at iccsafe.org/products-and-services/i-codes/code-development/current-code-development-cycle for further information on the Code Development Committee responsibilities as it becomes available.

#### **Coordination of the I-Codes**

The coordination of technical provisions allows the I-Codes to be used as a complete set of complementary documents. Individual codes can also be used in subsets or as stand-alone documents. Some technical provisions that are relevant to more than one subject area are duplicated in multiple model codes.

#### **Italicized Terms**


Words and terms defined in Chapter 2, Definitions, are italicized where they appear in code text and the Chapter 2 definitions apply. Although care has been taken to ensure applicable terms are italicized, there may be instances where a defined term has not been italicized or where a term is italicized but the definition found in Chapter 2 is not applicable. For example, Chapter 2 of the IBC contains a definition for "Listed" that is applicable to equipment, products and services. The term "listed" is also used in the IBC to refer to a list of items within the code or within a referenced document. For the latter, the Chapter 2 definition would not be applicable.

# **Adoption of International Code Council Codes and Standards**

The International Code Council maintains a copyright in all of its codes and standards. Maintaining copyright allows the Code Council to fund its mission through sales of books in both print and digital formats. The Code Council welcomes incorporation by reference of its codes and standards by jurisdictions that recognize and acknowledge the Code Council's copyright in the codes and standards, and further acknowledge the substantial shared value of the public/private partnership for code development between jurisdictions and the Code Council. By making its codes and standards available for incorporation by reference, the Code Council does not waive its copyright in its codes and standards.

The Code Council's codes and standards may only be adopted by incorporation by reference in an ordinance passed by the governing body of the jurisdiction. "Incorporation by reference" means that in the adopting ordinance, the governing body cites only the title, edition, relevant sections or subsections (where applicable), and publishing information of the model code or standard, and the actual text of the model code or standard is not included in the ordinance (see graphic, "Adoption of International Code Council Codes and Standards"). The Code Council does not consent to the reproduction of the text of its codes or standards in any ordinance. If the governing body enacts any changes, only the text of those changes or amendments may be included in the ordinance.

What does "incorporate by reference" mean? If a governmental agency or authority having jurisdiction (AHJ) over code adoption wishes to adopt a model code for legislative or regulatory purposes, it will enact an ordinance, regulation or law to incorporate by reference (IBR) the relevant code. The actual text of the model code is not included in the law, but the enacting law will include the full text of any changes or amendments enacted by the legislative body of the AHJ.



The Code Council also recognizes the need for jurisdictions to make laws accessible to the public. Accordingly, all I-Codes and I-Standards, along with the laws of many jurisdictions, are available to view for free at codes.iccsafe.org/codes/i-codes. These documents may also be purchased, in both digital and print versions, at shop.iccsafe.org.

To facilitate adoption, some I-Code sections contain blanks for fill-in information that needs to be supplied by the adopting jurisdiction as part of the adoption legislation. For example, the IBC contains:

Section 101.1. Insert: [NAME OF JURISDICTION]
Section 103.1. Insert: [NAME OF DEPARTMENT]

Section 1612.3. Insert: [NAME OF JURISDICTION, DATE OF ISSUANCE]

For further information or assistance with adoption, including a sample ordinance, jurisdictions should contact the Code Council at incorporation@iccsafe.org.

For a list of frequently asked questions (FAQs) addressing a range of foundational topics about the adoption of model codes by jurisdictions and to learn more about the Code Council's code adoption resources, scan the QR code or visit iccsafe.org/code-adoption-resources.



### INTRODUCTION TO THE INTERNATIONAL BUILDING CODE

The *International Building Code* establishes minimum requirements for building systems using prescriptive and performance-related provisions. It is founded on broad-based principles that make possible the use of new materials and new building designs.

The IBC is a model code that provides minimum requirements to safeguard the public health, safety and general welfare of the occupants of new and existing buildings and structures. It addresses structural strength, means of egress, sanitation, adequate lighting and ventilation, accessibility, energy conservation and life safety in regard to new and existing buildings, facilities and systems.

The IBC applies to all occupancies, including one- and two-family dwellings and townhouses that are not within the scope of the IRC. The IRC is referenced for coverage of detached one- and two-family dwellings and townhouses as defined in the exception to Section 101.2 and the definition for "Townhouse" in Chapter 2. The IRC can also be used for the construction of live/work units (as defined in Section 508.5) and small bed and breakfast-style hotels where there are five or fewer guest rooms and the hotel is owner-occupied. The IBC applies to all types of buildings and structures unless exempted. Work exempted from permits is listed in Section 105.2.

#### **ARRANGEMENT AND FORMAT OF THE 2024 IBC**

The format of the IBC allows each chapter to be devoted to a particular subject. The following table shows how the IBC is divided. The subsequent tables show IBC requirements that are correlated with other I-Codes. The chapter synopses detail the scope and intent of the provisions of the IBC.

	CHAPTER TOPICS				
CHAPTERS	CHAPTERS SUBJECTS				
1,2	Administration and Definitions				
3	Use and Occupancy Classifications				
4, 31	Special Requirements for Specific Occupancies or Elements				
5-6	Height and Area Limitations Based on Type of Construction				
7–9	Fire Resistance and Protection Requirements				
10	Requirements for Evacuation				
11	Specific Requirements to Allow Use and Access to a Building for Persons with Disabilities				
12, 27-30	Building Systems, Such as Lighting, HVAC, Plumbing Fixtures, Elevators				
13	Energy Use				
14-26	Structural Components—Performance and Stability				
32	Encroachment Outside of Property Lines				
33	Safeguards during Construction				
35	Referenced Standards				
Appendices A-P	Appendices				

#### INTERNATIONAL FIRE CODE CORRELATED TOPICS

The IBC requirements for hazardous materials, fire-resistance-rated construction, interior finish, fire protection systems, means of egress, emergency and standby power, and temporary structures are directly correlated with the requirements of the *International Fire Code*® (IFC®). The following table shows chapters/sections of the IBC that are correlated with the IFC:

	IBC/IFC CORRELATED TOPICS			
IBC CHAPTER/SECTION IFC CHAPTER/SECTION SUBJECT		SUBJECT		
Sections 307, 414, 415	Chapters 50–67	Hazardous materials and Group H requirements		
Chapter 7	Chapter 7	Fire-resistance-rated construction (fire and smoke protection features in the IFC)		
Chapter 8	Chapter 8	Interior finish, decorative materials and furnishings		
Chapter 9	Chapter 9	Fire protection systems		
Chapter 10	Chapter 10	Means of egress		
Chapter 27	Section 604	Standby and emergency power		
Section 3103	Chapter 31	Temporary structures		

#### INTERNATIONAL MECHANICAL CODE CORRELATED TOPICS

The IBC requirements for smoke control systems, and smoke and fire dampers are directly correlated to the requirements of the IMC. IBC Chapter 28 is a reference to the *IMC* and the *International Fuel Gas Code*® (IFGC®) for chimneys, fireplaces and barbecues, and all aspects of mechanical systems. The following table shows chapters/sections of the IBC that are correlated with the *IMC*:

IBC/IMC CORRELATED TOPICS			
IBC CHAPTER/SECTION IMC CHAPTER/SECTION SUBJECT			
Section 717	Section 607	Smoke and fire dampers	
Section 909	Section 909 Section 513 Smoke control		

#### INTERNATIONAL PLUMBING CODE CORRELATED TOPICS

The IBC requirements for plumbing fixtures and toilet rooms are directly correlated to the requirements of the IPC. The following table shows chapters/sections of the IBC that are correlated with the IPC:

IBC/IPC CORRELATED TOPICS					
IBC CHAPTER/SECTION IPC CHAPTER/SECTION SUBJECT					
Chapter 29	Chapters 3 and 4	Plumbing fixtures and facilities			

#### Chapter 1 Scope and Administration.

Chapter 1 establishes the limits of applicability of the code and describes how the code is to be applied and enforced. The provisions of Chapter 1 establish the authority and duties of the code official appointed by the authority having jurisdiction and also establish the rights and privileges of the design professional, contractor and property owner.

#### **Chapter 2 Definitions.**

Chapter 2 is the repository of the definitions of terms used in the body of the code. The user of the code should be familiar with and consult this chapter because the definitions are essential to the correct interpretation of the code and because the user may not be aware that a term is defined.

#### Chapter 3 Occupancy Classification and Use.

Chapter 3 provides for the classification of buildings, structures and parts thereof based on the purpose for which they are used. Section 302 identifies the groups into which all buildings, structures and parts thereof must be classified. Sections 303 through 312 identify the occupancy characteristics of each group classification. In some sections, specific group classifications having requirements in common are collectively organized such that one term applies to all. For example, Groups A-1, A-2, A-3, A-4 and A-5 are individual groups for assembly-type buildings. The general term "Group A," however, includes each of these individual groups. Other groups include Business (B), Educational (E), Factory (F-1, F-2), High Hazard (H-1, H-2, H-3, H-4, H-5), Institutional (I-1, I-2, I-3, I-4), Mercantile (M), Residential (R-1, R-2, R-3, R-4), Storage (S-1, S-2) and Utility (U). In some occupancies, the smaller number means a higher hazard, but that is not always the case.

Defining the use of the buildings is very important as it sets the tone for the remaining chapters of the code. Occupancy works with the height, area and construction type requirements in Chapters 5 and 6, to determine "equivalent risk." The determination of equivalent risk involves three interdependent considerations: (1) the level of fire hazard associated with the specific occupancy of the facility; (2) the reduction of fire hazard based on the fuel load by limiting the floor area and the height of the building; and (3) the level of overall fire resistance provided by the type of construction. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

Occupancy classification also plays a key part in the appropriate protection measures. As such, threshold requirements for fire protection and means of egress systems are based on occupancy classification (see Chapters 9 and 10). Other sections of the code also contain requirements respective to the classification of building groups. For example, Section 706 specifies requirements for fire wall fire-resistance ratings that are tied to the occupancy classification of a building and Section 803.11 contains interior finish requirements that are dependent upon the occupancy classification. The use of the space, rather than the occupancy of the building, is utilized for determining occupant loading (Section 1004) and live loading (Section 1607).

#### Chapter 4 Special Detailed Requirements Based on Occupancy and Use.

Chapter 4 contains the requirements for protecting special uses and occupancies which are supplemental to the remainder of the code. For example, the height and area limitations established in Chapter 5 apply to all special occupancies unless Chapter 4 contains height and area limitations. In this case, the limitations in Chapter 4 supersede those in other sections. An example of this is the height and area limitations for open parking garages given in Section 406.5.4, which supersede the limitations given in Sections 504 and 506.

In some instances, it may not be necessary to apply the provisions of Chapter 4. For example, if a covered mall building complies with the provisions of the code for Group M, Section 402 does not apply; however, other sections that address a use, process or operation must be applied to that specific occupancy, such as stages and platforms, special amusement buildings and hazardous materials (Sections 410, 411 and 414).

The chapter includes requirements for buildings and conditions that apply to one or more groups, such as high-rise buildings, underground buildings or atriums. Special uses may also imply specific occupancies and operations, such as for Group H, hazardous materials, and uses with associated combustibility hazards, which are coordinated with the IFC. Unique consideration is taken for special use areas, such as covered mall buildings, motor-vehicle-related occupancies, special amusement buildings and aircraft-related occupancies. Special facilities within other occupancies are considered, such as stages and platforms, motion picture projection rooms, children's play structures and storm shelters. Finally, in order that the overall package of protection features can be easily understood, unique considerations for specific occupancies are addressed: Groups I-1, I-2, I-3, R-1, R-2, R-3 and R-4 and ambulatory care facilities.

### Chapter 5 General Building Heights and Areas.

Chapter 5 contains the provisions that regulate the minimum type of construction for area limits and height limits based on the occupancy of the building. Height and area increases are permitted based on open frontage for fire department access, separation and the type of sprinkler protection provided (Sections 503 through 506, 510). Provisions include the protection and/or separation of incidental uses (Table 509.1), accessory occupancies (Section 508.2) and mixed uses in the same building (Sections 506.2.2, 508.3, 508.4 and 510). Unlimited area buildings are permitted in certain occupancies when they meet special provisions (Section 507). Live/work units are provided for in Section 508.5.

Tables 504.3, 504.4 and 506.2 are the keystones in setting thresholds for building size based on the building's use and the materials with which it is constructed. Respective to each group classification, the greater the fire-resistance rating of structural elements, as represented by the type of construction, the greater the floor area and height allowances. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type.

### Chapter 6 Types of Construction.

The interdependence of fire safety considerations can be seen by looking at Tables 601 and 705.5, which show the fire-resistance ratings of the principal structural elements comprising a building in relation to the five classifications for types of construction. Type I construction generally requires the highest fire-resistance ratings for structural elements, whereas Type V construction generally requires the least amount of fire-resistance-rated structural elements. The greater the potential fire hazards indicated as a function of the group, the lesser the height and area allowances for a particular construction type. Section 603 includes a list of combustible elements that can be part of a noncombustible building (Types I and II construction).

### **Chapter 7 Fire and Smoke Protection Features.**

Chapter 7 provisions present the fundamental concepts of fire performance that all buildings are expected to achieve in some form. This chapter identifies the acceptable materials, techniques and methods by which proposed construction can be designed and evaluated against to determine a building's ability to limit the impact of fire.

### **Chapter 8 Interior Finishes.**

Chapter 8 contains the performance requirements for controlling fire growth within buildings by restricting interior finish and decorative materials. The provisions of Chapter 8 require materials used as interior finishes and decorations to meet certain flame-spread index or flame-propagation criteria based on the relative fire hazard associated with the occupancy.

### Chapter 9 Fire Protection and Life Safety Systems.

Chapter 9 prescribes the minimum requirements for active systems of fire protection equipment to perform the following functions: detect a fire, alert the occupants or fire department of a fire emergency, and control smoke and control or extinguish the fire. Generally, the requirements are based on the occupancy, the height and the area of the building, because these are the factors that most affect firefighting capabilities and the relative hazard of a specific building or portion thereof. This chapter parallels and is substantially duplicated in Chapter 9 of the IFC; however, the IFC Chapter 9 also contains periodic testing criteria that are not contained in the IBC. In addition, the special fire protection system requirements based on use and occupancy found in IBC Chapter 4 are duplicated in IFC Chapter 9 as a user convenience.

### Chapter 10 Means of Egress.

The criteria in Chapter 10 regulating the design of the means of egress system are established as the primary method for protection of occupants by allowing timely relocation or evacuation. Both prescriptive and performance language is utilized for determination of a safe exiting system. It addresses all portions of the means of egress system (i.e., exit access, exits and exit discharge) and includes design requirements as well as provisions regulating individual components. The requirements detail the size, arrangement, number and protection of means of egress components. The means of egress protection requirements work in coordination with other sections of the code, such as protection of vertical openings (see Chapter 7), interior finish (see Chapter 8), fire suppression and detection systems (see Chapter 9) and numerous others, all having an impact on life safety. Chapter 10 of the IBC is duplicated in Chapter 10 of the IFC; however, the *IFC* contains one additional section on the maintenance of the means of egress system in existing buildings.

## Chapter 11 Accessibility.

Chapter 11 contains provisions for accessibility of buildings and their associated sites and facilities for people with physical disabilities. The fundamental philosophy of the code is that everything is required to be accessible (see Section 1103.1). The code's scoping requirements then address the conditions under which accessibility is not required in terms of exceptions to this general mandate. While the IBC contains scoping provisions for accessibility (e.g., what, where and how many), ICC A117.1, *Accessible and Usable Buildings and Facilities*, is the referenced standard for the technical provisions (e.g., how).

There are many accessibility issues that not only benefit people with disabilities but also provide a tangible benefit to people without disabilities. This type of requirement can be set forth in the code as generally applicable without necessarily identifying it

specifically as an accessibility-related issue. Such a requirement would then be considered as having been "mainstreamed." For example, visible alarms are located in Chapter 9 and accessible means of egress and ramp requirements are addressed in Chapter 10.

The IRC references Chapter 11 for accessibility provisions; therefore, this chapter may be applicable to housing covered under the IRC.

#### Chapter 12 Interior Environment.

Chapter 12 provides minimum standards for the interior environment of a building. The standards address the minimum sizes of spaces, as well as minimums for temperature, light and ventilation. Concerns for sound transmission and acoustics are addressed. Finally, the chapter provides minimum standards for toilet and bathroom construction.

### **Chapter 13 Energy Efficiency.**

Chapter 13 provides minimum design requirements that will promote efficient utilization of energy in buildings. The requirements are directed toward the design of building envelopes with adequate thermal resistance and low air leakage, and toward the design and selection of mechanical, water heating, electrical and illumination systems that promote effective use of depletable energy resources. For the specifics of these criteria, Chapter 13 requires design and construction in compliance with the IECC.

#### Chapter 14 Exterior Walls.

Chapter 14 addresses requirements for exterior walls of buildings. Minimum standards for wall covering materials, installation of wall coverings and the ability of the wall to provide weather protection are provided.

### Chapter 15 Roof Assemblies and Rooftop Structures.

Chapter 15 provides standards for both roof assemblies and structures that sit on top of the roofs of buildings. The criteria address roof construction and covering, including the weather-protective barrier at the roof and, in most circumstances, a fire-resistant barrier.

### Chapter 16 Structural Design.

Chapter 16 prescribes minimum structural loading requirements for use in the design and construction of buildings and structural components. The chapter references and relies on many nationally recognized design standards, including the American Society of Civil Engineers' *Minimum Design Loads for Buildings and Other Structures* (ASCE 7).

#### Chapter 17 Special Inspections and Tests.

Chapter 17 provides a variety of procedures and criteria for testing materials and assemblies, labeling materials and assemblies and special inspection of structural assemblies. This chapter expands on the inspections of Chapter 1 by requiring special inspection where indicated and, in some cases, structural observation.

#### Chapter 18 Soils and Foundations.

Chapter 18 provides criteria for geotechnical and structural considerations in the selection, design and installation of foundation systems to support the loads from the structure above.

# Chapter 19 Concrete.

Chapter 19 provides minimum accepted practices for the design and construction of buildings and structural components using concrete, both plain and reinforced. This chapter relies primarily on the reference to American Concrete Institute (ACI) 318, *Building Code Requirements for Structural Concrete*.

### Chapter 20 Aluminum.

Chapter 20 contains standards for the use of aluminum in building construction. This chapter references national standards from the Aluminum Association (AA) for use of aluminum in building construction, AA ASM 35, *Aluminum Sheet Metal Work in Building Construction*, and AA ADM, *Aluminum Design Manual*.

### Chapter 21 Masonry.

Chapter 21 provides comprehensive and practical requirements for masonry construction.

### Chapter 22 Steel.

Chapter 22 provides the requirements necessary for the design and construction of structural steel (including composite construction), cold-formed steel, steel joists, steel cable structures and steel storage racks. Chapter 22 requires that the design and use of steel materials be in accordance with the specifications and standards of the American Institute of Steel Construction, the American Iron and Steel Institute, the Steel Joist Institute and the American Society of Civil Engineers.

#### Chapter 23 Wood.

Chapter 23 provides minimum requirements for the design of buildings and structures that use wood and wood-based products.

#### Chapter 24 Glass and Glazing.

Chapter 24 establishes regulations for glass and glazing that, when installed in buildings and structures, are subjected to wind, snow and dead loads.

#### Chapter 25 Gypsum Board, Gypsum Panel Products and Plaster.

Chapter 25 contains the provisions and referenced standards that regulate the design, construction and quality of gypsum board, gypsum panel products and plaster and reinforced gypsum concrete.

#### Chapter 26 Plastic.

Chapter 26 addresses the use of plastics in building construction and components. This chapter provides standards addressing foam plastic insulation, foam plastics used as interior finish and trim, and other plastic veneers used on the inside or outside of a building.

### Chapter 27 Electrical.

Since electrical systems and components are an integral part of almost all structures, Chapter 27 references the National Electrical Code (NEC). In addition, Section 2702 addresses emergency and standby power requirements and references where they are required. Such systems must comply with the IFC and referenced standards.

### Chapter 28 Mechanical Systems.

Nearly all buildings will include mechanical systems. Chapter 28 provides references to the IMC and the IFGC for the design and installation of mechanical systems. In addition, Chapter 21 of this code is referenced for masonry chimneys, fireplaces and barbecues.

### Chapter 29 Plumbing Systems.

Chapter 29 regulates the minimum number of plumbing fixtures that must be provided for every type of building. This chapter also regulates the location of the required fixtures in various types of buildings. The regulations in this chapter come directly from Chapters 3 and 4 of the IPC.

### Chapter 30 Elevators and Conveying Systems.

Chapter 30 provides standards for the installation of elevators into buildings, including requirements for elevator shafts and lobbies. Referenced standards provide the requirements for the elevator system and mechanisms. Special provisions are indicated for fire service access elevators and for the optional choice of occupant evacuation elevators in high rise buildings (see Section 403).

### Chapter 31 Special Construction.

Chapter 31 contains a collection of regulations for a variety of unique structures and architectural features. Pedestrian walkways and tunnels connecting two buildings are addressed in Section 3104. Safeguards for swimming pool safety are addressed by a reference to the *International Swimming Pool and Spa Code*® (ISPSC®) in Section 3109. Standards for temporary structures, including permit requirements, are provided in Section 3103. Structures as varied as awnings, marquees, signs, telecommunication and broadcast towers and automatic vehicular gates are also addressed (see Sections 3105 through 3108 and 3110). Unique types of buildings, such as membrane structures, greenhouses, relocatable buildings and intermodal shipping containers (Sections 3102, 3112, 3113 and 3114) are also addressed in this chapter.

#### Chapter 32 Encroachments into the Public Right-of-Way.

Buildings and structures may be designed to extend over a property line and into the public right-of-way. Local regulations outside of the building code usually set limits to such encroachments, and such regulations take precedence over the provisions of this chapter. Chapter 32 establishes parameters for such encroachments, not only at grade but also above and below grade. Pedestrian walkways must also comply with Chapter 31.

### **Chapter 33 Safeguards During Construction.**

Chapter 33 provides safety requirements for the job site during construction and demolition of buildings and structures. In addition, it provides requirements intended to protect the public from injury and adjoining property from damage.

### Chapter 34 Reserved.

### **Chapter 35 Referenced Standards.**

Chapter 35 lists all of the product and installation standards and codes that are referenced throughout Chapters 1 through 33 and includes identification of the promulgators and the section numbers in which the standards and codes are referenced. As stated in

Section 102.4, these standards and codes become an enforceable part of the code (to the prescribed extent of the reference) as if printed in the body of the code.

### Appendix A Employee Qualifications.

Effective administration and enforcement of the family of International Codes depends on the training and expertise of the personnel employed by the jurisdiction and their knowledge of the codes. Section 103 of the code establishes the Department of Building Safety and calls for the appointment of a building official and deputies, such as plans examiners and inspectors. Appendix A provides standards for experience, training and certification for the building official and the other staff mentioned in Chapter 1.

### Appendix B Board of Appeals.

Appendix B contains the provisions for appeal and the establishment of a board of appeals. The provisions include the application for an appeal, the makeup of the board of appeals and the conduct of the appeal process.

### Appendix C Group U-Agricultural Buildings.

Appendix C provides special consideration for the construction of agricultural buildings reflective of their specific usage and limited occupant load. The provisions of this appendix allow reasonable heights and areas commensurate with the risk of agricultural buildings.

#### Appendix D Fire Districts.

Appendix D establishes a framework by which a jurisdiction can establish a portion of a jurisdiction as a fire district where limiting the potential spread of fire is a key consideration. Fire district standards restrict certain occupancies within the district, as well as setting higher minimum construction standards.

### Appendix E Supplementary Accessibility Requirements.

The Architectural and Transportation Barriers Compliance Board (U.S. Access Board) has revised and updated its accessibility guidelines for buildings and facilities covered by the Americans with Disabilities Act (ADA) and the Architectural Barriers Act (ABA). Appendix E includes scoping requirements contained in the 2010 ADA Standards for Accessible Design that are not in Chapter 11 and not otherwise mentioned or mainstreamed throughout the code. Items in this appendix address subjects not typically addressed in building codes (for example, communication features in transient lodging and transportation facilities).

## Appendix F Rodentproofing

The provisions of Appendix F are minimum mechanical methods to prevent the entry of rodents into a building.

### Appendix G Flood-Resistant Construction.

Appendix G is intended to fulfill the flood-plain management and administrative requirements of the National Flood Insurance Program (NFIP) that are not included in the code. Communities that adopt the IBC and Appendix G will meet the minimum requirements of NFIP as set forth in Title 44 of the Code of Federal Regulations.

### Appendix H Signs.

Appendix H gathers in one place the various code standards that regulate the construction and protection of outdoor signs.

# Appendix I Patio Covers.

Appendix I provides standards applicable to the construction and use of patio covers. It is limited in application to patio covers accessory to dwelling units. Covers of patios and other outdoor areas associated with restaurants, mercantile buildings, offices, nursing homes or other nondwelling occupancies would be subject to standards in the main code and not this appendix.

### Appendix J Grading.

Appendix J provides standards for the grading of properties. This appendix also provides standards for administration and enforcement of a grading program including permit and inspection requirements.

#### Appendix K Administrative Provisions.

Appendix K primarily provides administrative mechanisms for enforcing NFPA 70—the National Electrical Code (NEC). The provisions in this appendix are compatible with administrative provisions in Chapter 1 of the IBC and the other I-Codes. Section K110 also contains technical provisions that are unique to this appendix and are in addition to technical standards of NFPA 70.

### Appendix L Earthquake Recording Instrumentation.

The purpose of Appendix L is to foster the collection of ground motion data, particularly from strong-motion earthquakes. When this ground motion data is synthesized, it may be useful in developing future improvements to the earthquake provisions of the IBC.

### Appendix M Tsunami-Generated Flood Hazards.

Addressing a tsunami risk for all types of construction in a tsunami hazard zone through building code requirements would typically not be cost effective, making tsunami-resistant construction impractical at an individual building level. However, Appendix M does allow the adoption and enforcement of requirements for tsunami hazard zones that regulate the presence of high-risk or high-hazard structures.

### Appendix N Replicable Buildings.

Appendix N provides jurisdictions with a means of incorporating replicable building requirements contained in the ICC G1-2010, *Guideline for Replicable Buildings*, into their building code adoption process. The intent is to streamline the plan review process at the local level by removing redundant reviews.

#### Appendix O Performance-Based Application.

Appendix O provides an optional design, review and approval framework for use by the building official. It extracts relevant administrative provisions from the *International Code Council Performance Code® for Buildings and Facilities* (ICCPC®) into a more concise, usable appendix format for a jurisdiction confronted with such a need.

### Appendix P Sleeping Lofts.

Appendix P provides allowances for, and limitations on, spaces intended to be used as sleeping lofts, while differentiating these spaces from mezzanines and other habitable spaces.

#### **RELOCATION OF TEXT OR TABLES**

The following table indicates relocation of sections and tables in the 2024 edition of the IBC from the 2021 edition.

RELOCATIONS			
2024 LOCATION	2021 LOCATION		
104.2.3	104.11		
104.2.3.5	104.11.2		
104.2.3.6	104.11.1		
104.2.4	104.10		
104.2.4.1	104.10.1		
104.4	104.6		
705.1	705.9		
705.11	705.1		
1110.6	E105.2		
1110.6.1	E105.2.1		
1110.6.2	E105.2.2		
1110.15	1110.12.2		
1110.15.1	1110.12.2.1		
1112.6	E107.2		
1402.3.1	1403.14		
1403.9	1403.10		
1404.5	1404.17		
1404.5.1	2603.11		
1404.5.2	2603.12		
1404.5.2.1	2603.12.1		
Table 1404.5.2.1	Table 2603.12.1		
1404.5.2.2	2603.12.2		
Table 1404.5.2.2	Table 2603.12.2		
1404.5.3	2603.13		
1404.5.3.1	2603.13.1		
Table 1404.5.3.1	Table 2603.13.1		
1404.5.3.2	2603.13.2		

RELOCATIONS—continued				
2024 LOCATION	2021 LOCATION			
Table 1404.5.3.2	Table 2603.13.2			
1607.10	1607.17			
1607.11	1607.10			
1607.17	1607.18			
1607.19	1607.20			
1607.20	1607.21			
1607.21	1607.22			
1613.3	1613.2.5.2			
2214	2208			
2308.7	2308.3			
2308.8	2308.4			
2308.9	2308.5			
2308.10	2308.6			
2308.11	2308.7			
3301.3	3301.2.1			
3301.4	3302.1			

# **CONTENTS**

CHAPTE	R 1 SCOPE AND ADMINISTRATION	410	Stages, Platforms and Technical
Part 1—.	Scope and Application		Production Areas103
101	Scope and General Requirements20	411	Special Amusement Areas
102	Applicability21	412	Aircraft-Related Occupancies106
Dart 2	Administration and Enforcement21	413	Combustible Storage
103	Code Compliance Agency	414	Hazardous Materials110
103	Duties and Powers of Building Official	415	Groups H-1, H-2, H-3, H-4 and H-5115
104	Permits24	416	Spray Application of Flammable Finishes124
105	Floor and Roof Design Loads	417	Drying Rooms
107	Construction Documents	418	Organic Coatings125
107	Temporary Structures, Equipment and Systems	419	Artificial Decorative Vegetation125
109	Fees	420	Groups I-1, R-1, R-2, R-3 and R-4
110	Inspections	421	Hydrogen Fuel Gas Rooms
111	Certificate of Occupancy	422	Ambulatory Care Facilities
112	Service Utilities	423	Storm Shelters
113	Means of Appeals	424	Play Structures
113	Violations	425	Hyperbaric Facilities
115	Stop Work Order30	[F] 42	Combustible Dusts, Grain Processing
116	Unsafe Structures and Equipment30	427	and Storage
110	onsale structures and Equipment	427	Medical Gas Systems
СНАРТЕ	R 2 DEFINITIONS	428	Higher Education Laboratories
201	General32	СНАРТЕ	R 5 GENERAL BUILDING HEIGHTS AND AREAS133
202	Definitions32	501	General
		502	Building Address
CHAPTE	R 3 OCCUPANCY CLASSIFICATION AND USE 67	503	General Building Height and Area Limitations 133
301	Scope67	504	Building Height and Number of Stories134
302	Occupancy Classification and Use Designation 67	505	Mezzanines and Equipment Platforms
303	Assembly Group A67	506	Building Area
304	Business Group B69	507	Unlimited Area Buildings142
305	Educational Group E69	508	Mixed Use and Occupancy
306	Factory Group F70	509	Incidental Uses
307	High-Hazard Group H71	510	Special Provisions148
308	Institutional Group I77		•
309	Mercantile Group M78	CHAPTE	R 6 TYPES OF CONSTRUCTION150
310	Residential Group R79	601	General
311	Storage Group S80	602	Construction Classification
312	Utility and Miscellaneous Group U82	603	Combustible Material in Types I and II
CHART	R 4 SPECIAL DETAILED REQUIREMENTS		Construction
	ED ON OCCUPANCY AND USE	CHADTE	R 7 FIRE AND SMOKE PROTECTION FEATURES 156
401	Scope	701	General
402	Covered Mall and Open Mall Buildings	701	Multiple-Use Fire Assemblies
403	High-Rise Buildings87	702	Fire-Resistance Ratings and Fire Tests
404	Atriums90	703	Fire-Resistance Rating of Structural Members 157
405	Underground Buildings91	705	Exterior Walls
406	Motor-Vehicle-Related Occupancies93	705	Fire Walls
407	Group I-2	707	Fire Barriers
408	Group I-3	708	Fire Partitions
409	Motion Picture Projection Rooms	709	Smoke Barriers
	,	710	Smoke Partitions

711	Floor and Roof Assemblies	1008	Means of Egress Illumination 3	315
712	Vertical Openings	1009	Accessible Means of Egress	316
713	Shaft Enclosures174	1010	Doors, Gates and Turnstiles	319
714	Penetrations	1011	Stairways	329
715	Joints and Voids	1012	Ramps	332
716	Opening Protectives180	1013	Exit Signs	334
717	Ducts and Air Transfer Openings	1014	Handrails	335
718	Concealed Spaces	1015	Guards	336
719	Fire-Resistance Requirements for Plaster	1016	Exit Access	338
720	Thermal- and Sound-Insulating Materials195	1017	Exit Access Travel Distance	339
721	Prescriptive Fire Resistance	1018	Aisles	
722	Calculated Fire Resistance222	1019	Exit Access Stairways and Ramps	
		1020	Corridors	
CHAPTE	R 8 INTERIOR FINISHES258	1021	Egress Balconies	
801	Scope	1022	Exits	
802	General258	1023	Interior Exit Stairways and Ramps	
803	Wall and Ceiling Finishes258	1024	Exit Passageways	
804	Interior Floor Finish261	1025	Luminous Egress Path Markings	
805	Combustible Materials in Types I and II	1026	Horizontal Exits.	
	Construction	1027	Exterior Exit Stairways and Ramps	
806	Decorative Materials and Trim262	1027	Exit Discharge	
807	Insulation	1028	Egress Courts.	
808	Acoustical Ceiling Systems	1029	Assembly	
		1030	Emergency Escape and Rescue	
	R 9 FIRE PROTECTION AND LIFE	1031	Emergency Escape and Rescue	336
	TY SYSTEMS	CHAPTEI	R 11 ACCESSIBILITY 3	360
901	Conoral 264			
	General	1101	General	360
902	Fire Pump and Riser Room Size264	1101 1102	General	
902 903	Fire Pump and Riser Room Size	1102	Compliance	360
902 903 904	Fire Pump and Riser Room Size	1102 1103	Compliance	360 360
902 903	Fire Pump and Riser Room Size264Automatic Sprinkler Systems265Alternative Automatic Fire-Extinguishing Systems272Standpipe Systems275	1102 1103 1104	Compliance	360 360 361
902 903 904	Fire Pump and Riser Room Size	1102 1103 1104 1105	Compliance	360 360 361 362
902 903 904 905	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106	Compliance	360 360 361 362 363
902 903 904 905 906	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107	Compliance	360 360 361 362 363 364
902 903 904 905 906 907	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108	Compliance	360 361 362 363 364 364
902 903 904 905 906 907 908	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109	Compliance	360 361 362 363 364 364 369
902 903 904 905 906 907 908 909	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109	Compliance	360 361 362 363 364 364 369 371
902 903 904 905 906 907 908 909 910	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110	Compliance	360 361 362 363 364 364 369 371 376
902 903 904 905 906 907 908 909 910 911	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109	Compliance	360 361 362 363 364 364 369 371 376
902 903 904 905 906 907 908 909 910 911 912	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112	Compliance	360 360 361 362 363 364 369 371 376 378
902 903 904 905 906 907 908 909 910 911 912 913	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112	Compliance	360 360 361 362 363 364 364 371 376 378
902 903 904 905 906 907 908 909 910 911 912 913 914	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 CHAPTEI	Compliance	360 360 361 362 363 364 369 371 376 378
902 903 904 905 906 907 908 909 910 911 912 913 914 915	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 CHAPTEI	Compliance	360 361 362 363 364 369 371 376 378 <b>380</b> 380
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 CHAPTEI 1201 1202 1203	Compliance	360 360 361 362 363 364 369 371 376 378 380 380 383
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 CHAPTEI 1201 1202 1203 1204	Compliance	360 361 362 363 364 369 371 376 380 380 383 383
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 <b>CHAPTEI</b> 1201 1202 1203 1204 1205	Compliance Scoping Requirements Accessible Route Accessible Entrances Parking and Passenger Loading Facilities Motor-Vehicle-Related Facilities Dwelling Units and Sleeping Units Special Occupancies Other Features and Facilities Recreational Facilities. Signage.  R 12 INTERIOR ENVIRONMENT General Ventilation Temperature Control Lighting. Yards or Courts	360 360 361 362 363 364 369 371 376 380 380 383 383 383
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 <b>CHAPTEI</b> 1201 1202 1203 1204 1205 1206	Compliance	360 360 361 362 363 364 369 371 376 380 380 383 383 383 383
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 <b>CHAPTEI</b> 1201 1202 1203 1204 1205 1206 1207	Compliance Scoping Requirements Accessible Route Accessible Entrances Parking and Passenger Loading Facilities Motor-Vehicle-Related Facilities Dwelling Units and Sleeping Units Special Occupancies Other Features and Facilities Recreational Facilities Signage  R 12 INTERIOR ENVIRONMENT General Ventilation Temperature Control Lighting Yards or Courts Sound Transmission Enhanced Classroom Acoustics	360 360 361 362 363 364 369 371 376 380 380 383 383 383 383 383
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 CHAPTE 1001	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 CHAPTEI 1201 1202 1203 1204 1205 1206 1207 1208	Compliance	360 360 361 362 363 364 369 371 376 380 380 383 383 383 383 384 384
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 CHAPTE 1001 1002	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 <b>CHAPTEI</b> 1201 1202 1203 1204 1205 1206 1207 1208 1209	Compliance	360 360 361 362 363 364 369 371 376 380 380 383 383 383 383 384 384 384
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 CHAPTE 1001 1002 1003	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 <b>CHAPTEI</b> 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210	Compliance Scoping Requirements Accessible Route Accessible Entrances Parking and Passenger Loading Facilities Motor-Vehicle-Related Facilities Dwelling Units and Sleeping Units Special Occupancies Other Features and Facilities. Recreational Facilities Signage  R 12 INTERIOR ENVIRONMENT General Ventilation Temperature Control Lighting. Yards or Courts Sound Transmission Enhanced Classroom Acoustics Interior Space Dimensions Access to Unoccupied Spaces Toilet and Bathroom Requirements	360 360 361 362 363 364 369 371 376 380 380 383 383 383 384 384 384 385 385
902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 CHAPTE 1001 1002 1003 1004	Fire Pump and Riser Room Size	1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 <b>CHAPTEI</b> 1201 1202 1203 1204 1205 1206 1207 1208 1209	Compliance	360 360 361 362 363 364 369 371 376 380 380 383 383 383 384 384 384 385 385

	R 13 ENERGY EFFICIENCY 387	CHAPTE	R 17 SPECIAL INSPECTIONS AND TESTS	
1301	General387	1701	General	
CUADTE	R 14 EXTERIOR WALLS	1702	New Materials	
1401	General	1703	Approvals	. 472
1401	Performance Requirements	1704	Special Inspections and Tests, Contractor	470
1402	Materials	1705	Responsibility and Structural Observation	
1403	Installation of Wall Coverings	1705	Required Special Inspections and Tests	
1404	Combustible Materials on the Exterior	1706	Design Strengths of Materials	
1405	Side of Exterior Walls	1707	Alternative Test Procedure	
1406	Metal Composite Material (MCM)	1708	In-Situ Load Tests	
1407	Exterior Insulation and Finish Systems (EIFS)404	1709	Preconstruction Load Tests	. 485
1408	High-Pressure Decorative Exterior-Grade	CHAPTEI	R 18 SOILS AND FOUNDATIONS	.487
1.00	Compact Laminates (HPL)	1801	General	
1409	Insulated Metal Panel (IMP)	1802	Design Basis	
1410	Plastic Composite Decking	1803	Geotechnical Investigations	
1411	Building-Integrated Photovoltaic (BIPV) Systems	1804	Excavation, Grading and Fill.	
	for Exterior Wall Coverings and Fenestration 407	1805	Dampproofing and Waterproofing	
1412	Soffits and Fascias at Roof Overhangs407	1806	Presumptive Load-Bearing Values of Soils	
		1807	Foundation Walls, Retaining Walls and	. 432
	R 15 ROOF ASSEMBLIES AND ROOFTOP	1001	Embedded Posts and Poles	. 492
	CTURES 410	1808	Foundations	
1501	General	1809	Shallow Foundations	
1502	Roof Drainage	1810	Deep Foundations	
1503	Weather Protection			
1504	Performance Requirements	CHAPTE	R 19 CONCRETE	.515
1505	Fire Classification	1901	General	. 515
1506	Materials	1902	Coordination of Terminology	. 516
1507	Requirements for Roof Coverings414	1903	Specifications for Tests and Materials	. 516
1508	Roof Insulation427	1904	Durability Requirements	. 516
1509	Roof Coatings428	1905	Seismic Requirements	. 516
1510	Radiant Barriers Installed Above Deck	1906	Footings for Light-Frame Construction	. 518
1511	Rooftop Structures428	1907	Slabs-On-Ground	. 518
1512	Reroofing431	1908	Shotcrete	. 518
CHAPTE	R 16 STRUCTURAL DESIGN433	СНАРТЕ	R 20 ALUMINUM	519
1601	General	2001	General	
1602	Notations	2001	Materials	
1603	Construction Documents433	2002	materials	. 515
1604	General Design Requirements435	CHAPTEI	R 21 MASONRY	.520
1605	Load Combinations438	2101	General	. 520
1606	Dead Loads	2102	Notations	. 520
1607	Live Loads	2103	Masonry Construction Materials	. 520
1608	Snow Loads	2104	Construction	. 521
1609	Wind Loads	2105	Quality Assurance	. 521
1610	Soil Loads and Hydrostatic Pressure462	2106	Seismic Design	
1611	Rain Loads	2107	Allowable Stress Design	
1612	Flood Loads	2108	Strength Design of Masonry	
1613	Earthquake Loads	2109	Empirical Design of Adobe Masonry	
1614	Atmospheric Ice Loads	2110	Glass Unit Masonry	
1615	Tsunami Loads470	2111	Masonry Fireplaces	
1616	Structural Integrity470			

2112	Masonry Heaters	2506	Gyp	sum Panel Product Materials	. 622
2113	Masonry Chimneys	2507	Lath	ning and Plastering	. 623
2114	Dry-Stack Masonry532	2508	Gyp	sum Construction	. 624
		2509	Sho	wers and Water Closets	. 625
CHAPTE		2510		ning and Furring for Cement Plaster (Stucco).	
2201	General	2511	Inte	rior Plaster	. 626
2202	Structural Steel and Composite Structural Steel and Concrete	2512	Exte	erior Plaster	. 627
2203	Structural Stainless Steel	2513		osed Aggregate Plaster	
2203	Cold-Formed Steel	2514	Reir	nforced Gypsum Concrete	. 628
2204	Cold-Formed Stainless Steel	CHARTE	D 26	DIACTIC	620
2206	Cold-Formed Steel Light-Frame Construction 534			PLASTIC	
2207	Steel Joists	2601		eral	
2208	Steel Deck	2602		sh and Trim	
2209	Steel Storage Racks	2603		m Plastic Insulation	
2210	Metal Building Systems	2604		rior Finish and Trim	
2211	Industrial Boltless Steel Shelving536	2605		stic Veneer	
2212	Industrial Steel Work Platforms536	2606	_	nt-Transmitting Plastics	
2213	Stairs, Ladders and Guarding for Steel Storage	2607	_	nt-Transmitting Plastic Wall Panels	
2213	Racks and Industrial Steel Work Platforms 536	2608	_	nt-Transmitting Plastic Glazing	
2214	Steel Cable Structures	2609	_	nt-Transmitting Plastic Roof Panels	
		2610	_	nt-Transmitting Plastic Skylight Glazing nt-Transmitting Plastic Interior Signs	
CHAPTE	R 23 WOOD537	2611	U	5	
2301	General537	2612		stic Composite Decking	
2302	Design Requirements537	2613		er-Reinforced Polymer	
2303	Minimum Standards and Quality537	2614	кеп	ective Plastic Core Insulation	. 639
2304	General Construction Requirements544	СНАРТЕ	R 27	ELECTRICAL	. 640
2305	General Design Requirements for Lateral	2701		eral	
	Force-Resisting Systems557	2702	Eme	ergency and Standby Power Systems	. 640
2306	Allowable Stress Design559	2703		ntning Protection Systems	
2307	Load and Resistance Factor Design565				
2308	Conventional Light-Frame Construction	CHAPTE	R 28	MECHANICAL SYSTEMS	. 643
2309	Wood Frame Construction Manual	2801	Gen	eral	. 643
СНДРТЕ	R 24 GLASS AND GLAZING	CHARTE	D 20	DI LIMBING EVETEME	C 4 4
2401	General			PLUMBING SYSTEMS	
2402	Glazing Replacement	2901		imum Plumbing Facilities	
2403	General Requirements for Glass	2902 [P] 290		nstallation of Fixtures	
2404	Wind, Snow, Seismic and Dead Loads on Glass 614	[P] 290	US 1	iistallation of Fixtures	. 650
2405	Sloped Glazing and Skylights	CHAPTER	R 30	ELEVATORS AND CONVEYING SYSTEMS	. 652
2406	Safety Glazing	3001		eral	
2407	Glass in Handrails and Guards	3002		stway Enclosures	
2408	Glazing in Athletic Facilities	3003		ergency Operations	
2409	Glass in Walkways, Elevator Hoistways and	3004		veying Systems	
	Elevator Cars620	3005		chine Rooms	
		3006	Elev	vator Lobbies and Hoistway Opening	
CHAPTE				rotection	. 655
	TER	3007	Fire	Service Access Elevator	. 656
2501	General	3008	Occ	upant Evacuation Elevators	. 657
2502	Performance	3009	Priv	ate Residence Elevators	. 659
2503	Inspection		_		
2504	Vertical and Horizontal Assemblies622			SPECIAL CONSTRUCTION	
2505	Shear Wall Construction	3101	Gen	eral	. 660

3102	Membrane Structures660	APPENDI	IX D FIRE DISTRICTS	713
3103	Temporary Structures661	D101	General	713
3104	Pedestrian Walkways and Tunnels664	D102	Building Restrictions	713
3105	Awnings and Canopies665	D103	Changes to Buildings	714
3106	Marquees665	D104	Buildings Located Partially in the Fire District	714
3107	Signs666	D105	Exceptions to Restrictions in Fire District	714
3108	Telecommunication and Broadcast Towers	D106	Referenced Standards	
3109	Swimming Pools, Spas and Hot Tubs			
3110	Automatic Vehicular Gates	APPENDI	IX E SUPPLEMENTARY ACCESSIBILITY	
3111	Solar Energy Systems	REQU	IREMENTS	716
3112	Greenhouses	E101	General	716
3113	Relocatable Buildings	E102	Definitions	716
3114	Intermodal Shipping Containers	E103	Accessible Route	716
3111	memodal shipping containers	E104	Special Occupancies	716
CHAPTE	R 32 ENCROACHMENTS INTO THE PUBLIC	E105	Other Features and Facilities	717
RIGH	T-OF-WAY672	E106	Telephones	717
3201	General672	E107	Signage	
3202	Encroachments672	E108	Bus Stops	
		E109	Transportation Facilities and Stations	
CHAPTE	R 33 SAFEGUARDS DURING CONSTRUCTION 673	E110	Airports	
3301	General673	E111	Referenced Standards	
3302	Owner's Responsibility for Fire Protection673			0
3303	Demolition	APPENDI	IX F RODENTPROOFING	721
3304	Site Work	F101	General	
3305	Sanitary			
3306	Protection of Pedestrians675	APPENDI	IX G FLOOD-RESISTANT CONSTRUCTION	722
3307	Protection of Adjacent Property676	G101	Administration	
3308	Temporary Use of Streets, Alleys and Public	G102	Definitions	722
	Property676	G103	Applicability	723
3309	Fire Extinguishers677	G104	Powers and Duties	
3310	Means of Egress677	G105	Permits	724
3311	Standpipes677	G106	Variances	725
3312	Automatic Sprinkler System	G107	Subdivisions	
3313	Water Supply for Fire Protection	G108	Site Improvement	
3314	Fire Watch During Construction678	G109	Manufactured Homes	
		G110	Recreational Vehicles	
CHAPTE	R 34 RESERVED 679	G111	Tanks	
CHARTE	D 25 DEFEDENCED STANDARDS COA	G112	Other Building Work	
CHAPTE	R 35 REFERENCED STANDARDS 680	G113	Temporary Structures and Temporary Storage .	
ADDENID	IX A— EMPLOYEE QUALIFICATIONS 708	G114	Utility and Miscellaneous Group U	
AFFEND A101		G115	Referenced Standards	
	Referenced Standards	0113	Referenced Standards	120
A102	Referenced Standards	APPENDI	IX H SIGNS	. 729
APPEND	IX B BOARD OF APPEALS	H101	General	
	General	H102	Definitions	
DIOI	General109	H103	Location	
ДРРЕИП	IX C GROUP U—AGRICULTURAL BUILDINGS 711	H103	Identification	
C101		H104	Design and Construction	
C101		H105	Electrical	
C102	Mixed Occupancies		Combustible Materials	
C103	Exits	H107		
C104	EXILS	H108	Animated Devices	/30

H109	Ground Signs731	APPENDIX N REPLICABLE BUILDINGS 74
H110	Roof Signs731	N101 Administration
H111	Wall Signs731	N102 Definitions74
H112	Projecting Signs731	N103 Replicable Design Requirements74
H113	Marquee Signs732	N104 Replicable Design Submittal Requirements 74
H114	Portable Signs732	N105 Review and Approval of Replicable Design 74
H115	Thickness of Signs	N106 Site-Specific Application of Approved
H116	Referenced Standards733	Replicable Design
		N107 Site-Specific Review and Approval of Replicable
APPEND	IX I PATIO COVERS734	Design
1101	General734	
1102	Definition	APPENDIX O PERFORMANCE-BASED APPLICATION 74
1103	Exterior Walls and Openings	[A] O101 General
1104	Height734	
	Structural Provisions	APPENDIX P SLEEPING LOFTS 75
		P101 General75
APPEND	IX J GRADING735	P102 Definitions
J101	General735	P103 Means of Egress
J102	Definitions	P104 Guards 75
J103	Permits Required735	P105 Smoke Alarms75
J104	Permit Application and Submittals736	P106 Referenced Standards
J105	Inspections	INDEX
J106	Excavations	INDEA
J107	Fills736	
J108	Setbacks	
J109	Drainage and Terracing738	
J110	Erosion Control	
J111	Referenced Standards	
APPEND	IX K ADMINISTRATIVE PROVISIONS740	
K101	General	
K102	Applicability740	
K103	Permits	
K104	Construction Documents741	
K105	Alternative Engineered Design741	
K106	Required Inspections741	
K107	Prefabricated Construction	
K108	Testing742	
K109	Reconnection742	
K110	Condemning Electrical Systems	
K111	Electrical Provisions742	
APPEND	•	
INSTR	RUMENTATION744	
L101	General744	
L102	Referenced Standards	
APPEND	IX M TSUNAMI-GENERATED FLOOD HAZARDS745	
M101	Refuge Structures for Vertical Evacuation from	
	Tsunami-Generated Flood Hazards745	
M102	Referenced Standards745	