
Systematic Literature Review of Building Information Modelling and Green Building Certification Systems





Proceedings of the 39th International Symposium on Automation and Robotics in Construction

ISSN (for the proceedings series): 2413-5844

ISBN (for this issue of the proceeding series): 978-952-69524-2-0

The proceeding series is Scopus indexed.

Scopus°



Copyrights reserved.

© 2022 International Association on Automation and Robotics in Construction

This work including all its parts is protected by copyright. Any use outside the narrow limits of copyright law without the consent of the individual authors is inadmissible and punishable. This applies in particular to reproductions, translations, microfilming and saving and processing in electronic systems.

The reproduction of common names, trade names, trade names etc. in this work does not justify the assumption that such names are to be regarded as free within the meaning of the trademark and trademark protection legislation and can therefore be used by everyone, even without special identification.

Cover design: Borja García de Soto, Samuel Prieto, Xinghui Xu, Semih Sonkor; Image: Robotic system for the autonomous collection of laser scans in construction sites developed by the S.M.A.R.T. Construction Research Group at NYUAD

Editorial Board

Editors in Chief

Linner, Thomas | García de Soto, Borja | Hu, Rongbo | Brilakis, Ioannis

Editors (Area Chairs)

Bock, Thomas & Pan, Wen

Carbonari, Alessandro

Castro, Daniel & Mesa, Harrison

Feng, Chen

Fischer, Martin & Brosque, Cynthia

Gonzalez, Vicente

Hall, Daniel & Ng, Ming Shan

Kamat, Vineet & Liang, Ci-Jyun

Lafhaj, Zoubeir

Pan, Wei & Pan, Mi

Zhu, Zhenhua

Local Organizing Committee

Guevara Maldonado, José Alberto (Committee Head)

Castro Lacouture, Daniel

García Rodríguez, Salvador

Mesa Hernández, Harrison

Kwon Cho, Yong

Sponsor:

Autodesk



MCad



Construsoft



Cámara Colombiana de la Construcción (CAMACOL)



Foreword

The International Association for Automation and Robotics in Construction (IAARC) and the 39th ISARC organizing committee are pleased to present the Proceedings of the 39th International Symposium on Automation and Robotics in Construction held, in a hybrid mode, on July 13-15, 2022, at Universidad de los Andes, Bogotá, Colombia. The 39th ISARC was proudly hosted by the Department of Civil and Environmental Engineering at Universidad de los Andes. The 2022 ISARC has been the first-ever ISARC in Latin America and it was organized in collaboration with Pontificia Universidad Católica de Chile and Tecnológico de Monterrey. It also received the support of the Purdue Polytechnic Institute and Georgia Institute of Technology. A total of 89 papers from 291 authors/co-authors representing 111 universities, labs, and companies in 26 countries were selected after a rigorous peer-review process that was possible thanks to the great support from the Area Chairs.

In the last 4-5 years, the growing need and interest in construction robotics have become highly evident worldwide. Start-ups, spin-offs, and investors have introduced more than 200 robot systems into the market. This is backed up by an enormous number of activities and projects carried out in the academic area pushing the boundaries of what is technologically possible.

Competency in digital construction, automation and robotics has become a key element for all stakeholders in the construction sector, and many universities worldwide have launched dedicated interdisciplinary programs. Governments and major funding programs such as Horizon Europe massively request and fund the development of robotic solutions for construction, such as drones, mobile robots, 3D-printing solutions, cable-driven robots, and exoskeletons. Regulators and standardization organizations started to develop the first certification and standardization schemes for construction robots, and large software companies attempt to simulate and program robotic construction processes efficiently based on digital building and construction data.

ISARC continues to be the premier global conference in the domain of automation and robotics in construction. To prepare ISARC for the future, further attempts were made this year to restructure IAARC's framework, and the topic of "Applications in Developing Countries" was added as a new submission domain. The technical areas summarize the paper topic areas of interest, representing all the research themes relevant to ISARC/IAARC. This is an important mechanism for the technical committee to consolidate the knowledge accumulated from each year's conference while allowing for the smooth incorporation of new research topics and trends in the community

We hope you find the papers interesting and inspirational. Enjoy the readings!

Thomas Linner Borja García de Soto Rongbo Hu Ioannis Brilakis

Table of Contents

K - Keynote talks

	Urban Heat Island phenomenon	1
	Using BIM and LCA to evaluate material circularity: Contributions to building design improvement. Haibo Feng, Qian Chen, Borja García de Soto and Mehrdad Arashpour	9
	Building Information Model Pre-Processing for Automated Geometric Quality Control	17
P	- Plenary talks	
	Insights into automation of construction process using parallel-kinematic manipulators. Maike Klöckner, Mathias Haage, Helena Eriksson, Henrik Malm, Klas Nilsson, Anders Robertsson and Ronny Andersson	25
	Predictive Maintenance Optimization Framework for Pavement Management Amit Kumar and Omidreza Shoghli	33
	Weakly supervised pseudo label generation for construction vehicle segmentation. Wei-Chih Chern, Vijayan Asari, Tam Nguyen and Hongjo Kim	41
	Teaching Construction Robotics for Higher Education Students: "Imagine and Make" Zoubeir Lafhaj, Wassim Al Balkhy and Thomas Linner	47
	Integrating VR and Simulation for Enhanced Planning of Asphalt Compaction	55
	Direction of Arrival of Equipment Sound in the Construction Industry Kehinde Elelu, Tuyen Le and Chau Le	63

A - Sensing systems & data infrastructures

	Huan Yin, Jia Min Liew, Wai Leong Lee, Marcelo H Ang Jr and Justin Ker-Wei Yeoh	71
	Current State and Future Opportunities of Data Mining for Construction 4.0	78
	The Use of Boston Dynamics SPOT in Support of LiDAR Scanning on Active Construction Sites. Eric Wetzel, Junshan Liu, Tom Leathem and Anoop Sattineni	86
	Autonomous operation of a robot dog for point cloud data acquisition of scaffolds Duho Chung, Sunwoong Paik, Juhyeon Kim and Hyungkwan Kim	93
	Cluster-based Deterioration Prediction of Composite Pavements with Incorporation of Flooding Ishan Neema, Fatemeh Banani Ardecani and Omidreza Shoghli	99
	Predicting construction productivity with machine learning approachesLaura Florez-Perez, Zhiyuan Song and Jean C. Cortissoz	107
	Automated Checking of Scaffold Safety Regulations using Multi-Class 3D Segmentation Jeehoon Kim, Juhyeon Kim, Nahye Koo and Hyoungkwan Kim	115
	A Systematic Classification and Evaluation of Automated Progress Monitoring Technologies in Construction Varun Kumar Reja, Megha S Pradeep and Koshy Varghese	120
	Reducing spatial error in mobile laser scanning by real-time uncertainty visualization and human-machine interaction. Maciej Trzeciak, Chris Burgoyne and Ioannis Brilakis	128
	Toward Automation in Crack Detection and Measurements: Benchmarking of CNN-based Algorithms Donghoon Ji, Yelda Turkan and Paolo Calvi	136
В	- Sensing systems & data infrastructures	
	Innovative Model for Forecasting Trailer Usage for Prefabricated Exterior Wall Panels Andrew Rener, Aslihan Karatas and Matthew Cole	144
	Automated Wall Detection in 2D CAD Drawings to Create Digital 3D Models	152
	IFC-based Information Extraction and Analysis of HVAC Objects to Support Building Energy Modeling. Hang Li and Jiansong Zhang	159
	Systematic Literature Review of Building Information Modelling and Green Building Certification Systems	167
	Information Extraction from Text Documents for the Semantic Enrichment of Building Information Models of Bridges Phillip Schönfelder, Tariq Al-Wesabi, Andreas Bach and Markus König	175
	BIM-Integration of Light Construction Equipment	183

	Visualisation and graph-based storage of customised changes in early design phases Daniel Napps, Ata Zahedi, Markus König and Frank Petzold	191
	Conceptual Modeling of Lifecycle Digital Twin Architecture for Bridges: A Data Structure Approach	199
	Towards the development of a digital twin for subsoil monitoring and stability against overturning of a mobile drilling rig	207
	Closing the Gap Between Concrete Maturity Monitoring and Nonlinear Time-dependent FEM Analysis through a Digital Twin. Case Study: Post-tensioned Concrete Slab of an Office Building, Barcelona, Spain Héctor Posada, Rolando Chacón, Lucian-Constantin Ungureanu, David García	215
	ColombiaClass: proposal for a BIM Classification System for public buildings in Colombia. María Del Pilar Revuelta Mendoza, Nelly Paola Garcia Lopez and Luis Arturo Salazar Fica	223
	Towards Automated Pipelines for Processing Load Test Data on a HS Railway Bridge in Spain using a Digital Twin	231
	Potentials of 5D BIM with Blockchain-enabled Smart Contracts for Expediting Cash Flow in Construction Projects. Jong Han Yoon and Pardis Pishdad-Bozorgi	238
	Integrating Digital Twins in Construction Education Through Hands-on Experiential Learning. Steven Kangisser, Javier Irrazary, Kelly Watt, Richard Borger and Amadeus Burger	246
	Benefits of Open Infra BIM – Finland Experience	253
С	- Human factors & human-system collaboration	
	The Neural Basis of Risk Attitude in Decision-Making Under Risk: fNIRS investigation of the Simulated Electrical Construction Task. Shiva Pooladvand, Deha Ay and Sogand Hasanzadeh	261
	Toward Personalized Safety Training: Automating the Classification of Construction Workers' Cognitive Failures	268
	iVisit-Collaborate: Online Multiuser Virtual Site Visits Using 360-Degree Panoramas and Virtual Humans	276
	Vulnerability Assessment of Construction Equipment: An Example for an Autonomous Site Monitoring System	283
	Fire Evacuation and Management Model Based on Building Information Modeling and Virtual Reality	291
	Evaluation of Construction Site Layout Using Virtual Reality Linked with 3D CAD and Body Tracking	297

	Automated Recognition of Hand Gestures for Crane Rigging using Data Gloves in Virtual Reality	30
	A Knowledge Graph for Automated Construction Workers' Safety Violation Identification Yifan Zhu and Xiaowei Luo	3′
	Wearable Technology for Highway Maintenance and Operation Safety: A Survey of Workers' Perception and Preferences. Sepehr Sabeti, Omidreza Shoghli, Nichole Morris and Hamed Tabkhi	32
	Integrated Sensor-Based Interface for Human-Robot Collaboration in Construction Xin Wang, Dharmaraj Veeramani and Zhenhua Zhu	3
D	- Robotic machines, devices, and end-effectors	
	Requirements analysis of additive manufacturing for concrete printing – A systematic review	3
	Safety Risk Assessment of Drones on Construction Sites using 4D Simulation Zixian Zhu, Idris Jeelani and Masoud Gheisari	3
	Progress Estimation of an Excavation Pit. Axel Vierling, Tobias Groll, Dennis Meckel, Kristina Heim, Daniel Walter, Lukas Scheidhauer, Karsten Körkemeyer and Karsten Berns	3
	Impact of Passive Back-Support Exoskeletons on Manual Material Handling Postures in Construction Ali Golabchi, Linda Miller, Hossein Rouhani and Mahdi Tavakoli	3
	Stag hunt game-based approach for cooperative UAVs	3
	Reinforcement learning with construction robots: A review of research areas, challenges and opportunities	3
	Constrained Control Scheme for the Manipulation of Heavy Pre-fabricated Elements with Lightweight Robotic Arm. Michele Ambrosino, Fabian Boucher, Pierre Mengeot and Emanuele Garone	3
	Importance of a 5G Network for Construction Sites: Limitation of WLAN in 3D Sensing Applications. Hyung Joo Lee, Ajith Krishnan, Sigrid Brell-Cokcan, Janina Knußmann, Maximilian Brochhaus, Robert H. Schmitt, Johannes J. Emontsbotz and Johannes Sieger	3
	Path Generation for Foam Additive Manufacturing of Large Parts with a Cable-Driven Parallel Robot. Elodie Paquet, Marceau Metillon, Kevin Subrin, Benoit Furet and Stéphane Caro	3
	Automated material selection based on detected construction progress Tyler Stephans, Austin McClymonds, Robert Leicht and Alan Wagner	4
	Solution Kits for automated and robotic façade upgrading	4

	Concept of a Robot Assisted On-Site Deconstruction Approach for Reusing Concrete Walls	422
	Hyung Joo Lee, Christoph Heuer and Sigrid Brell-Cokcan	
	Subjective Evaluation of Passive Back-Support Wearable Robot for Simulated Rebar	430
	Work	430
	Industry Perspectives of the Potential of Wearable Robot for Pipe Installation Work Nihar Gonsalves, Mohamad Khalid, Abiola Akinniyi and Abiola Akanmu	437
	Development of Framework for Highway Lawn Condition Monitoring using UAV Images Yeseul Kim, Seongyong Kim, Yosuke Yajima, Javier Irizary and Yong K. Cho	444
E	- Construction management techniques	
	YAKE-Guided LDA approach for automatic classification of construction safety reports Hrishikesh Gadekar and Nikhil Bugalia	451
	Automated Construction Contract Summarization Using Natural Language Processing and Deep Learning	459
	Construction Progress Monitoring and Reporting using Digital Images and Computer Vision Techniques – A Review Dena Shamsollahi, Osama Moselhi and Khashayar Khorasani	467
	BIM, Twin and Between: a Conceptual Engineering Approach to Formalize Digital Twins in Construction	475
	Inspection Data Exchange and Visualization for Building Maintenance using ARenabled BIM	483
F	- Services and business applications / Industry papers	
	Comparison of TLS and Photogrammetric 3D Data Acquisition Techniques: Considerations for Developing Countries. Eyob Mengiste, Samuel A. Prieto and Borja García de Soto	491
	Mud Dauber: Prototype of the Mobile Gantry Architecture. Peter Staritz, Josiah McClurg, Caleb Miller, Moriah Schlenker and Shane Wozniak	495
	A model driven method for crack detection in robotic inspection	500
	A Case Study: Conception of digitalizing prefabrication processes in the construction industry Zhen Cai, Mohamed Ben Tarfaoui, Stephan Kessler and Johannes Fottner	504
	On the Bar Installation Order for the Automated Fabrication of Rebar Cages	508
	A Taxonomy for Connected Autonomous Plant	512

	Digital Commissioning Processes for the Oil and Gas Sector Daniel Luiz de Mattos Nascimento, Alessandra Brancher Roeder, Diego Calvetti, Alexander Chavez Lopez, Fernando Rodrigues Gonzalez and Flavio Araujo	520
	Overview of the State-of-Practice of BIM in the AEC Industry in the United States Hala Nassereddine, Makram Bou Hatoum and Awad Hanna	524
	Machine Learning for Construction Process Control: Challenges and Opportunities Bharath Sankaran	532
	5G Wireless Communication for Autonomous Excavation	536
G	- Technology management and innovation	
	The Use of Drones in the Construction Industry: Applications and Implementation Makram Bou Hatoum and Hala Nassereddine	542
	Intelligent BIM-based spatial conflict simulators: A comparison with commercial 4D tools. Leonardo Messi, Borja García de Soto, Alessandro Carbonari and Berardo Naticchia	550
	BIM-assisted, automated processes for commissioning in building services engineering Ralf Becker, Christoph Blut, Christoph Emunds, Jérôme Frisch, Dirk Heidermann, Tristan Kinnen, Alexander Lenz, Michael Möller, Nicolas Pauen, Tobias Rettig, Dominik Schlütter, Matthias Wenthe, Jörg Blankenbach, Günter Bleimann-Gather, Johannes Fütterer, Jörg Jungedeitering and Christoph van Treeck	558
	Blockchain-supported design tool on building element scale	566
	Digital Transformation in Asset Management – A Case of BIM Adoption in New Zealand Local government	574
	Project-based curriculum for teaching construction robotics	582
	A case-based reasoning technique for evaluating performance improvement in automated construction projects	590
	The Optimized Process for Effective Decision Makings to Minimize Fall From Height (FFH) Accidents on Construction Site	597
	Construction Robotics Excellence Model: A framework to overcome existing barriers for the implementation of robotics in the construction industry	605
	State of Advances in Reality Capture for Construction Progress Monitoring and Documentation Jordan Grogan, Anoop Sattineni and Jeff Kim	614

H - Applications in developing countries

An Approach for Estimation of Swing Angle and Digging Depth During Excavation Operation Amirmasoud Molaei, Marcus Geimer and Antti Kolu	622
Automated Valve Detection in Piping and Instrumentation (P&ID) Diagrams	630
Suitability and Effectiveness of Visualization Platform-based Construction Safety Training modules	638
Semiarid Terrain Alteration for Converting Dryland into Arable Land – Construction and Earthmoving Perspectives. Moshe Alamaro, Joseph Louis and Jochen Teizer	646
Action Sequencing in Construction Accident Reports using Probabilistic Language ModelQuan Do, Tuyen Le and Chau Le	653

Systematic Literature Review of Building Information Modelling and Green Building Certification Systems

O.I. Olanrewajua, W.I. Enegbumaa and M. Donna

^aWellington School of Architecture, Victoria University of Wellington, New Zealand E-mail: <u>Oludolapo.olanrewaju@vuw.ac.nz</u>, <u>wallace.enegbuma@vuw.ac.nz</u>, <u>michael.donn@vuw.ac.nz</u>

Abstract -

The rapid pace of technological transformation in sustainability assessment in the construction industry has directed the development of tools and policies. information Building modelling (BIM)-based documentation processes for green building certification systems (GBCS) credits continually require re-assessments. The relationship between BIM and GBCS is minimal in the current literature, which motivates the need for this systematic literature review. This study aims to map the synergies and potentials of BIM and GBCS integration for improvements in the sustainability assessment process. A systematic literature review was adopted to map existing gaps, potentials, and future research areas. A total of 84 papers between 2009 and 2020 from top indexed built environment journals. Energy possessed the highest representation of 71% in the environmental sustainability dimension economic and social had 15% and 11% respectively. LEED possessed the highest representation of 35% in multi-criteria GBCS. The findings predominant neglect of social and dimensions of sustainability credits. Regenerative credits such as biodiversity, water, land use and ecology, socio-economic and acoustics are less incorporated into sustainability assessment models. These findings have direct implications on sustainability assessment policy improvements to implement the use of emerging technologies such as internet of things (IoT) and Blockchain.

Keywords -

Building information modelling; BIM; Green building certification system; Net-zero buildings; Systematic literature review; Sustainability

1 Introduction

Sustainability problem solving is complex and requires an integrated approach to effectively address inherent environmental issues [1]. Consequently, the high rate of global resource utilisation in such forms as

excessive water, energy, and forest use and raw materials has encouraged the concept of sustainable development with the view to meet the current needs without adverse effects on the future [2, 3]. Buildings are one of the most dominant sources of resource usage and environmental emissions, using about 50% of raw materials, consuming 71% of electricity and 16% of water usage, and producing 40% waste disposed of in landfills [4].

Architecture, global Engineering Construction (AEC) industry is currently undergoing a dynamic transformation with the introduction of green building (GB) [5]. This has led to the development of several GB certification systems (GBCS) such as Green Star (Australia, New Zealand, and South Africa), Leadership in Energy and Environmental Design [LEED] (the United States of America and Canada), Building Research Establishment Environmental Assessment Method [BREEAM] (United Kingdom), SBTool (Portugal and Czech), Chinese evaluation standard of green building [ESGB] (China), Building Environmental Assessment Method [BEAM] Plus (Hong Kong), Green Mark (Singapore), Green Building Index [GBI] (Malaysia), Deutsche Gesellschaft für Nachhaltiges Bauen [DGNB] (Germany), and Living Building Challenge (LBC). In addition, researchers have also developed GBCS for developing countries by adapting existing GBCS. Some prominent examples of newly developed GBCS are as follows: BSAM - Sub-Saharan Africa [6, 7], SABA - Jordan [8], and GB tool for existing buildings [9].

The AEC industry is more focused on applying emerging technologies to improve environmental sustainability [10]. Technologies such as artificial intelligence (AI), prefabrication, BIM, business process reengineering (BPR), and total quality management (TQM), among others, have been deployed to facilitate the integration of construction processes and achieve value for money [11].

McGraw-Hill Construction conducted an online survey to investigate a wide range of industry professionals who use BIM tools to deliver green buildings. The survey indicated that BIM could significantly facilitate green construction, and it is

expected to be extensively used in the future if relevant challenges can be identified and effectively tackled [12]. BIM surfaced as a solution to facilitate the integration and management of information throughout the building life cycle [12], thus, enabling the effective use of design data for sustainability evaluations [13].

Several functions of BIM have been studied, such as lighting analysis, energy performance simulation, and construction and demolition waste analysis. In addition, different management and incentive aspects associated with BIM adoption have been highlighted, such as its economic benefits, organisational challenges, and motivational challenges [14-16]. A number of BIM applications have been proposed and developed to seamlessly integrate sustainability analysis into traditional design, construction, and operation processes, but there are limited reviews on the connections between BIM and green rating systems [12].

The successful integration of BIM and GB assessment requires a lot of data. Quantitative and qualitative data are the backbone of sustainability assessment [13, 17]. However, Zhao *et al.* [18] noted that one of the fundamental gaps in green building is information technology applications. Lu *et al.* [12] revealed that contemporary BIM software packages are still inadequate in delivering a unified analytical solution for a distinct green building assessment, as they cannot simultaneously analyse all green aspects of buildings.

Furthermore, Gandhi and Jupp [19] findings revealed one of the problems of BIM and green integration as a lack of alignment between the activities, processes, and tasks that encourage modelling and analysis and those that encourage the realisation of green building certification criteria. Also, Ansah *et al.* [13] identified interoperability issues as a major setback in implementing BIM for green building assessment due to the loss of quality information. Xu et al. [10] further acknowledged that one of the major challenges with the green construction process is an inaccurate assessment.

There have been several studies on integrating BIM and GBCS [18-25] in recent years. Examples include LEED [15, 20-22], SBTool [23-25], and ESGB [26]. Also, Jalaei and Mohammadi [21] developed a BIM-LEED Revit plugin including a data mining method (K-Nearest Neighbour) that integrated location and transportation, sustainable sites, energy and atmosphere, materials and resources, indoor environmental quality, innovation in design, and regional priority accounting for 6 of 8 credits in LEED v4. Similarly, Kang [22] created a rule-based LEED evaluation method with BIM to facilitate the sustainability assessment process and save time.

Although, many BIM applications have been proposed and developed to seamlessly integrate BIM and GBCS into the traditional design, construction, and

operation processes. Nonetheless, there is still a need for comprehensive integration of BIM and GBCS throughout the project lifecycle [12]. As a result, a systematic literature review (SLR) was carried out. Relevant publications between 2009 and 2020 were identified and synthesised accordingly. The year range was based on literature search output after removing papers that were not relevant to the study. The outcome of this research will provide a roadmap and future directions for BIM and GBCS integration.

2 Research Methodology

Kitchenham and Charters [27] defined a systematic literature review (SLR) as:

"a methodology used to identify, evaluate and interpret research relevant to a determined topic area, research question or phenomenon of interest."

Generally, there are five major reasons for executing a literature review as stipulated by Paré *et al.* [28] and Paré and Kitsiou [29]. These reasons include:

- establishing the current state of knowledge on the subject or topic;
- resolving the scope to which certain research area divulges any logical patterns;
- gathering practical findings in line with a research question to support its validity;
- creating new frameworks and theories; and
- ascertaining research topics or areas for future research.

The main focus of this SLR is to provide research topics or areas for future research. The review process is divided into two steps namely; SLR protocol development (Step I) and SLR execution (Step II). The SLR protocol development has four sub-steps (purpose definition, research question formulation, keywords and database selection), while the second step has six sub-steps (search strings refinement and article search, inclusion and exclusion criteria, title and abstract scanning, quality assessment, coding, and data extraction pattern). Carvalho *et al.* [24] highlighted the need for a more elaborate systematic literature review to include more keywords and green building rating tools such as Green Star, DGNB, BEAM Plus, etc. The purpose of the review is to provide answers to the following questions:

- What is the level of BIM implementation in GBCS sustainability areas?
- What are the future research directions in the BIM-GBCS domain?

The keywords for the literature search are shown in Table 1. Based on the keywords identified, a search string was developed and implemented on the Scopus search engine. As seen in Figure 1, the initial search string

revealed a total of 400 research papers, while eighty-four (84) were selected for in-depth analysis. The findings of each of the papers are briefly summarised in Table 2.

Table 1. Keywords for systematic literature review

BIM	Green building and	Method	
assessment tools			
BIM OR	"green building" OR	"Assessment	
"Building	"green construction" OR	Method" OR	
information	"sustainable building"	"Assessment	
modeling" OR	OR "high performance	Rating	
"Building	building" OR "building	Method" OR	
Information	environmental	Certification	
Modeling	performance" OR	OR "Green	
(BIM)" OR	"ecological building"	Building	
"Building	OR sustaina* OR	Certification"	
information	"Green building concept"	OR	
model" OR	OR LEED OR CASBEE	Evaluation	
"Building an	OR GBI OR DGNB	OR	
information-	OR BREEAM OR	"Labeling	
model" OR	"Green Star" OR "Green	Method or	
"BIM (building	Mark" OR "Green	System" OR	
information	Globes" OR ESGB OR	Guideline	
modeling)"	GBL OR ECOEFFECT	OR	
OR "Building	OR ECOPROFILE OR	Benchmark	
Information	ESCALE OR HK-	OR	
Modelling"	BEAM OR "BEAM	"Assessment	
	Plus" OR "GB Tool"	Standard"	
	OR "SB Tool" OR	OR "Green	
	"Home Star" OR HQE	Building	
	OR "Energy Star"	Rating	
		Tools"	




Figure 1. Overview of the paper elimination process

3 Analysis and Discussions

3.1 Descriptive Analysis

This section of the paper presents a descriptive analysis of the papers considered in this SLR. The presentation was based on the frequency of papers, GB sustainability area, and GBCS considered.

Frequency of Papers between 2009 and 2020

The frequency of publications between 2009 and 2020 is presented in Figure 2. It is seen that the year 2020 has the highest number of publications accounting for 29% of the total papers used in this study while no publication was recorded in 2012. Overall, it can be deduced that annual publications have grown haphazardly over the years. Also, it can be said that the increasing interest in GB is due to government policies and the coronavirus pandemic [30-32].



Figure 2. Frequency of Publication

Classification of Papers by GBCS Considered

It is important to note that many studies are mainly focused on the multi-criteria tool while only one paper by Acampa *et al.* [17] mentioned some of the existing lifecycle-based assessment tools (BEES, BEAT, and EcoQuantum). Forty percent (40%) of the studies did not report any GBCS, 35% used/mentioned LEED as a basis for their research while 10% used/mentioned BREEAM. Other GBCS such as Green Star (7%), SBTool (5%), GBI (5%), etc. has been seldom considered in the existing literature. Furthermore, some of the existing studies by Khoshdelnezamiha *et al.* [33], Olawumi and Chan [34], Mahmoud et al. [9], and Ahmad and Thaheem [35] have developed new rating tools (5%) to complement the shortcomings of the existing GBCS.

Journal of Selected Papers

Table 3 shows the top 10 journals in which the selected papers were published. Nearly 40% were published in Sustainability [Switzerland] (15.48%), Automation in Construction (9.52%), Sustainable Cities and Society (7.14%), Journal of Green Building (4.76%), and Applied Sciences [Switzerland] (2.38%). The table

contains highly ranked journal papers that guarantee the reliability of data to be gathered during the SLR.

Table 3. Top 10 Journals of Selected Papers

S/N	Journal	Frequency	*Percentage (%)
1	Sustainability	13	15.48%
2	Automation in	8	9.52%
	Construction		
3	Sustainable Cities and	6	7.14%
	Society		
4	Journal of Green Building	4	4.76%
5	Applied Sciences	2	2.38%
	(Switzerland)		
6	Architectural Engineering	2	2.38%
	and Design Management		
7	ARPN Journal of	2	2.38%
	Engineering and Applied		
	Sciences		
8	Buildings	2	2.38%
9	Energy and Buildings	2	2.38%
10	International Journal of	2	2.38%
	Sustainable Building		
	Technology and Urban		
	Development		

^{*}Percentage is based on the overall contribution of the journal based on the 84 papers

3.2 Thematic Analysis

Level of BIM implementation in GB Sustainability Area

Using the Green Star NZ as a yardstick, a large portion of the papers focused on the environmental aspect of sustainability which includes; management (4%), indoor environment quality (35%), energy (71%), transport (20%), water (26%), materials (54%), land use and ecology (35%), emissions (23%), and innovation (18%). On the other side, the social (11%) and economic (15%) aspects of sustainability were not often researched. These findings connote that the management, innovation, water, and transport areas under the environmental dimension of sustainability need more research.

Lu et al. [12] emphasised that BIM is still not capable of assessing buildings' environmental and social sustainability in a holistic manner. Furthermore, Zanni et al. [36] and Lu et al. [12] indicated four sustainability areas not supported by BIM software packages: management, ecological issues, innovative techniques and performance, and transportation conditions. The discussion in this part of the paper is structured based on Green Star Design and As-Built New Zealand v1.0 (Green Star NZ) certification system. It includes nine credit categories namely, management, indoor environment quality, energy, transport, water, materials, land use and ecology, emissions, and innovation [37]. In addition to the credit categories of Green Star NZ, the social and economic dimension of sustainability that is

lacking in the GBCS [7] will also be discussed concerning BIM integration.

The management and innovation criteria are often given less attention in most of the existing GBCS despite their presence in many sustainability research [38, 39]. This is evident in Green Mark GBCS, where less than 2% of the entire credits is allocated to "Management" [7]. Gandhi and Jupp [19] mentioned that assessing management and innovation components of green building assessment tools is almost unfeasible with BIM. Hence, future studies could concentrate on developing a qualitative oriented and adaptable approach for credits not achievable with BIM [40].

There have been few studies on integrating BIM and IEQ components in GBCS over the years. Al-Sulaihi *et al.* [41] developed a framework to integrate IEQ data into the BIM model in order to detect and track IEQ problems. Marzouk and Abdelaty [42] integrated BIM and wireless sensor network (WSN) for effective monitoring of thermal comfort in subways, an essential ingredient of IEQ. The study revealed that BIM better visualises the building components and IEQ metrics. It also enables efficient control of HVAC systems in an energy-efficient manner. Furthermore, HSE [43] revealed the six factors that influence the thermal comfort of occupants as 1) air temperature, 2) radiant temperature, 3) air velocity, 4) humidity, 5) clothing insulation, and 6) metabolic heat.

Pučko et al. [44] introduced a systematic approach for energy and cost analysis of building envelop using ArchiCAD, DesignBuilder and Vico Office. Venkatraj et al. [45] used Kieran Timberlake's Tally and Autodesk Green Building Studio (GBS) to compute embodied and operating energy respectively. The study quantitatively revealed that altering the amount of insulation, glazing type, window to wall ratio and depth of external shades to reduce operating energy may lead to the use of energyconsuming. Rodrigues et al. [46] compared the performance of GBS and ECO.AP for energy analysis. It was revealed that GBS is suitable at the early design stage of a building with poor performance. Galiano-Garrigós et al. [47] revealed that GBS, Herramienta Unificada Lider-Calener (HULC), Sefaira and DesignBuilder perform better than other energy supply tools because their values were close to the real values. Galiano-Garrigós et al. [47] suggested that incorporating crossed ventilation or thermal energy inertia could help minimise the differences in values between simulations and real energy and CO₂ emissions values.

It is observed that most of the studies were aimed at developing a plugin, while only Li *et al.* [48] developed a methodology by integrating Dynamo and "Amap" WMS. Furthermore, LEED GBCS is the only one considered in all the four studies that have attempted the automation location analysis credits. Over 70% of existing studies use Google Map API due to its versatility

and flexibility. However, there is a need to explore other WMS to explore strengths and weaknesses. It has been established that the "Amap" WMS has geographical and language limitations, influencing its adoption in other locations.

Water is an essential part of GB, which account for a significant portion of most existing GBCS. There is a lack of research regarding automating BIM for water efficiency analysis [49], although some existing BIM-GB applications such as EnergyPlus, EcoDesigner and Ecotect offer metrics on water usage analysis. Recently, Liu *et al.* [50] developed a water efficiency framework for sustainable building design and construction management, which is yet to be validated. The framework would act as a road map for potential software development in future. However, there is a need to develop an adaptable plugin or framework for GBCS based analysis.

Al-Ghamdi and Bilec [51] conducted a comparative assessment of three common LCA tools (SimaPro, Athena Environmental Impact Estimator, and Kieran Timberlake's Tally). The study revealed discrepancies in the selected LCA tools due to different methodologies and databases used for calculations. As a result, there is 10% and 17% variation in terms of embedded and operational impacts, respectively. Similarly, Schultz et al. [52] conducted a comparative analysis between Athena Impact Estimator and Kieran Timberlake's Tally. It was stressed that there is a disconnection between design and sustainability assessment at the early stage of buildings. Furthermore, it was revealed that there is a lack of an elaborate database for the LCA of materials. Also, there is a need for existing and new sustainability tools to incorporate the concept of transparency and to benchmark in LCA evaluation.

Ahmad and Thaheem [35] stressed that BIM still has a long way to go to integrate the social dimension of sustainability into BIM. Also, the economic aspect of sustainability is not left out of this trend. Incorporating corporate social responsibility (CSR) and BIM into GBCS gives it the ability to act as a "social integrative system" [53]. Reychav et al. [53] established that existing BIM guidelines only focused on stakeholder management, teamwork, and participation. It was revealed that tenants are not involved in a project's design and construction stage, which negates the equity aspect of social sustainability. The research also presented CSR as a basis for BIM and sociocultural sustainability integration.

Additionally, Zanni et al. [54] argued that a clear line of communication aid an effective, sustainable building design process. This emphasises the need to keep project stakeholders, including end-users (tenants), abreast with up-to-date information regarding the project. Similarly, Kim et al. [55] used the number of workers needed to

represent the social aspect of a large-scale development master plan sustainability assessment. Subsequently, Ahmad and Thaheem [35] developed a conceptual framework for social sustainability assessment BIM plugin applicable to residential buildings.

Future Research Directions in BIM-GBCS Domain

Firstly, it is evident that there is still disagreement among authors regarding the GBCS credits assessable with BIM, which has led to gaps between BIM technologies and GBCS. However, different GBCS used in various countries have their differences, one of the major reasons for this disagreement. Nonetheless, it was observed that most of the studies that stated certain percentages have not thoroughly validated their speculations. This will help automate GBCS processes, which are mostly manual at the moment and reduce waiting time for GBCS certificates. Consequently, a study is required to validate the speculations in previous research regarding the number of credits assessable with BIM. Secondly, several authors have revealed different percentage differences between the results of BIM-GB software packages with no guideline in benchmarking the outputs for these software packages. Furthermore, the lack of transparency between the computation processes of different software packages has also fuelled the differences in their outputs.

As a result, the following questions have emerged based on the observations of the disagreement obvious in the existing literature:

- How to develop an improved GBCS encompassing critical GB sustainability criteria that can be used to validate the actual credits assessable with BIM technologies?
- How to minimise the gaps between the outputs of existing BIM-GB analysis tools and develop a benchmark for their outputs?

Sustainability consists of three critical pillars, which include social, economic, and environmental dimensions. Nonetheless, the social and economic dimensions of sustainability have little or no points in most of the existing GBCS. This questions the overall aim of sustainability assessments in buildings when all dimensions of sustainability are not considered. Although, studies have attempted to design new GBCS that will include more points for social and economic dimensions [7-9]. However, most of these new GBCSs are still yet to encompass the social and economic dimensions to a satisfactory level. Studies by Ahmad and Thaheem [35] explored the concept of social sustainability in the BIM-GBCS domain without integrating the developed indicators and frameworks into

any of the existing GBCS. Furthermore, a framework to satisfy the economic evaluation of buildings in GBCS and the need to integrate these social and economic indicator frameworks into the existing GBCS is required.

Conclusively, the neglect spotting revealed critical areas that have been overlooked, under-researched, and lack empirical support. The neglect gaps are summarised below:

- Other sustainability areas such as biodiversity, water, land use and ecology, socio-economic and acoustics have been potentially overlooked by researchers in the BIM-GBCS domain.
- The need to extend further research to include other prominent GBCS which have been neglected because most existing studies focused on the LEED GBCS.
- Lack of framework or guideline for evaluating software packages to be used in GBCS evaluations.
- There is a lack of empirical support for ontology-based BIM-GBCS and current literature focus only on the Chinese ESGB.

Based on the extensive literature review, gap-spotting and consideration of different perspectives outlined, the following key areas are essential for future research in the BIM-GBCS domain as summarised below:

- Development of a holistic framework for BIM-GBCS integration: there is scanty literature on the holistic application of BIM for GBCS. Different GBCS have unique credit categories as a result of geographical differences.
- Development of framework or guideline for evaluating software packages to be used for GBCS evaluations: there is a need to develop a framework or guideline that will assist GB professionals in selecting the best software packages to be used for the building evaluation.
- Minimising the gap between simulation outputs from GB analysis tools and real-world values: It is observed that there are still differences between GB analysis tools and real values. In some scenarios, these differences are large, and it questions the integrity of existing GB analysis tools.
- Integrating BIM and ontology for GBCS credits evaluation: Currently, there are few pieces of literature on ontology in the BIM-GBCS domain despite the benefit ontology offers that have been reported in previous studies.
- Integrating BDA, blockchain and IoT for BIM-based GBCS evaluation: Combining the potentials of big data analytics and the internet

of things for BIM-based GBCS evaluation will enhance the GB evaluation process and as well reduce manpower requirements and process costs.

4 Conclusion

BIM has grown to be a useful tool in the AEC industry. The use of BIM to support GBCS has received huge attention from researchers. Particularly, between 2019 and 2020, the number of published works increased significantly by 50%. This can be attributed to the effect of government policies and the coronavirus pandemic. This study presents a systemic literature review of the relationship between BIM and GBCS. Owing to the review of journal articles (n = 84) between 2009 and 2020, this study summarised the: (1) GBCS currently BIMenabled, (2) level of BIM implementation in GBCS sustainability areas, and (3) areas for further research in the BIM-GBCS domain.

The main findings of this study include the following; Firstly, the current body of research has solely concentrated on the environmental dimension of sustainability while the social and economic dimensions are neglected in the BIM-GBCS. There is a need to maintain a balance across the dimensions of sustainability. Secondly, the study revealed that biodiversity, water, land use and ecology, socio-economic and acoustics had been potentially neglected in the BIM-GBCS domain. As a result, there is a need for thorough research to address these gaps. Additionally, the study will serve as a background for future research works in the BIM-GBCS domain as it highlights the gaps for future studies.

References

- [1] 1. Horn, R., et al., The BIM2LCA Approach: An Industry Foundation Classes (IFC)-Based Interface to Integrate Life Cycle Assessment in Integral Planning. Sustainability, 2020. **12**(16).
- [2] 2. Hussin, J.M., I.A. Rahman, and A.H. Memon, The way forward in sustainable construction: issues and challenges. International Journal of Advances in Applied Sciences, 2013. **2**(1): p. 15-24.
- [3] 3. Zhang, J., et al., A successful delivery process of green buildings: the project owners' view, motivation and commitment. Renewable energy, 2019. **138**: p. 651-658.
- [4] 4. Oduyemi, O., M.I. Okoroh, and O.S. Fajana, The application and barriers of BIM in sustainable building design. Journal of Facilities Management, 2017. **15**(1): p. 15-34.
- [5] 5. Chen, P.H. and T.C. Nguyen, A BIM-WMS integrated decision support tool for supply chain

- management in construction. Automation in Construction, 2019. **98**: p. 289-301.
- [6] 6. Olawumi, T.O. and D.W. Chan, Application of Generalized Choquet Fuzzy Integral Method in the Sustainability Rating of Green Buildings based on the BSAM Scheme. Sustainable Cities and Society, 2020: p. 102147.
- [7] 7. Olawumi, T.O., et al., Development of a building sustainability assessment method (BSAM) for developing countries in sub-Saharan Africa. Journal of Cleaner Production, 2020: p. 121514.
- [8] 8. Ali, H.H. and S.F. Al Nsairat, Developing a green building assessment tool for developing countries—Case of Jordan. Building and environment, 2009. 44(5): p. 1053-1064.
- [9] 9. Mahmoud, S., T. Zayed, and M. Fahmy, Development of sustainability assessment tool for existing buildings. Sustainable Cities and Society, 2019. 44: p. 99-119.
- [10] 10. Xu, Z., et al., Study on the Evaluation Method of Green Construction Based on Ontology and BIM. Advances in Civil Engineering, 2019. **2019**.
- [11] 11. Olanrewaju, O.I., et al., Investigating the barriers to building information modeling (BIM) implementation within the Nigerian construction industry. Engineering, Construction and Architectural Management, 2020. **27**(10): p. 2931-2958.
- [12] 12. Lu, Y., et al., Building Information Modeling (BIM) for green buildings: A critical review and future directions. Automation in Construction, 2017. **83**: p. 134-148.
- [13] 13. Ansah, M.K., et al., A review and outlook for integrated BIM application in green building assessment. Sustainable Cities and Society, 2019. 48.
- [14] 14. Azhar, S. and J. Brown, Bim for sustainability analyses. International Journal of Construction Education and Research, 2009. 5(4): p. 276-292.
- [15] 15. Azhar, S., et al., Building information modeling for sustainable design and LEED ® rating analysis. Automation in Construction, 2011. **20**(2): p. 217-224.
- [16] 16. Wu, W. and R.R.A. Issa, BIM execution planning in green building projects: LEED as a use case. Journal of Management in Engineering, 2014. 31(1).
- [17] 17. Acampa, G., et al., Project sustainability: Criteria to be introduced in BIM. Valori e Valutazioni, 2019. **2019**(23): p. 119-128.
- [18] 18. Zhao, X., et al., A bibliometric review of green building research 2000–2016. Architectural Science Review, 2019. **62**(1): p. 74-88.
- [19] 19. Gandhi, S. and J. Jupp, BIM and Australian green star building certification, in Computing in

- Civil and Building Engineering (2014). 2014. p. 275-282.
- [20] 20. Jalaei, F. and A. Jrade, Integrating building information modeling (BIM) and LEED system at the conceptual design stage of sustainable buildings. Sustainable Cities and Society, 2015. **18**: p. 95-107.
- [21] 21. Jalaei, F. and S. Mohammadi, An integrated BIM-LEED application to automate sustainable design assessment framework at the conceptual stage of building projects. Sustainable Cities and Society, 2020. 53.
- [22] 22. Kang, T., Rule-Based LEED Evaluation Method considering BIM Linkage and Variability. KSCE Journal of Civil Engineering, 2020. **24**(1): p. 110-121.
- [23] 23. Carvalho, J.P., L. Bragança, and R. Mateus, Optimising building sustainability assessment using BIM. Automation in Construction, 2019. **102**: p. 170-182.
- [24] 24. Carvalho, J.P., L. Bragança, and R. Mateus, A systematic review of the role of BIM in building sustainability assessment methods. Applied Sciences (Switzerland), 2020. **10**(13).
- [25] 25. Sanhudo, L.P.N. and J.P.D.S.P. Martins, Building information modelling for an automated building sustainability assessment. Civil Engineering and Environmental Systems, 2018. 35(1-4): p. 99-116.
- [26] 26. Zhang, D., et al., A semantic and social approach for real-time green building rating in BIM-based design. Sustainability (Switzerland), 2019. **11**(14).
- [27] 27. Kitchenham, B. and S. Charters, Guidelines for performing systematic literature reviews in software engineering. 2007, Technical report, Ver. 2.3 EBSE Technical Report. EBSE.
- [28] 28. Paré, G., et al., Synthesizing information systems knowledge: A typology of literature reviews. Information & Management, 2015. **52**(2): p. 183-199.
- [29] 29. Paré, G. and S. Kitsiou, Methods for literature reviews, in Handbook of eHealth Evaluation: An Evidence-based Approach [Internet]. 2017, University of Victoria.
- [30] 30. Fezi, B.A., Health engaged architecture in the context of COVID-19. Journal of Green Building, 2020. **15**(2): p. 185-212.
- [31] 31. The City of Alexandria, Green Building Policy 2019, Planning, Editor. 2019: The City of Alexandria.
- [32] 32. The U.S. Green Building Council. Public Policies. 2019 [cited 2021 5/10/2021]; Available from: https://public-policies.usgbc.org/.
- [33] 33. Khoshdelnezamiha, G., et al., Evaluation of bim application for water efficiency assessment. Journal

- of Green Building, 2020. 15(4): p. 91-115.
- [34] 34. Olawumi, T.O. and D.W. Chan, Green-building information modelling (Green-BIM) assessment framework for evaluating sustainability performance of building projects: a case of Nigeria. Architectural Engineering and Design Management, 2020: p. 1-20.
- [35] 35. Ahmad, T. and M.J. Thaheem, Developing a residential building-related social sustainability assessment framework and its implications for BIM. Sustainable Cities and Society, 2017. **28**: p. 1-15.
- [36] 36. Zanni, M.A., R. Soetanto, and K. Ruikar, Defining the sustainable building design process: Methods for BIM execution planning in the UK. International Journal of Energy Sector Management, 2014. 8(4): p. 562-587.
- [37] 37. NZGBC, Green Star Design and As Built New Zealand v1.0 Submission Guidelines. 2019.
- [38] 38. Illankoon, I.C.S., et al., Key credit criteria among international green building rating tools. Journal of cleaner production, 2017. **164**: p. 209-220.
- [39] 39. Sev, A., How can the construction industry contribute to sustainable development? A conceptual framework. Sustainable Development, 2009. 17(3): p. 161-173.
- [40] 40. Raouf, A.M. and S.G. Al-Ghamdi, Building information modelling and green buildings: challenges and opportunities. Architectural Engineering and Design Management, 2019. **15**(1): p. 1-28.
- [41] 41. Al-Sulaihi, I., et al., Assessing indoor environmental quality of educational buildings using BIM. Journal of Environmental Science and Engineering B, 2015. **4**(8): p. 451-458.
- [42] 42. Marzouk, M. and A. Abdelaty, Monitoring thermal comfort in subways using building information modeling. Energy and buildings, 2014. **84**: p. 252-257.
- [43] 43. HSE. Thermal comfort. 2020 [cited 2020 14/11/2020]; Available from: https://www.hse.gov.uk/temperature/thermal/.
- [44] 44. Pučko, Z., D. Maučec, and N. Šuman, Energy and cost analysis of building envelope components using BIM: A systematic approach. Energies, 2020. **13**(10).
- [45] 45. Venkatraj, V., et al., Evaluating the impact of operating energy reduction measures on embodied energy. Energy and Buildings, 2020. **226**.
- [46] 46. Rodrigues, F., et al., Energy efficiency assessment of a public building resourcing a BIM model. Innovative Infrastructure Solutions, 2020. 5(2).
- [47] 47. Galiano-Garrigós, A., et al., Evaluation of BIM energy performance and CO2 emissions assessment

- tools: a case study in warm weather. Building Research and Information, 2019. **47**(7): p. 787-812.
- [48] 48. Li, J., et al., Integration of Building Information Modeling and Web Service Application Programming Interface for assessing building surroundings in early design stages. Building and Environment, 2019. **153**: p. 91-100.
- [49] 49. Chang, Y.-T. and S.-H. Hsieh, A review of Building Information Modeling research for green building design through building performance analysis. ITcon, 2020. **25**: p. 1-40.
- [50] 50. Liu, Z., et al., A Building Information Modelling (BIM) based Water Efficiency (BWe) Framework for Sustainable Building Design and Construction Management. Electronics, 2019. 8(6): p. 599.
- [51] 51. Al-Ghamdi, S.G. and M.M. Bilec, Green Building Rating Systems and Whole-Building Life Cycle Assessment: Comparative Study of the Existing Assessment Tools. Journal of Architectural Engineering, 2017. 23(1).
- [52] 52. Schultz, J., et al., A benchmark study of BIM-based whole-building life-cycle assessment tools and processes. International Journal of Sustainable Building Technology and Urban Development, 2016. 7(3-4): p. 219-229.
- [53] 53. Reychav, I., R. Maskil Leitan, and R. McHaney, Sociocultural sustainability in green building information modeling. Clean Technologies and Environmental Policy, 2017. **19**(9): p. 2245-2254.
- [54] 54. Zanni, M.A., R. Soetanto, and K. Ruikar, Towards a BIM-enabled sustainable building design process: roles, responsibilities, and requirements. Architectural Engineering and Design Management, 2017. **13**(2): p. 101-129.
- [55] 55. Kim, J.I., et al., BIM-based decision-support method for master planning of sustainable large-scale developments. Automation in Construction, 2015. **58**: p. 95-108.