

# OKTA, Apigee, My Apps

- OKTA
  - Drush
  - Login user from drush and simple SAML:
- My Apps
- Apigee
  - Apigee Regions create(Edge connections)
  - Edge connection save info
  - Group List
    - Experian Regions
    - Experian Products

More Information: [GDP - APIGEE and OKTA API Services](#)

## OKTA

1. simplesamlphp\_auth module and lib, library will install on vendor folder
2. SAML lib => <https://simpleParagraphsamlphp.org/>

### Drush

```
./vendor/bin/drush config:set simplesamlphp_auth.settings allow.default_login true -y  
./vendor/bin/drush config:set simplesamlphp_auth.settings allow.default_login_users 1 -y
```

Command to login -> drush uli --uri=<>  
Example: drush uli --uri=<http://localhost:8081/>

### Login user from drush and simple SAML:

```
url: /admin/config/people/simplesamlphp_auth/local  
Select role type(Which ROLES should be allowed to login with local accounts?)  
drush uli --uri=http://localhost:8081/ --name=<username / email id>
```

## My Apps

My Apps contains Experian regions, each region contains experian products

### My Apps

To get started with our APIs today, please add a new app and choose your products.




Diagram illustrating the relationship between Experian regions and Experian products:

- Experian regions (indicated by a downward arrow) point to specific app cards.
- Experian products (indicated by a downward arrow) point to the 'View My Apps' button on the 'My US Apps' card.

The cards shown are:

- My US Apps** (Blue card): 24 Products Available For Use
- My UK Apps** (Red card): 10 Products Available For Use
- My BR Apps** (Green card): 1 Product Available For Use
- My CO Apps** (Yellow card): (No product count visible)

My US Apps is a experina region

24 Products available for use is a products in regions

## Apigee

Apigee Regions create(Edge connections)

Url: /admin/config/development/edge-connections

+ Add new Edge Credentials		
ID	NAME	OPERATIONS
10	Achieve non-prod US	Edit
12	Achieve non-prod UK org	Edit
13	Apigee Edge Singapore	Edit
14	Apigee Edge UK	Edit
15	Apigee Edge Australia	Edit
16	Apigee Edge US	Edit
17	Apigee Edge Brazil	Edit
18	Apigee Edge EMEA	Edit
19	Apigee US OnPrem External	Edit

Details in creation:

**Name \***  
Apigee Edge US  
Name of the connection.

**CONFIGURATION INFO**

**Edge Organization \***  
withsmilesrinivas-eval  
The Edge org to connect to.

**Username \***  
jagadeesh.engg@gmail.com

**Password**  
  
Password stored in config. Enter new password here to update.


**Edge Server URL \***  
https://api.enterprise.apigee.com/v1  
The Edge Server URL, including version. Leave default (https://api.enterprise.apigee.com/v1) for Cloud Edge instances.

**Authentication Type \***  
☒ Basic  
☐ OAuth

Name: Apigee region name

username and password: apigee.com/ apigee server user login details

Edge Organization: organization name can get from (<https://login.apigee.com/login>), Below screen showing organization name



Example org:

APIGEE EDGE UI - <https://login.apigee.com/login>

Dev Portal - <https://withsmilesrinivas-eval-devportal.apigee.io/>

Apigee Edge - <https://apigee.com/platform/withsmilesrinivas-eval/>

Org Name - withsmilesrinivas-eval

## Edge connection save info

After click save connection files will save into folder and database

Folder path: (Root)\private\apigee\_tenancies

Database table: dpboost\_edge\_connection

```
mysql> select * from dpboost_edge_connection
-> ;
+-----+-----+-----+-----+-----+
| id | label | file_target_id | file_display | file_description |
+-----+-----+-----+-----+-----+
| 10 | Achieve non-prod US | 31 | 1 | dpboost edge connection config |
| 12 | Achieve non-prod UK org | 33 | 1 | dpboost edge connection config |
| 13 | Apigee Edge Singapore | 136 | 1 | dpboost edge connection config |
| 14 | Apigee Edge UK | 116 | 1 | dpboost edge connection config |
| 15 | Apigee Edge Australia | 137 | 1 | dpboost edge connection config |
| 16 | Apigee Edge US | 254 | 1 | dpboost edge connection config |
| 17 | Apigee Edge Brazil | 140 | 1 | dpboost edge connection config |
| 18 | Apigee Edge EMEA | 134 | 1 | dpboost edge connection config |
| 19 | Apigee US OnPrem External | 155 | 1 | dpboost edge connection config |
| 20 | Apigee India OnPrem External | 153 | 1 | dpboost edge connection config |
| 21 | testing-eval | 247 | 1 | dpboost edge connection config |
+-----+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

## Group List

- Experian Regions
- Experian Products

+ Add group						
GROUP ID	NAME	TYPE	STATUS	OWNER	OPERA	
1	United States	Experian Region	Published	admin	Edi	
2	United Kingdom	Experian Region	Published	admin	Edi	
3	Brazil	Experian Region	Published	admin	Edi	
11	Auto AccuSelect (US)	Experian Public Product Group	Published	admin	Edi	
13	Businesses (US)	Experian Public Product Group	Published	admin	Edi	
14	Collections (US)	Experian Public Product Group	Published	admin	Edi	
15	Connect API (US)	Experian Public Product Group	Published	admin	Edi	

## Experian Regions

- Each region is associated with group edge connection
- These regions will display in My Apps page based on roles and access

View
Edit
Delete
All entities
Edge Connections
Members
Nodes

Experian Region Name  
United States

Abbreviated Region Name  
US

Terms & Conditions  
Global Developer Portal Terms and Conditions (166)

Background Color  
#1d4f91

+ Add new Edge Credentials

ID	NAME
10	Achieve non-prod US
12	Achieve non-prod UK org
13	Apigee Edge Singapore
14	Apigee Edge UK
15	Apigee Edge Australia
16	Apigee Edge US
17	Apigee Edge Brazil
18	Apigee Edge EMEA
19	Apigee US OnPrem External
20	Apigee India OnPrem External

My US Apps

View My Apps

24 Products Available For Use

My UK Apps

View My Apps

10 Products Available For Use

My Apps

View My Apps

1 Product Available For Use

My CO Apps

## Experian Products

- Each product is associated with apigee app(apigee.com) using machine name
- Each product is having node product and node product documentantation
- Each product is associated with experian region

