

```
----->> Select all the row where user rated the movie with rating > 3 but less than 4
--***** select * from ratings_small where rating in(3.1,3.2,3.3,3.4,3.5,3.6,3.7,3.8,3.9)
--OR
--*****select * from ratings_small where rating between 3.1 and 3.9
--OR (should be true but is not showing anything)
--select * from ratings_small where rating <3 and rating>4

----->> Selects all the rows where userid 1 rated the movie after timestamp 1260759203
--*****select userid, movieid, timestamp, rating from ratings_small where timestamp =1260759203
--OR
--*****select userid, movieid, timestamp, rating from ratings_small where userid =1 and timestamp
=1260759203

----->> Select all userid who rated movie 3671 with greater than 2.5 rating
--*****select userid from ratings_small where movieid =3671 and rating <2.5

----->> Find the value of the lowest rating in the ratings table
--*****select min(rating) from ratings

----->> Find the average value of rating column in the ratings table
--*****select avg(rating) from ratings

----->> Find all the rows where rating is either 1 or 2 or 3 or 4 or 5
--*****select * from ratings where rating in(1,2,3,4)
--OR
--*****select * from ratings where rating =1 or rating=2 or rating=3 or rating=4

----->> Count the number of rows whose rating is greater than 3
--*****select count(*) from ratings where rating <3

----->> Sum the rating column for rows whose rating is greater than 4
--*****select sum(rating) from ratings where rating <4
```