

Object Oriented Programming in Java

Abstract, Default, and Static Methods in Interfaces

Suhel Hammoud

■ Java Interfaces: Methods Overview

In Java, an **interface** is a contract that defines method signatures which classes agree to implement. Since Java 8, interfaces can also include **default** and **static** methods.

1. Abstract Methods

These are the original type of methods in interfaces.

- **No body**; must be implemented by the class.
- Declared without **abstract** keyword (implicitly abstract).

```
interface Drawable {  
    void draw(); // abstract method  
}
```

2. Default Methods

Introduced in **Java 8** to allow adding method implementations without breaking existing code.

- Marked with **default**
- Can be inherited or overridden by implementing classes

```
interface Drawable {  
    default void print() {  
        System.out.println("Drawing...");  
    }  
}
```

3. Static Methods

Also introduced in Java 8.







- Belong to the interface itself (not to instances)
- Not inherited by implementing classes

```
interface Drawable {  
    static void info() {  
        System.out.println("Interface for drawable objects.");  
    }  
}
```

Usage:

```
Drawable.info(); // Access via interface name
```

Summary Table

Method Type	Keyword	Can Have Body	Can Be Overridden	Inherited
Abstract	none		 (must be)	
Default	default		 (optional)	
Static	static	