Markdown Syntax

Overview

Markdown is a lightweight *markup language*, it's often used to format readme files, for writing messages in online discussion forums, and to create rich text using a plain text editor.

Syntax

Strong and Emphasize

strong or **strong**

emphasize or *emphasize*

Sometimes I want a lot of text to be bold. Like, seriously, a *LOT* of text

Blockquotes

> *Right angle brackets > are used for block quotes.*

Links and Email

An email baiduer@baidu.com link.

Simple inline link http://baidu.com, another inline link [Baidu](http://baidu.com), one more inline link with title [Baidu](http://baidu.com).

A [reference style](http://baidu.com) link. Input id, then anywhere in the doc, define the link with corresponding id:

Titles (or called tool tips) in the links are optional.

Images

An inline image , title is optional.

A reference style image.

Inline code and Block code

Inline code are surround by `backtick` key. To create a block code:

```
Indent each line by at least 1 tab, or 4 spaces.
const startTime = + new Date();
```

Ordered Lists

Ordered lists are created using "1." + Space:

1. Ordered list item
2. Ordered list item
3. Ordered list item

Unordered Lists

Unordered list are created using "*" + Space:

- Unordered list item
- Unordered list item
- Unordered list item

Or using "-" + Space:

- Unordered list item
- Unordered list item
- Unordered list item

Hard Linebreak

End a line with two or more spaces will create a hard linebreak, called `<br />` in HTML.
Above line ended with 2 spaces.

Horizontal Rules

Three or more asterisks or dashes:

Headers

Setext-style:

This is H1

This is H2

Atx-style:

This is H1

This is H2

This is H3

This is H4

This is H5

This is H6

Extra Syntax

Footnotes

Footnotes work mostly like reference-style links. A footnote is made of two things: a marker in the text that will become a superscript number; a footnote definition that will be placed in a list of footnotes at the end of the document. A footnote looks like this:

That's some text with a footnote.[1]

Strikethrough

Wrap with 2 tilde characters:

~~Strikethrough~~

Fenced Code Blocks

Start with a line containing 3 or more backticks, and ends with the first line with the same number of backticks:

```
Fenced code blocks are like Stardard Markdown's regular code
blocks, except that they're not indented and instead rely on
a start and end fence lines to delimit the code block.
```

Tables

A simple table looks like this:

First Header	Second Header	Third Header
Content Cell	Content Cell	Content Cell
Content Cell	Content Cell	Content Cell

If you like, you can add a leading and tailing "|" to each line of the table:

First Header	Second Header	Third Header
Content Cell	Content Cell	Content Cell
Content Cell	Content Cell	Content Cell

Specify alignment for each column by adding ":" to separator lines:

First Header	Second Header	Third Header
Left	Center	Right
Left	Center	Right

Ads

Welcome to join in QQ group:

高级前端开发交流群

扫一扫二维码，加入该群。

---

1. And that's the footnote.↵