Ayurved Rasayani
॥ रसो वै सः ॥

AYURVED RASAYANI'S

# Guidelines for the management of Prameh and its Upadrava (Diabetes mellitus and it's complications)



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

Dear Vaidyas,

In today's era, due to the newly developing set of Hetu (causative factors) and complexity of existing Hetu, it is getting difficult for a physician to extrapolate the exact Samprapti and Avastha of vyadhi. Also, it is very difficult to identify the stage of a disease as patient comes from different backgrounds e.g., patient visiting ayurvedic physician with some disease while consuming modern medicines. Generally, it is observed that while managing the bio chemical parameters for that specific disease, there is considerable loss of quality of life of a patient. There is a need for better clinically tested alternatives from Ayurved. Here Ayurveda's fundamentals come in picture, that it treats the patient along with maintaining or improving quality of life of a patient.

Since there is ever-growing complexity in causative factors, there is development of new diseases, with complex criss cross pathologies, it is difficult to diagnose the patient under one specific disease. Also, there are new group of symptoms and diagnostic methods coming in picture. Because of this, it becomes very difficult for an Ayurved practitioner to give enough time, efforts, limited mental bandwidth to study Ayurved first and then analyse newly coming diseases and diagnostic methods, which are not discussed under clear heads in classical texts of Ayurved. Most of such diseases are considered under Gudhalinga Vyadhi. Additionally, with increased challenges of today's era, it is becoming difficult for every Vaidya to understand the text at base level, with the help of grammar, Teekas, Nyayas etc. Hence it is very challenging to identify the exact stage of a vyadhi, along with its Sadhyasadhyatva, dosha dhatu Bala, satva etc. This leads to higher risk of misdiagnosis of the condition of a patient or wrong judgement about the chikitsa Tatva and chikitsa dravya and so on.

Considering DM, India has become the global capital with increasing number of diagnosed and undiagnosed or lately diagnosed patients. Currently management of blood sugar level is considered as the only method of treatment. But as all of us know that management of BSL only is not enough treatment for DM. Even patients with controlled BSL develop further DM complications over the period. Ayurved has its own terminology and way of explaining diseases. Many of the times DM is closely correlated with Prameha in Ayurveda. Many of the times Vaidya's get confused about the Purvaroopa, Rupa, Upadrava or even with Vyadhisankara when it comes to patients visiting ayurvedic physicians with known diagnosis of DM. Hence it is very difficult to understand the Samprapti of Meha resembling disease or DM with involvement of different Srotasa or Avayava. For the same reason it becomes challenging to understand the illness and its complications. Hence there is gap between understanding of diabetes patient and may be its possible relation with Prameha.

One has to understand in clinical settings that these well diagnosed patients by modern medicine when visit ayurvedic clinic and ayurvedic diagnosis starts with Hetu, Lakshane, Samprapti, sometimes already prevalent complications of DM. One of the most important factors a Vaidya has to consider is modern medicines the patient is consuming. All these medicines are likely to be uptarpanottha in nature which equally interferes with Samprapti. This is one of the most important aspects while designing Vyadhipratyanik chikitsa in Ayurveda. As we all know in such patients almost all dhatus, doshas and malas




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

are involved, it becomes pertinent to catch the exact range of dynamic equilibrium disturbances at Srotas/dhatu/dhatvagni/avayava/dosha etc. levels. It is time to consider or anticipate the role of OHA (oral hypoglycemic agents) in such Samprapti as an added Hetu samprapti ghatak and design a Vyadhipratyanik chikitsa.

Knowing all diseases can be explained by Ayurveda excerpts and one can keep using various solutions available in Granthas and specially for newly practicing Vaidyas, it becomes very promising to provide immediate gratifying solutions to demanding patients.

Anticipating this need and to make Ayurveda practice easy, yet reproducible result-oriented solutions for upcoming generations of Vaidyas, Rasayu develops few guideline protocols for newly developing pathologies of Vyadhi. These guideline protocols are developed based on 25+ years of Ayurved practice in India and abroad, with the help of clinical data of patients and clinically proven medicines. All the medicines mentioned here have been used by patients for years together and shown safety and efficacy on Ayurveda as well as global parameters in clinical settings. Majority of these medicines include Vyadhipratyanik Rasayana, which helps to tackle the complex diseases like DM and its complications along with symptomatic solutions as well.

The guidelines given in this book can be used by physicians as a quick reference for patients visiting ayurvedic clinic with known diagnosis of DM. The protocols are given anticipating the known possible or probable complications of DM patients. The main goal of these experience-based protocol sharing is how to delay/prevent/ manage successfully diabetes patients based on principles of Ayurved which is far beyond merely BSL management. Another important aspect of these guidelines is that these not only helps getting immediate gratification to the patients (Rugnasamvedya) but also for Vaidya's (Vaidyasamvedya) on Ayurveda parameters as well as globally known parameters also. This overall increases the confidence of all stake holders and finally establishes Ayurveda as a time-tested science which can withstand any global scrutiny!

**Thanking You,**
**Vd.Yogesh Bendale**
**CMD,**
**Ayurveda Rasayani**



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

Ayurved Rasayani
॥ रसो वै सः ॥

## DISCLAIMER

- The document is based on experience of managing various complications and avastha of Prameh (Diabetes mellitus) using Ayurveda medicines. However, this document is no way claim to treat any particular disease.
- These guidelines should only serve as a supportive document for Ayurveda physicians to manage any kind of Prameh and its upadrava.
- These guidelines are exclusively meant for use only by the registered Ayurveda physicians. It is strictly not intended for self-medication by patients.
- Physicians are advised to use these guidelines only after a detail consultation, history taking and examination of patients.
- This document in no way means to discourage the use of any other system of medicine. The physician using these guidelines has to use his own knowledge and experience in deciding to offer best possible treatment for the patient.
- Physicians have their own discretion to select drugs based upon the stage of disease, complexity of symptoms, availability of medicines in their locality etc. and dose and duration has to be decided according to condition of the patient. List provided gives an idea about the different group of choice of medication available for the said conditions. Physicians may select medicines from the list provided in this document or other than the list as per the complaints and availability.
- Patients who are already taking some medications for other illnesses should be advised to continue those medications after thorough examination by an ayurveda physician.
- Doses (Matra) advised are based on the experience still physician can use it at its discretion.
- Modern terminology is used only for the purpose of understanding and should not be considered mere translation of Ayurvedic terms.
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.
- All the medicines mentioned here are either granthokta or FDA approved.
- Ayurveda Rasayani warrants about the safety of long-term use of all the medicines mentioned here which are manufactured by Ayurved Rasayani only.
- In case of chronic but non critical signs or stage, if physician did not see the clinical improvement, then it is expected to revisit the Nidana.
- In case of chronic but critical signs or stage,it is expected to see clinical improvement in 2 to 4 weeks of the therapeutic guidelines.
- In case of acute and critical signs or stage guidelines must be used with thorough assessments.
- All the guidelines are mainly based on “Vyadhipratyanik Chikitsatattva”. Physicians may add or change medicines as per symptoms.




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

# PROPHYLACTIC GUIDELINES

## FOR HIGH-RISK PATIENTS



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

Ayurved Rasayani
॥ रसो वै सः ॥

**PRIMARY PREVENTION HELPFUL GUIDELINES**
**(HELP TO PREVENT ONSET OF DIABETES IN IMPAIRED GLUCOSE TOLERANCE AND IMPAIRED FASTING GLYCAEMIA/PRE-DIABETES, FAMILY HISTORY OF DM/RISKY PATIENTS)**

| **Risk Factors** | **Medicine** | **Matra** | **Sahpaan** | **Aushadh Kal** |
|---|---|---|---|---|
| Over wt. (At-Risk BMI ≥ 25) | Obecon | 2-2-2 | Warm water | Vyanodaan kal (three times a day after food) |
| Gestational DM (Advice 1 or 1+2 or 1+2+3) as per severity | 1.Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | 2.Rasaka Rasayana | 1-0-1 | Honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | 3.Meha Rasayan | 1-0-0 | Honey / warm water | Rasayan Kal (Early morning on empty stomach) |
| Depression | Tejonidhi Rasayan | 0-0-1 | Honey | Nisha kal (At bedtime) |
| Family History Of DM | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Hrudrog/ rasaabhinodanvruddhi (Heart Disease/BP) | Sutendra Rasayana | 1-0-0 | Honey | Rasayan Kal (Early morning on empty stomach) |
| **Symptoms** | **Medicine** | **Matra** | **Sahpaan** | **Aushadh Kal** |
| Trushna (Polydipsia) | Sannidha Rasayan | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| Laulya (Polyphagia) | Asinorm | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Daurbalya- Alasya (Fatigue) | Sannidha Rasayan | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| | If Vaat dushti *Deepan churna | 0-1-1 | Cow ghee | Praan kal |
| | If Pitta and Kapha dushti *Ruchir | 0-1-1 | Cow ghee | Praan kal |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| Symptoms | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Shosh Agnimandya, arochak, daurbalya etc. (loss of appetite, weakness, Unexplained Wt. Loss) | Rasaka Rasayana | 0-0-1 | Honey / warm water | Nisha kal (At bedtime) |
| | *Ruchir | 0-1-1 | Cow ghee | Pran kal |
| | If chronic samprapti, add Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Vidradhi, dushtavrana (Unhealed Wound) | Dasma Rasayan | 1-0-0 | Lemon juice | Rasayan Kal (Early morning on empty stomach) |
| | Pravalpanchamrut+ kaamdudha+sootshekhar+ashwagandha +aarogyavardhini | 1-0-1 (125 mg each) | Warm water | Vyanodaan kal (twice a day after food) |
| | Meh Rasayana | 0-0-1 | Warm water | Nisha kal (At bedtime) |
| Kampa (Tingling/ Numbness in Limbs) | Rasaka Rasayana | 1-0-1 | Honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Kanchanar guggul+Tapyadi loh+ashwagandha | 1-0-1 (125 mg each) | Warm water | Vyanodaan kal (twice a day after food) |
| Aavil drushti (Blurred Vision) | Sutendra Rasayana | 1-0-0 SOS 1-0-1 | Honey | Rasayan kal (Early morning on empty stomach) |
| | Rasaka Rasayana | 0-0-1 | Honey / warm water | Nisha kal (At bedtime) |
| **Investigations** | | | | |
| LFT + RFT+ CBC + URINE routine | | | | |
| ✓ Lipid profile | If abnormal | Ayulip | 2-0-2 | Warm water / Vyanodaan kal (twice a day after food) |
| ✓ HBA1C | If abnormal | Zincare | 2-0-2 | Warm water / Vyanodaan kal (twice a day after food) |
| ✓ Exercise and diet advisory most important medication to this. | | | | |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

Ayurved Rasayani
॥ रसो वै सः ॥

## PRAMEH (DIABETES MELLITUS) MANAGEMENT

For an ayurvedic physician, it is advisable to assess patients as per ayurvedic criteria and some pathological investigations may be watched for every 4 or 6 months or even at lesser interval as the case may be.

**Generally, patients bring these reports while visiting ayurvedic physician and may use for follow-up as well.**

CBC, LFT, RFT, URINE -R, SR. ELECRTROLYTES, SR. PHOSPHOROUS

BSL-F, PP, HbA1C, BSL- R, Lipid profile, Sr.insulin, C peptide

**All mentioned guidelines below maybe considered based on onset or chronicity and severity of symptoms.**

| symptoms | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Trushna (Polydipsia) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | *Kansya Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| Aruchi (Impaired Taste) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | *Ruchir | 0-1-1 | Cow ghee | Pran kal |
| | Zinzi chips | | For chewing | 3-4 times a day |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Madhurasyata (Sweet taste) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | *Ruchir | 0-1-1 | Cow ghee | Pran kal |
| | Zinzi chips | | For chewing | 3-4 times a day |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Malaadhikya Swed bahulya,taalu-gal-jivha-dant mala++ (E. g. Hyper hidrosis, Acanthosis nigricans etc.) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Aarevat Kalpa | 0-0-1 or 0-0-2 | Warm water | Nisha Kal (At bedtime) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| Symptoms | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Laulya (Polyphagia) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Livayog | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | *Kansya Rasayan | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| Daurbalya-Alasya (Fatigue) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 1-0-0 | Honey/ warm water | Early morning on empty stomach |
| | *Ruchir | 0-1-1 | Cow ghee | Pran kal |
| Shosh Agnimandya, arochak, daurbalya etc. (loss of appetite, weakness, Unexplained Wt. Loss) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Rasaka Rasayana | 1-0-1 | Honey/ warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| Unhealed wound (Vidradhi, Dushtavrana) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Kanchanar Guggul 250mg | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| | Dasma | 1-0-0 | Lemon juice | Rasayan Kal (Early morning on empty stomach) |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| Symptoms | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Kampa, Supti (Tingling/numbness in limbs) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| | Pawan Chintamani | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| | Tapyadi Loh 125mg | 2-0-2 | With honey/ warm water | Vyanodaan kal (twice a day after food) |
| | Mahayograj guggul 125mg | 2-0-2 | With honey/ warm water | Vyanodaan kal (twice a day after food) |
| Aavil Drushti (Blurred vision) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| | Niketa | 1-0-0 or 1-0-1 | Honey/ warm water | Vyanodaan kal (once or twice a day after food) |
| Prabhoot Aavil Mutrata (Polyuria) | Zincare | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 1-0-1 | Honey/ warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| Madhur-Shukla Mutrataa (Sweet smell-cloudy urine) | Zincare | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 1-0-1 | Honey/ warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

| Symptoms | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Visra Gandhata (Foul smell of breath and body) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha Kal (At bedtime) |
| | Asinorm | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| | Zinzi chips | | For chewing | 3-4 times a day |
| Anidra (Poor sleep/Insomnia) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ Warm water | Nisha Kal (At bedtime) |
| | Tejonidhi | 0-0-2 | Honey | Nisha Kal (At bedtime) |
| | Yashtighrut shiropichu | 0-0-1 | - | Nisha Kal (At bedtime) |
| Basti Shool (Cystitis) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Chandraprabha+ Shankhavati+Gokshur+ Praval each 125mg | 1-0-1 | Warm water | Apaan kal (twice a day before food) |
| | Rasaka Rasayana | 1-0-1 | Honey/ warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Asinorm | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Ayukshar | 5gm per 1litre water | | Use it in drinking water |
| Basti Bheda (Urinary incontinence) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Chandraprabha+Gokshuradi guggul+jatamansi each 125mg | 1-0-1 | Warm water | Apaan kal (twice a day before food) |
| | Rasaka Rasayana | 1-0-1 | Honey/warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| | Asinorm | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| **Beej doshaj prameh (For Type 1)** | **Add Heerak Rasayan 1 at Rasayan Kal (early morning on empty stomach), rest same as type 2** | | | |
| **Symptoms** | **Medicine** | **Matra** | **Sahpaan** | **Aushadh Kal** |
| **Gestational DM** | 1.Heerak rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | 1.Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | 2.Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | 2.Rasaka Rasayana | 1-0-1 | Honey/warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Lakshanik chikitsa (as mentioned earlier) | Medicines to be given as per severity of symptoms(1 or 1+2) | | |
| **Physicians must watch for at least these additional signs critically all time as warning signs.** | Aayasen Shwas (Dyspnoea on exertion) | | | |
| | Bhaarvruddhi /Bhaar kshay (Wt. gain/ wt. loss) | | | |
| | Bhrama, Hrullas, daurbalya (Electrolyte imbalance, Fluid overload+++) | | | |
| | Rasaabhinodanvruddhi (High BP) | | | |
| | E-GFR less than 60 | | | |




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

Many of the times, Prameha or Diabetes mellitus when become chronic likely lead to possible complications. It is always advisable to try to prevent further disease progression. Hence these guidelines are important.

| HELPS IN SECONDARY PREVENTION<br>i.e., HELPS TO PREVENT THE ONSET OF COMPLICATIONS OF PRAMEH (DM) | | | | |
|---|---|---|---|---|
| **Symptoms** | **Medicine** | **Matra** | **Sahpaan** | **Aushadh Kal** |
| Murchha | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Rasaka Rasayana | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Aarevat Kalpa | 0-0-1 | Warm water | Nisha kal (At bedtime) |
| | Aarogyavardhini + praval+chandraprabha+ meshshringi | 0-1-1 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Rasaka Rasayana | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Chandraprabha+tapyadi+mahayograjguggul | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| Punstvopghaat (Erectile dysfunction) | Sindurbhushan Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Chandraprabha+ bhasma+ashwagandha+ praval bhasma each 125mg each+ jasad bhasma 30mg+ vanga 10mg | 0-1-1 | Warm water | Vyanodaan kal (twice a day after food) |
| Vidradhi (if tendency having Recurrent non healing wound) | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

| Symptoms | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Putimansa (Gangrene) RISKY PATIENT | Meha Rasayan | 1-0-0 | Honey/warm water | Rasayan Kal (Early morning on empty stomach) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 0-0-1 | Honey/warm water | Nisha kal (At bedtime) |
| Hrudgraha /Hrudrog (Cardiovascular complications) | Arpisa Rasayan | 1-0-0 | Honey/warm water | Rasayan Kal (Early morning on empty stomach) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/warm water | Nisha kal (At bedtime) |
| Dementia/ Alzheimer's | Tejonidhi Rasayan | 2-0-2 | Honey/warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 0-0-1 | Honey / warm water | Nisha kal (At bedtime) |
| Skin infections | Kanchan Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 1-0-1 | Honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| Idiopathic diarrhoea (Vidbheda/ Atisaar) | Rasaka Rasayana | 1-0-1 | Honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Amaneel | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Constipation (Malbadhhata) | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Aarevat Kalpa | 0-0-1 | Warm water | Nisha kal (At bedtime) |
| Nephropathy | Meha Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| | Rasaka Rasayana | 0-0-1 | Honey / warm water | Nisha kal (At bedtime) |

## TREATMENT GUIDELINES FOR THE MANAGEMENT OF PRAMEH UPADRAV (COMPLICATIONS OF DIABETES MELLITUS)

### 1. MUTRAGHAAT/MUTRAVAH SROTAS VYADHI-UPADRAV (DIABETIC NEPHROPATHY)

| Known illness/ Stage | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Rasaabhinodan-vruddhi (K/C/O Hypertension) | Sutendra Rasayana | 1-0-0 or 1-0-1 | Honey | Rasayan Kal (Early morning on empty stomach) or Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Normoten | 1-0-1 or 2-0-2 | | Vyanodaan kal (twice a day after food) |
| | Rest of the medicines as below | | | |
| Not always symptoms are prevalent at initial stages but sometimes it may be associated with following ayurvedic symptoms. | | | | |
| **Stage1** Agnimanydya, Shoth, Hrullas Aavil mutrata, Ayaasen shwas, (Kidney damage present but normal kidney function and a GFR of 90% or above. creatinine around 2) | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 1-0-1 | Honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Lavan | | | Replace table salt with it. Use it as per the need while cooking |
| **Stage 2** Agnimanydya, Shoth, Aavil mutrata, Ayaasen shwas, Hrullas (Kidney damage with some loss of function and a GFR of 60–89%. creatinine 2 to 4) | Zincare | 2-2-2 | Warm water | Three times a day after food. |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 1-0-1 | Honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Urokine | 1-0-1 | Warm water | Vyanodaan kal (twice a day after food) |
| | Lavan | Replace table salt with it. Use it as per the need while cooking | | |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| | Ayukshar | 5gm per 1litre water | Use it in drinking water | When patient consume water, it is advisable to use this water only. |

| STAGE | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| **Stage3** Agnimanydya, Shoth, Aavil mutrata, Ayaasen shwas, Hrullas, Daurbalya, (Mild to severe loss of function and a GFR of 30–59% creatinine 4 to 6) | Zincare | 2-2-2 | Warm water | Three times a day after food |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 1-0-1 | Honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Urokine | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 1 -0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Lavan | | | Replace table salt with it. Use it as per the need while cooking |
| | Ayukshar | 5gm per 1litre water | Use it in drinking water | When patient consume water, it is advisable to use this water only. |
| | If constipation Aarevat | 0-0-1 | Warm water | Nisha kal (At bedtime) |
| **Stage4** Agnimanydya, Shoth, Aavil mutrata, Ayaasen shwas, Hrullas, Chhardi, Daurbalya, (Severe loss of function and GFR of 15–29%. creatinine 6 to 8) | Zincare | 2-2-2 | Warm water | Three times a day after food |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Urokine | 2-2-2 | Warm water | Three times a day after food |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Aarevat Kalpa (even if bowels are clear ) | 0-0-1 or 0-0-2 | Warm water | Nisha kal (At bedtime) |
| | Lavan | | | Replace table salt with it. Use it as per the need while cooking |




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| | Ayukshar | 5gm per 1litre water | Use it in drinking water | |

| STAGE | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| **Stage5** Agnimanydya, Shoth, Aavil mutrata, Ayaasen shwas, Hrullas, Chhardi, Daurbalya, (Kidney failure and a GFR of under 15%. creatinine above 8) | Zincare | 2-2-2 | Warm water | Three times a day after food |
| | Sannidha Rasayan | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Urokine | 2-2-2 | Warm water | Three times a day after food |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Aarevat Kalpa | 0-0-1 or 2 | Warm water | Nisha kal (At bedtime) |
| | Lavan | Replace table salt with it.Use it as per the need while cooking. | | |
| | Ayukshar | 5gm per 1litre water | | Use it in drinking water |
| **Symptoms** | If patient is on Dialysis, then refer the symptoms related management additionally | | | |
| Shoth (Swollen ankles, feet, lower legs, or hands) | Urokine | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Punarnavasav | 3-3-3 tsf | Water | Vyanodaan kal (three times a day after food) |
| Peet /Rakt mutrata (Dark yellow urine or blood in the urine) | Urokine | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Ayukshar | 5gm per 1litre water | | Use it in drinking water |
| | Chandanasav | 2-2-2 tsf | Water | Vyanodaan kal (three times a day after food) |
| Rasaabhinodanvruddhi (Fluctuation in blood pressure) | Sutendra Rasayana | 1-0-0 or 1-0-1 | Honey | Vyanodaan kal (once or twice a day after food) |
| | Pawan Chintamani | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| Shukla mutrataa (Protein in the urine, frothy urine) | Urokine | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Zincare | 2-0-2 | With warm water | Vyanodaan kal (twice a day after food) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| | *Kansya rasayan | 1-0-0 | | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| Aruchi (loss of appetite) | Asinorm | 1-1-1 | Warm water | Three times a day after food |




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

| 2. Pramehaj Moorcha (Ketones in urine routine) | | | | |
|---|---|---|---|---|
| | **Medicine** | **Matra** | **Sahpaan** | **Aushadh Kal** |
| **Moorchha (Ketones in Urine routine)**<br>**Basic guideline**<br><br>Symptoms like Trushna (exceesive thirst)<br>Hrulaas (nausea and vomiting)<br>Udarshool (abdmonial pain)<br>Bhram (confusion)<br>Shwas (Dyspnoea)<br>Etc.. | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Zincare | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Urokine | 2-2-2 | Warm water | Three times a day after food |
| | Ayukshar | 5gm per 1litre water | | Use it in drinking water |
| | Lavan | Replace table salt with it. Use it as per the need while cooking | | |
| | Aarevat Kalpa | 0-0-2 | Warm water | Nisha kal (At bedtime) |
| | Asinorm | 2-2-2 | Warm water | Three times a day after food |




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

## 3.PRAMEHAJ NETRAGAT VYAADHI (DIABETIC RETINOPATHY)

| | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| **Vyadhi pratyanik-nitya sevanarth** | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| Lakshanik Chikitsa (Symptoms related management) | | | | |
| **Early stage** (Blurred vision, Floaters in vision) Risk of vitreous/retinal haemorrhage,macular thickness ++ | Sunetra Rasayan | 1-0-1 | Honey+cow ghee | Vyanodaan kal (twice a day after food) |
| | Rasaka Rasayana | 1-0-1 | Honey/ warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| **Late stage** Dark spots in vision/Active bleeding-vitreous-retinal/maculopathy | Niketa Rasayan | 1-0-1 | Honey/ warm water | Vyanodaan kal (twice a day after food) |
| | Netraj Rasayan | 1-0-1 | Honey/ warm water | Vyanodaan kal (twice a day after food) |
| Prameh (If patient has Diabetes only) | Add Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Mutraghaat (If patient has nephropathy) | Add Urokine | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Hrudrog (If patient has IHD) | Add Arpisa Rasayana | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| Rasaabhinodan vruddhi (If patient has Hypertension) | Add Sutendra Rasayana | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

## 4. JEERNA PRAMEHAJ VAATDUSHTI (DIABETIC NEUROPATHY)

| | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| Vyadhi pratyanik-nitya sevanarth | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Siraatone | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Abhyangini Tail | For padabhyanga | | Nisha kal (At bedtime) |
| If Malaavrodh | Aarevat | 0-0-1 or 2 | Warm water | Nisha kal (At bedtime) |
| Lakshanik Chikitsa (Symptoms related management) | | | | |
| 1.Soopti (Numbness or Impaired sense of pain and temperature) | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Pawanchintamani | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Siraatone | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Abhyangini Tail | For Padabhyanga | | Nisha kal (At bedtime) |
| 2.Daurbalya (Weakness in limbs ) | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Sindurbhushan Rasayana | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Siraatone | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Abhyangini Tail | For padabhyanga | | Nisha kal (At bedtime) |
| | If patient is weak or lean, give matra basti daily or alt day – dashmool oil+mahamash oil each 30ml, Kaal- As per standard ayurvedic Samhita. | | | |
| | If patient is obese, give matra basti daily or alt day – dashmool oil +bala oil, each 30ml, Kaal- As per standard ayurvedic Samhita. | | | |




- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about "Hetu-parimarjana", dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| 3.Shool (Severe pain in limbs)<br><br>Daah (burning in feet,palms etc. )<br><br>Soopti (Loss of reflexes) | Heerak Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Siraatone | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Abhyangini Tail | For kati abhyanga and padabhyanga | | Nisha kal (At bedtime) |
| | If patient is weak or lean, give matra basti daily or alt day – dashmool oil+mahamash oil 30 ml each | | | |
| | If patient is obese, give matra basti daily or alt day – dashmool oil +bala oil 30 ml each | | | |
| | If patient is obese, give matra basti daily or alt day – dashmool oil +bala oil each 30ml | | | |
| | If Vaat dushti+++,Shool, Daah, loss of sensation add Pawan chintamani rasayana at Rasayan Kal (Early morning on empty stomach) | | | |
| | For loss of reflexes- add Indriyakalyanak Rasayana instead of pawan chintamani | | | |
| | For severe weakness, add Sindurbhushan rasayana instead of Pawan chintamani | | | |
| | If heart involvement, add arpisa 1 at Rasayan Kal (Early morning on empty stomach) (DO NOT GIVE PAWAN CHINTAMANI) | | | |
| 4.Shosh Agnimandya, arochak, daurbalya etc. (loss of appetite, weakness, Unexplained Wt. Loss,Muscle wasting) | ADD *Ruchir in above, rest same | 0-1-1 | Cow ghee | Praan kal |
| Prameh (If patient has Diabetes only) | Add Zincare in above | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| Rasaabhinodan vruddhi (If patient has Hypertension) | Add Sutendra Rasayana | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| Hrudrog (If patient has IHD) | Add Arpisa Rasayana | 1-0-0 | Honey/Warm water | Rasayan Kal (Early morning on empty stomach) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| | Medicine | Matra | Sahpaan | Aushadh Kal |
|---|---|---|---|---|
| **5.PUNSTVOPGHAAT ERECTILE DYSFUNCTION** | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Sindurbhushan Rasayana | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Arpisa Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| **6.PUTIMANSA (GANGRENE)** | Meha Rasayan | 0-0-1 | Honey/warm water | Nisha kal (At bedtime) |
| | Heeraka Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Siraatone | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| | Rasaka Rasayana | 1-0-1 | With honey / warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | Dhruti oil | 1-0-1 | | Local application |
| Shushka (dry gangrene) | Add Pawanchintamani | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| | | | | stomach) |
| Sravi (wet gangrene) | Add Somtajvir | 1-0-1 | Honey/ warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |

| | **Medicine** | **Matra** | **Sahpaan** | **Aushadh Kal** |
|---|---|---|---|---|
| **7.HRUDGRAHA/ HRUDROG (CARDIOVASCULAR COMPLICATIONS)** | Heeraka Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Arpisa Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| If Malabaddhata (constipation) | Aarevat Kalpa | 0-0-1 | Warm water | Nisha kal (At bedtime) |
| If vaat dushti,Kapha dushti | Siraatone | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice or three times a day after food) |
| If Pitta dushti | Asinorm | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| **8. DEMENTIA/ ALZHEIMER'S** | Heeraka Rasayan | 1-0-0 | Honey/ warm water | Rasayan Kal (Early morning on empty stomach) |
| | Meha Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (At bedtime) |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Panchamukta Rasayan | 2-0-2 | Honey /warm water | Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime) |
| | If it is severe and chronic then add below | | | |
| | Pravi Rasayan | 0-0-1 | Honey/ warm water | Nisha kal (at bedtime) |
| **9.** | Rasaka Rasayana | 1-0-1 | Honey / | Rasayan kal and Nisha kal |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.

| | | | | |
|---|---|---|---|---|
| **VIDBHEDA/ATISAAR (IDIOPATHIC DIARRHOEA)** | | | warm water | (Early morning on empty stomach and at bedtime) |
| | Amaneel | 2-0-2 or 2-2-2 | Warm water | Vyanodaan kal (twice a day after food) or three times a day |
| | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| **11. MALBADHHATA (CONSTIPATION)** | Zincare | 2-0-2 | Warm water | Vyanodaan kal (twice a day after food) |
| | Aarevat Kalpa | 0-0-1 or 0-0-2 | Warm water | Nisha kal (At bedtime) |



- Only for use by the Registered Ayurvedic Medical Practitioners.
- *These medicines will be available soon.
- (Diseases mentioned in bracket are only for the purpose of general understanding. It should not be considered as mere translation of Ayurvedic Terminology)
- Physicians are expected to advise about “Hetu-parimarjana”, dietary advices and lifestyle advocacies as per patient needs.