Ayurved Rasayani

॥ रसो वै सः ॥

Ayurved Rasayani’s

Guidelines for the Management of Respiratory Viral Infections

Dear Doctors,

The human race is going through challenging times since last couple of years. A new respiratory virus has emerged and is causing immense pressure on the healthcare infrastructure. Each stake holder is contributing towards finding solutions to overcome the pandemic.

As we all know viruses have always been a challenge for scientists. It was really inspiring to see how the scientific community has redirected their research efforts to tackle the COVID 19 pandemic. These multidisciplinary efforts helped us immensely to understand the epidemiology, biological features, dynamics and clinical presentation of the new corona virus.

Respiratory viral infections are not new for the mankind. Epidemiological data suggests that there are several deaths every year due to Influenza. We all know that Ayurveda has played a vital role in treating respiratory viral infections. But it was very important to understand this virus before reaching to any conclusion.

Now let us see what Ayurveda Rasayani has done to find solution to this global health challenge. Ayurveda Rasayani has always believed in Research based approach while developing any therapeutics for chronic and critical illness. As soon as we learnt about the pandemic in China, we started our research activities to ensure that we will be ready with some satisfactory solution for COVID when it takes form of a pandemic in India.

Our scientists started studying the scientific literature coming from China, in few weeks there were more quality literature from the west which gave us further understanding about the disease. At the same time there was strong communication between our scientists and Ayurveda experts. When scientists were busy studying scientific literature, the vaidyas were going through Ayurveda classics. There were several interdisciplinary meetings within our team and this exercise gave us a good understanding about the disease. Along with this literary research we also conducted in vitro evaluation of Ayurveda compounds for studying antiviral activity against the Novel corona virus. The results were very encouraging. This was followed by clinical evaluation of our formulations. We conducted randomized double blind, placebo controlled clinical trial to evaluate efficacy and safety of Ayurveda therapy. This study was conducted in dedicated COVID specialty hospital. In this study Ayurveda medicine showed statistically significant improvement in terms of reduction of inflammatory markers as compared to standard and care. Clinical trial was conducted in 200 patients. Parallel to clinical study our vaidyas at Rasayu Ayurveda clinic were successfully treating patients of COVID with Ayurveda. Some of our patients were treated exclusively with Ayurveda whereas; some received Ayurveda along with Conventional care.

Our vaidyas treated more than 2000 COVID patients ranging from those with mild symptoms to those on ventilators. I was fortunate to be a part of central COVID 19 task force. Also, I was a member of advisory meeting with Prime minister of India. These platforms gave me a great opportunity to interact with various experts and understand their point of views as well. All the knowledge gained through the above process gave us immense understanding about this disease.

Members of our team along with me were in constant touch with some of our professional colleagues who were using our medicines for treating COVID. These vaidyas constantly shared their success stories with us which again boosted our confidence in our approach of treating COVID. Many vaidyas used medicines of Ayurveda Rasayani during the pandemic. Ayurveda Rasayani distributed 5 lacs Capsules of its proprietary medicine Pranvir in the year 2021. These highly specialized Rasayanas are formulated as per assured quality parameters of highest precision. E.g., Bhasmas used in Rasayanas are shataputi

Recently we could see new strains of COVID-19 emerging and there is a threat that further new strains will keep emerging. Vaccines are not seen to be offering satisfactory protection against newer strains. In such situation the approach of Ayurveda seems to be logical, practical and eternal. Ayurveda's approach is not a virus specific but related to the involved strotas, affected dhatus and vitiated doshas. This approach can be effective against any respiratory viral infections of past, present and probably future as well. With an aim to provide guidance to vaidyas in management of respiratory viral infections, Ayurveda Rasayani has prepared this document. This document is an essence of our vast experience of treating thousands of patients with respiratory viral infections of different strains. Besides my active involvement in preparing this document there was a valuable contributions from our team members like Dr.Vineeta Bendale, Dr.Ketaki Jagtap, Dr.Rutuja Pandav, Dr.Subodh Jagdale, Dr.Aadish Kale and Dr.Avinash Kadam.

I am thankful to scientific stalwards Dr.Ulhas wagh, Dr. Dinesh Amalnerkar, Dr.Kalpana Joshi, Dr.Achyut Joshi and Dr.Padma Shastry who continuously enlightened us with their wisdom which helped us to understand this disease better.

I am confident that this document will be of great help for all the vaidyas in treating various respiratory viral infections. Ayurveda Rasayani is committed to provide vaidyas with most authentic and efficacious medicines which along with the knowledge in this document will be of great help to vaidyas in the war against respiratory virus. This being concise form of ready reckoner and considering pressure of time, we were not in position to mention ayurvedic view of each condition.

Thanking You,
Dr.Yogesh Bendale
CMD, Ayurveda Rasayani

DISCLAIMER

- The document is based on experience of managing various Respiratory Viral Infection of different origin using Ayurveda medicines. However, this document is no way claim to treat any particular viral infection.
- These guidelines should only serve as a supportive document for Ayurveda physicians to manage any kind of Respiratory Viral Infection and its complications.
- These guidelines are exclusively meant for use only by registered Ayurveda physicians. It is strictly not intended for self-medication by patients.
- Physicians are advised to use these guidelines only after a detail consultation, history taking and examination of patients.
- This document in no way means to discourage the use of any other system of medicine. The physician using these guidelines has to use his own knowledge and experience in deciding to offer best possible treatment for the patient.
- Physicians have their own discretion to select drugs based upon the stage of disease, complexity of symptoms, availability of medicines in their locality etc. and dose and duration has to be decided according to condition of the patient. List provided gives an idea about the different group of choice of medication available for the said conditions. Physicians may select medicines from the list provided in this document or other than the list as per the complaints and availability.
- Patients who are already taking some medications for other illnesses should be advised to continue those medications after thorough examination.
- Use of medicines mentioned in this document is subjected to Epidemic Disease and Disaster Management Act if applicable. It is the treating physician's responsibility to check with the local applicable and prevalent laws. Contributors will not be held responsible in any way for the same

PROPHYLACTIC GUIDELINES

Only for use by Registered Ayurvedic Medical Practitioners.

PRANVAH SROTAS VYADHI KSHAMATVA MANAGEMENT (PROPHYLACTIC GUIDELINES FOR RESPIRATORY VIRAL INFECTION)					
Duration of the treatment- 90 days, {after that depending on situation (exposure/symptoms/ outbreak situation etc.)}					
Patient type	**Age Group**	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
Prophylactic Guidelines for Patients with Pranvah Srotas Vyadhi (Respiratory Co-morbidities)	More than 60 yrs	Rasvir	1-0-0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
		Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
		Rasaka Rasayana	1-0-1	Honey/ Warm Water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	16-59 yrs	Rasvir	1-0-0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
		Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
		Rasaka Rasayana	1-0-1	Honey/ Warm Water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	3-15 yrs	Rasvir	1-0-0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
		Parnvir	1-1-1	Warm water	Three times a day, after food
		Rasaka Rasayana	0-0-1	Honey/ Warm Water	Nisha kal (at bedtime)
	1-3 yrs	Rasvir	½ -0- 0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
		Rasaka Rasayana	0-0-1	Honey/ Warm Water	Nisha kal (at bedtime)
		Respin (200 mg)	1-0-1	Warm water	Vyanodaan kal (twice a day after food.)
	below 1yr	Rasvir	½ -0-0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
		Respin (100 mg)	1-0-1	Warm Water	Vyanodaan kal (twice a day after food.)
		Yashada	1-0-1	Honey/ Warm Water	Nisha kal (at bedtime)
		SBP (Suvarn Bindu Prashan) Rasayana	Weekly once till pandemic is ongoing, later as per SBP dates		

Duration of the treatment- 90 days, {after that depending on situation (exposure/symptoms/ outbreak situation etc.)}					
Patient type	**Age Group**	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
Prophylactic Guidelines for General Patients without known co morbidities	15+Yrs	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
		Rasaka Rasayana	1-0-0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
	3-15 yrs	Pranvir	1-0-1	Warm water	Vyanodaan kal (twice a day after food.)
		Rasaka Rasayana	0-0-1	Honey/ Warm Water	Nisha kal (at bedtime)
	1 to 3 age group	Rasvir	½-0-½	Honey/ Warm Water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
		Respin (200 mg)	1-0-1	Warm water	Vyanodaan kal (twice a day after food.)
		Yashada	0-0-1	Honey/ Warm Water	Nisha kal (at bedtime)
	below 1 yr	Rasvir	½-0-0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
		Respin (100 mg)	1-0-1	Warm water	Vyanodaan kal (twice a day after food.)
		Yashada	0-0-1	Honey/ Warm Water	Nisha kal (at bedtime)
		SBP (Suvarn Bindu Prashan) Rasayana	weekly till outbreak situation, later as per SBP dates		
Prophylactic Guidelines for Cancer Patients who are on Chemotherapy/ Radiotherapy/ Immunotherapy/ Corticosteroids therapy / Immuno-compromised patients.		Rasvir	1-0-1	Honey/ Warm Water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
		Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
		Rasaka Rasayana	0-0-1	Honey/ Warm Water	Nisha kal (at bedtime)
		Heeraka Rasayana	1-0-0	Honey/ Warm Water	Rasayan kal (Early morning on empty stomach)
		Mahalakshmi Vilas Ras	0-0-1	Honey/ Warm Water	Nisha kal (at bedtime)

RASAYANA GUIDELINES FOR PRANVAH SROTAS VYADHI VYADHIKSHAMATVA (RESPIRATORY VIRAL INFECTION PROPHYLAXIS) AS PER SAHVYADHI (COMRBIDITY)				
Co-morbidity	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
Udakvah Srotas Vyadhi (Chronic Diabetic Patients)	Rasvir	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
	Rasaka Rasayana	0-0-1	Honey/warm water	Nisha kal (at bedtime)
	Meha	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Rasvah Srotas Vyadhi (Patients with Cardiac Aliments)	Rasvir	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
	Rasaka Rasayana	0-0-1	Honey/warm water	Nisha kal (at bedtime)
If rasabhinodanvruddhi (HTN)	Sutendra Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
If known case of Hrudrog/ Hrudayshastrakriya (IHD/Angioplasty/CABG)	Arpisa Rasayan	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Heeraka	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Raktavah Srotas Vyadhi (Hepatic insufficiency)	Rasvir	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
	Rasaka Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Sutendra Rasayan	0-0-1	Honey/warm water	Nisha kal (at bedtime)
Annavah srotas Vyadhi (Chronic Gastrointestinal illnesses)	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
	Rasaka Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Sutendra	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Mootravah srotas Vyadhi (Renal and Urinary disorders including Chronic	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
	Rasaka Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)

Renal Failure)	Heerak Rasayan	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Manovah Srotas Vyadhi (Concomitant Psychiatric illness)	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
	Rasaka Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Pravi Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)

Nitya Rasayan Sevan as prophilaxis for seasonal or epidemic viral infections

Nitya Rasayan Sevan is considered to be one of the most important modalities for improving immunity and preventing diseases. As new virus strains keep on emerging and challenging the efficacy of vaccines, there is a great need for Nitya Rasayan Sevan. It is very important that such Rasayan should have proper scientific basis as per principles of Ayurveda.

Ayurveda Rasayani is known for manufacturing authentic Rasayan formulations for prophylactic and therapeutic indications in chronic and critical illnesses. Ayurveda Rasayani is famous for providing vyadhi pratynik Rasayana for the first time to meet modern day health challanges.
Here we are giving a list of few Rasayan formulations selected as per specific Comorbid conditions. It is advisable that these Rasayan should be taken on regular basis till the risk of infection is reduced significantly. All the below mentioned Rasayana are safe for long term consumption and can be administered for Nitya Sevan.

Comorbidities	**Medicine**	**Matra**	**Sahpaan**	**Aushadh kal**
People with no significant comorbidities:	Pranvir	2-0-2	Warm water	Vyanodaan kal (twice a day after food.)
	Rasaka Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Patients with Pranvah srotas Vyadhi (Asthama / COPD):				
Mild- (if on occasional/ seasonal inhalers/Treatment etc.	Mahalaxmi Vilas	1-0-0	Honey/ Honey + ardrak rasa 2ml	Rasayan kal (Early morning on empty stomach)
If on regular inhalers	Pranvallabh Rasayan	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Patients with Granthi/ Arbud (Malignancies):				
Past history of malignancy	Sinurbhushan Rasayan	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Active /under Treatment	Arpisa Rasayan	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Patients with Rasavah srotas vyadhi (Cardiac aliments):				
Mild e.g., Rasabhinodan vruddhi (Hypertension)	Sutendra Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Moderate e.g., Hrudrog (IHD)	Sindurbhushan Rasayan	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Severe e.g., Hruday	Pranvallabh	1-0-0	Honey/warm water	Rasayan kal (Early morning on

shastrakriya (Post PTCA /CABG)	Rasayan			empty stomach)
Patients with Hrudrog (Chronic Hypertension):	Sutendra Rasayana	1-0-0	Honey	Early morning on empty stomach
Patients with Prameh (Chronic uncontrolled Diabetes):	Meha Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Patients with Mootravah srotas Vyadhi (Renal insufficiency)				
If Prameh (Diabetes Mellitus)	Meha	1-0-0	Honey	Rasayan kal (Early morning on empty stomach)
If Rasabhinodan vruddhi (Hypertension)	Sutendra Rasayana	1-0-0	Honey	Rasayan kal (Early morning on empty stomach)
Independant – Rare-	Somakalpa	1-0-0	Honey	Rasayan kal (Early morning on empty stomach)
Patients with Raktavah Srotas vyadhi(Liver/blood disorder)	Dasma Rasayana	1-0-0	Lemon Juice	Rasayan kal (Early morning on empty stomach)
Pregnancy	Heerak Rasayana	1-0-0	Honey	Rasayan kal (Early morning on empty stomach)
Immunocompromised patients or patients taking immunosuppressive drugs	Heerak Rasayana	1-0-0	Honey	Rasayan kal (Early morning on empty stomach)
Immunocompromised patients e.g., HIV	Arpisa Rasayan	1-0-0	Honey	Rasayan kal (Early morning on empty stomach)

THERAPEUTIC GUIDELINES

Rasayani

PRANVAH SROTAS VYADHI (RESPIRATORY VIRAL INFECTION) THERAPEUTIC GUIDELINES				
Basic Guidelines to reduce disease severity				
Duration of Treatment: usually 15 days suffice, however after 15 days, the treating Ayurvedic practitioner can modify or taper the medicine as per the clinical presentation of the patient. After this period, vyadhi pratyanik Rasayan (as per comorbidity) can be advised.				
Patient Type	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
Above 15 yr	Somtajvir	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	Warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	Honey/warm water compulsory	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
3-15 yrs	Pranvir	1-1-1	Warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	Honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Mahalakshmi Vilas Ras	1-0-1	Honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Bal Rasayana	1-0-0	Honey/warm water	Rasayan kal (Early morning on empty stomach)
Lactating women	Somtajvir	1-0-1	Honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	Warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	Honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
Udakvah srotas vyadhi (Diabetes Mellitus)				
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	Honey/Warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	Warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	Honey/Warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Meha Rasayan	1-0-0	Honey/Warm water	Rasayan kal (Early morning on empty stomach)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	Honey/Warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	Warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	Honey/Warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Meha Rasayan	1-0-0	Honey/Warm water	Rasayan kal (Early morning on empty stomach)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	Honey/Warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	2-2-2	Warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	Honey/Warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Meha Rasayan	1-0-0	Honey/Warm water	Rasayan kal (Early morning on empty stomach)
	Pranvallabha Rasayan	1-0-0	Honey/Warm water	Rasayan kal (Early morning on empty stomach)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
Rasavah srotas vyadhi (Heart Diseases, HTN etc.)				
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayan	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Sindhurbhushan Rasayan	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayana	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Arpisa Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Heeraka Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayan	0-0-1	with honey/warm water	Nisha kal (at bedtime)
	Arpisa Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Heeraka Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvallabha Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	1-0-1	with honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
Pranvah Srotas vyadhi (Below 15 Years)				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	1-1-1	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Bal Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	1-1-1	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Bal Rasayan	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Sindurbhushan Rasayan	½-0- ½	with honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	1-1-1	with warm water	Three times a day after food.
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Bal Rasayan	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Sindurbhushan Rasayan	½-0- ½	with honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvallabha Rasayan	½-0- ½	with honey/warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
Pranvah Srotas vyadhi (Above 15 Years)				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sindhurbhushan Rasayan	1-0-0	with honey/warm water	Rasayan kal (Early morning on empty stomach)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sindhurbhushan Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sindhurbhushan Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/warm water	Nisha kal (at bedtime)
	Pranvallabha Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
Raktavah Srotas (Liver/ Spleen or Blood Disorders)				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Pranvallabha Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
Annavah Srotas vyadhi (IBS/Ulcerative colitis etc.)				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra	1-0-0	with honey/warm water	Rasayan kal (Early morning on empty stomach)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Sindhurbhushan Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Sutendra Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/warm water	Nisha kal (at bedtime)
	Pranvallabha Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
Mootravah Srotas vyadhi (Chronic /Acute renal failure etc.)				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Heeraka Rasayana	1-0-0	with honey/warm water	Rasayan kal (Early morning on empty stomach)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Heeraka Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Somkalpa	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Heeraka Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Somkalpa	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Pranvallabha Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)

RASAYANA GUIDELINES FOR RESPIRATORY VIRAL INFECTION AS PER CT SCORE/ DISEASE SEVERITY ALONG WITH OTHER CO MORBIDITIES				
Manovah Srotas vyadhi (Anxiety, Insomnia etc.)				
HRCT Score	**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
MILD (0 to 8) SpO2 above 94	Somtajvir	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Pravi Rasayana	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
MODERATE (9 to 15) SpO2 90 to 94	Somtajvir	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Pravi Rasayana	1-0-1	with honey/ warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Pranvallabha Rasayan	1-0-0	with honey/ warm water	Rasayan kal (Early morning on empty stomach)
SEVERE (>15) SpO2 below 90	Somtajvir	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvir	2-2-2	with warm water	Three times a day after food
	Rasaka Rasayana	1-0-1	with honey /warm water	Rasayan kal and Nisha kal (Early morning on empty stomach and at bedtime)
	Mahalakshmi Vilas	0-0-1	with honey/ warm water	Nisha kal (at bedtime)
	Pravi Rasayana	1-1-1	with honey/ warm water	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
	Pranvallabha Rasayan	1-0-0	with honey/ warm water	Early morning on empty stomach

GUIDELINES FOR MANAGEMENT OF SPECIFIC SYMPTOMS DURING (RESPIRATORY VIRAL INFECTION)					
Symptoms		**Medicine**	**Matra**	**Sahpaan**	**Aushadh Kal**
During Sansarga (Infection)					
Rasabhinodan vruddhi (Abnormal rise in blood pressure)		Sutendra Rasayana	1-1-1	Honey	Muhurmuhur.
If Tachycardia (Jalad Hrudgati)		Pranvallabh	1cap	Honey+ Ginger juice	SOS
Malavrodh (Constipation)		Aarewat Kalpa sos	0-0-1 or 2	with warm water	Nisha kal (at bedtime)
Amlapitta (Acid Peptic Disorder)		Ayukshar	1tsp in 1litrs	Normal drinking water	Drink it when patient feel thirsty.
Jwar		Mahalakshmi Vilas	1	with honey/ warm water	SOS (as needed)
Santat Jwar (Persistent fever or more than 5 days) and weakness		Mahalakshmi Vilas	1-1-1	Honey+ Ginger juice	Rasayan kal and Vyanodaan kal (Early morning on empty stomach and after lunch and dinner)
Shitapitta (Skin rash)		Kanchan Rasayana	2-2-2	with honey/ warm water	Three times a day after food
Mukhshushkata (Xerostomia/ complete dry mouth)		1)Jyeshta Ghrita	-	Oral application	Once/twice a day
		2) OHC oil	10ml to 20ml	-	Gandushkal
Nasal congestion/ Heaviness in head		Pranada oil	Nasal application to all patients except pediatric patients up to 10yrs		
Upadrav (Post Viral Respiratory Infection)					
Help to prevent Rasa-raktagat saamata and raktagranthi (Thrombosis)		Continue Pranvir and Rasak for 90 days			
Help to prevent Upadrav (other infections e.g mucormycosis)	If Vatadhikya	Shamani Tail nasya	2 Drops		Pratimarsha nasya kal
	If Kaphadhikya/ Pittadhikya	Jyeshtha ghrita nasya	3 Drops	-	Pratimarsha nasya kal
Smruti Vibhram (Dementia/forgetfulness)		Pravi Rasayana	1-0-0	with honey/ warm water	Early morning on empty stomach

	Streescon	2-0-2	with warm water	

Other details/instructions to be given during sansarga (infection.)
Gargles -with salt + haldi 3 times a day if Kapha doshaadhikya, with yashtichurna +haldi if pittaadhikya
Steam with 1 or 2 drops of Eucalyptus oil in water 3 times a day
Monitor daily SpO_2, PR, symptoms, appetite, bowel, urine and inform to treating physician
Post Respiratory Viral Infection diet-avoid Viruddhashan, fish, Adhyashan

Ayurved Rasayani
॥ रसो वै सः ॥

INVESTIGATION PROTOCOL			
State and Group		**Criteria**	**Investigations**
1) MILD	GROUP- A	Asymptomatic But COVID Positive	CBC, RFT, RBS, LFT, ECG
	GROUP-B	Symptomatic/ URTI without Comorbidity -Fever, Cough, Sore throat, Malaise, Headache, Anosmia, Loss of taste, Diarrhea	CBC, RFT, RBS, LFT, CXR, ECG, SpO2 monitoring by pulse Oximeter.
	GROUP-C	Symptomatic/URTI with Comorbidity- Obesity, >60 years, DM, HTN/IHD, COPD/Chronic lung disease, Immunocompromised state, Immunosuppressive drugs, CKD	CBC, LFT, RFT, RBS, ESR, CRP, LDH, S. FERRITIN, D-DIMER, CXR, ABG, ECG, …... * If QTc prolongation in ECG then daily S. Electrolyte ionic Calcium and magnesium
2)MODERATE		Pneumonia, Adolescent or adult with presence of clinical features of Dyspnea and or Hypoxia, Fever, Cough, SpO2<94% (range 90-94%) on room air, Respiratory rate more or equal to 24 per min.	CBC, RFT, LFT, RBS, ECG, ABG, ESR, CRP, S. FERRITIN, D-DIMER/LDH …. * If QTc prolongation in ECG then daily S. Electrolytes ionic Calcium and Magnesium. *HRCT chest *Follow up CRP, D- dimer and Sr. Ferritin every 48-72 hrs. If available *CBC with DLC, absolute lymphocyte count KFT/LFT daily
3) SEVERE		Severe Pneumonia/ARDS/ Septic shock/Sepsis. Adolescent or adult: with clinical signs of Pneumonia plus one of the following: *Respiratory rate >30 breaths/min, *Severe respiratory distress, *SpO2<90% on room air.	*CBC, LFT, RFT, RBS, CXR, LDH,ECG, ABG, ESR, CRP, S. FERRITIN, D- DIMER, Triglycerides, troponin I, CPK-MB Blood Culture and sensitivity * If QTc- Prolongation in ECG, then daily S. Electrolytes ionic calcium and S. Magnesium.

Ref: Govt. of Maharashtra Corona2020/CR No.58/Aa-5

THERAPEUTIC INDEX OF PRODUCTS MENTIONED IN THESE GUIDELINES