Kharif 2026 drought assessment: Dharur taluka

Pik-drishti AI · data to 2026-10-08 · following the Manual for Drought Management (2016)

Item	Value
Units assessed	37 villages
Trigger-1 met	37
Severe / moderate (Trigger-2)	0 / 0
Rainfall window	2026-06-01 to 2026-09-30
Crop-condition window	2026-09-22 to 2026-10-08

Method

Trigger 1: Rainfall 20% or more below the 1991-2020 normal with a dry spell of 3+ weeks (each week under 50% of normal), or 60% or more below normal (Manual Table 3.10).

Remote sensing: NDVI and NDWI over the latest 24 days vs the unit's normal-rainfall years (2017-2025); -20 to -30% moderate, below -30% severe; worst of the two (Manual 3.2.2).

Soil moisture: Moisture Adequacy Index = AET / PET from MODIS, expressed as % of the unit's normal-year value, then Manual Table 3.5 (<=25 severe, 26-50 moderate, 51-75 mild).

Agriculture: Share of cropland whose August-to-date peak NDVI exceeds 0.6, vs normal years; same deviation classes as remote sensing.

Category: Severe if all three impact indicators are severe; moderate if two of three are moderate or severe; otherwise normal (Manual, Trigger-2). Field verification (Step 3) decides the final category.

Adaptations: MODIS PET is a land-surface potential, not the crop water need used in the manual's weekly water balance, so MAI is compared with the unit's own normal years. Cropped area is a satellite estimate, not Agriculture Department sowing returns.

Results

Unit	District	Drought category	Trigger-1	Rain (mm)	Normal (mm)	Rain deviation %	Longest dry spell (weeks)	Dry spell from	NDVI deviation %	NDWI deviation %	VCI
Ambewadgaon	Beed	normal	True	460.0	737.0	-37.5	6	2026-08-03	-10.9	-15.5	57.4
Nagzari Gaimukh	Beed	normal	True	460.0	737.0	-37.5	6	2026-08-03	-10.6	-25.8	57.4
Gawandara	Beed	normal	True	461.0	736.0	-37.4	6	2026-08-03	-12.1	-19.3	47.0
Katewadi	Beed	normal	True	462.0	734.0	-37.1	6	2026-08-03	-11.1	-18.6	45.3
Dunakwad	Beed	normal	True	461.0	731.0	-37.0	6	2026-08-03	-12.4	-19.9	43.9
Ghagarwada	Beed	normal	True	444.0	697.0	-36.3	6	2026-08-03	-3.7	-16.4	74.5
Bhogalwadi	Beed	normal	True	464.0	726.0	-36.1	5	2026-08-10	-12.0	-25.3	40.4
Chondi	Beed	normal	True	464.0	722.0	-35.7	3	2026-08-24	-16.5	-26.7	30.2
Hasanabad	Beed	normal	True	442.0	686.0	-35.6	5	2026-08-10	-30.0	-79.5	3.0
Sonimoha	Beed	normal	True	464.0	721.0	-35.6	3	2026-08-24	-11.0	-20.0	40.2

Unit	District	Drought category	Trigger-1	Rain (mm)	Normal (mm)	Rain deviation %	Longest dry spell (weeks)	Dry spell from	NDVI deviation %	NDWI deviation %	VCI
Maindwadi	Beed	normal	True	434.0	673.0	-35.5	5	2026-08-10	-11.1	-35.7	40.6
Aswala	Beed	normal	True	446.0	691.0	-35.4	5	2026-08-10	-28.6	-67.0	8.2
Awargaon	Beed	normal	True	443.0	686.0	-35.4	5	2026-08-10	-23.7	-66.0	14.0
Anjandhav	Beed	normal	True	453.0	698.0	-35.2	5	2026-08-10	-27.5	-67.9	3.5
Kolpimpri	Beed	normal	True	442.0	681.0	-35.1	5	2026-08-10	-24.6	-71.5	6.2
Thetegavhan	Beed	normal	True	461.0	709.0	-35.0	6	2026-08-03	-14.2	-29.4	25.6
Kannapur	Beed	normal	True	487.0	748.0	-34.9	5	2026-08-10	-7.8	-3.6	34.8
Mungi	Beed	normal	True	487.0	748.0	-34.9	5	2026-08-10	-4.0	13.0	56.8
Aranwadi	Beed	normal	True	460.0	705.0	-34.8	5	2026-08-10	-5.0	-10.9	56.5
Mhatargaon	Beed	normal	True	488.0	748.0	-34.8	5	2026-08-10	-6.1	-3.9	48.2
Rui Dharur	Beed	normal	True	466.0	714.0	-34.8	5	2026-08-10	-35.9	-84.0	1.6
Umarewadi	Beed	normal	True	465.0	713.0	-34.8	5	2026-08-10	-38.8	-87.1	1.7
Dharur	Beed	normal	True	445.0	681.0	-34.7	5	2026-08-10	-16.0	-49.5	25.1
Jaybhaychi Wadi	Beed	normal	True	466.0	714.0	-34.7	5	2026-08-10	-9.8	-21.9	44.6
Pimparwada	Beed	normal	True	466.0	714.0	-34.7	5	2026-08-10	-14.5	-34.4	26.3
Choramba	Beed	normal	True	462.0	707.0	-34.6	6	2026-08-03	-3.9	-13.6	59.5
Repewadi	Beed	normal	True	472.0	722.0	-34.6	5	2026-08-10	-12.2	-29.8	38.9
Jahagir Moha	Beed	normal	True	467.0	711.0	-34.4	3	2026-08-24	-4.9	-16.7	47.9
Gopalpur Lamantanda	Beed	normal	True	457.0	694.0	-34.2	6	2026-08-03	-15.4	-42.3	30.5
Dharur (M Cl)	Beed	normal	True	452.0	686.0	-34.0	5	2026-08-10	2.5	13.9	60.3
Pangri	Beed	normal	True	442.0	669.0	-33.9	5	2026-08-10	-25.8	-67.9	12.2
Sukli	Beed	normal	True	494.0	746.0	-33.8	5	2026-08-10	0.7	20.2	61.6
Tandalwadi	Beed	normal	True	443.0	668.0	-33.7	5	2026-08-10	-13.0	-27.7	31.6
Asardhav	Beed	normal	True	477.0	718.0	-33.5	5	2026-08-10	-27.8	-63.0	9.2
Chinchpur	Beed	normal	True	442.0	665.0	-33.5	5	2026-08-10	-21.0	-43.8	15.3
Ganjpur	Beed	normal	True	441.0	662.0	-33.4	5	2026-08-10	-25.2	-62.5	14.5
Morfali	Beed	normal	True	477.0	713.0	-33.1	5	2026-08-10	-17.5	-39.0	19.0

Data sources

Dataset	Provider	Used for	Licence / citation
CHIRPS v2.0 daily rainfall	UC Santa Barbara Climate Hazards Center	Seasonal rainfall deviation and dry spells (normal: 1991-2020)	Public domain (CC0). Funk et al. (2015), Scientific Data 2:150066
MODIS Terra surface reflectance 8-day, MOD09A1 v6.1	NASA LP DAAC	NDVI and NDWI deviation, VCI (2001-2025), cropped area	NASA, free and open. Vermote (2021), MOD09A1 v061, doi:10.5067/MODIS/MOD09A1.061
MODIS Terra evapotranspiration 8-day, MOD16A2 v6.1 (and gap-filled MOD16A2GF)	NASA LP DAAC	Moisture Adequacy Index (AET / PET)	NASA, free and open. Running et al. (2021), MOD16A2 v061, doi:10.5067/MODIS/MOD16A2.061
ESA WorldCover 2021 v200	European Space Agency	Cropland mask (class 40)	CC BY 4.0. Zanaga et al. (2022), doi:10.5281/zenodo.7254221
Manual for Drought Management (2016)	Ministry of Agriculture & Farmers Welfare, Government of India	Indicators, thresholds, Trigger-1 and Trigger-2 rules	Government of India.
Indian Village Boundaries, Maharashtra (Census 2001 villages)	DataMeet community	Village boundaries; talukas and districts are built by merging villages. Some taluka names and boundaries have changed since 2001.	ODbL 1.0.

A satellite screening to support Steps 1-2 of the manual. The final category is decided after field verification (Step 3) by the State.