

Front-End Assignment

- Create a redux based counter app:
- Initial app: 0 (value)
 - Two buttons
 - Increment (+)
 - Decrement (-)
 - Count update based upon button clicks

SOLUTION

- * Create redux store (store.jsx)

```
import { configureStore } from
  "@reduxjs/toolkit";
import counterReducer from "./counterSlice";
export const store = configureStore({
  reducer: {
    counter: counterReducer;
  },
});
```

- * Create Counter Slice .jsx

```
import { createSlice } from "@reduxjs/toolkit";

const counterSlice = createSlice({
  name: "counter",
  initialState: { value: 0 },
  reducers: {
    increment: (state) => {
      state.value += 1;
    },
    decrement: (state) => {
      state.value -= 1;
    },
  },
});
```

```
}, {
  export const { increment,
    decrement } = counterSlice.actions;
  export default counterSlice.reducer;
});
```

- * Create App.jsx

```
import { useSelector, useDispatch } from "react-redux";
import { increment, decrement } from "./counterSlice";
```

```
const App = () => {
  const count = useSelector((state) => state.counter.value);
  const dispatch = useDispatch();
```

```
  return (
    <div>
      <h1> Redux Counter
      <h2> {count}
      <button onClick={() => dispatch(increment)}> Increment
      <button onClick={() => dispatch(decrement)}> Decrement
    </div>
  );
};
```

- * Update main.

```
import ReactDOM from "react-dom";
import App from "./App";
import { Provider } from "react-redux";
import { store } from "./store";
```

```
ReactDOM.render(
  <Provider store={store}>
    <App />
  </Provider>,
  document.getElementById("root")
);
```



```

    }, {1});
export const {increment, decrement} =
  counterSlice.actions;
export default counterSlice.reducer;

```

Create App.jsx to

```

import { useSelector, useDispatch } from "react-redux"
import { increment, decrement } from "../redux/counterSlice";

const App = () => {
  const count = useSelector((state) => state.counter.value);
  const dispatch = useDispatch();

  return (
    <div>
      <h1> Redux Counter </h1>
      <h2> {count} </h2>
      <button onClick={() => dispatch(increment())}>
        Increment
      </button>
      <button onClick={() => dispatch(decrement())}>
        Decrement </button>
    </div>
  );
}; export default App;

```

* Update main.jsx

```

import ReactDOM from "react-dom/client";
import App from "../App";
import { Provider } from "react-redux";
import Store from "../redux/store";

```

```

ReactDOM.createRoot(document.getElementById("root")).render(
  <React.StrictMode>

```


< Provider Store = {store} >

< App / >

< / Provider >

< / React.StrictMode >) ;

* Folder Structure

src /

├─ App.jsx

├─ main.jsx

└─ redux /

 ├─ Store.jsx

 └─ counterSlice.jsx