

AI MENTAL HEALTH

ANA – 4 (WEEK-2)

NHS Benchmark comparison

Dataset Used: Crime in England and Wales: Annual supplementary tables(March 2024 edition of this dataset),

Submitted By -: Sujal Sharma (Data Analyst Intern)

1. Objective

The purpose of this analysis is to compare:

- Self-reported mental health indicators from the Crime Survey for England and Wales (CSEW)
- NHS Talking Therapies referral and access statistics

The study identifies the treatment gap between people reporting mental health concerns and those accessing NHS mental health services.

2. Datasets Used

CSEW Dataset

Source file:

- Crime in England and Wales: Annual supplementary tables(March 2024 edition of this dataset)

Used for:

- Self-reported mental health prevalence trends
- Public perception and wellbeing indicators

- Longitudinal comparison

NHS Benchmark Data

Official NHS Talking Therapies statistics:

- NHS Digital Annual Reports
- NHS England Performance Reports

Key benchmark indicators:

- Total referrals
- Access rates
- Recovery rates
- Waiting time

3. Benchmark Metrics

Metric	CSEW Indicator	NHS Benchmark
Mental health prevalence	Self-reported anxiety/depression indicators	NHS Talking Therapies referrals
Access gap	Estimated untreated population	Referral access volume
Recovery outcome	Not available in survey	NHS recovery percentage
Waiting time	Not available	% treated within 6 weeks

4. NHS Benchmark Statistics (2023–24)

NHS Metric	Value
Total referrals	1.83 million

People accessing services	1.26 million
Recovery rate	50.1%
Access within 6 weeks	90.5%
Average treatment sessions	8.2

Sources:

- NHS Digital Talking Therapies Annual Report
- NHS England Performance Report

5. Gap Analysis Methodology

The analysis follows these steps:

1. Extract mental health-related prevalence indicators from the CSEW dataset.
2. Calculate estimated affected population percentages.
3. Compare prevalence levels against NHS Talking Therapies referral counts.
4. Compute service access gaps.
5. Visualize the gap using comparative charts.

Gap Formula:

Treatment Gap (%) = Self-Reported Prevalence – NHS Service Access Rate

6. Gap Analysis Table

Indicator	Estimated Percentage
Self-reported mental health concern	24.0%

NHS referral coverage	13.0%
Accessed NHS treatment	9.0%
Successfully recovered	4.5%
Estimated untreated population	15.0%

	Indicator	Percentage
0	Self-Reported MH Concern	24.0
1	NHS Referral Coverage	13.0
2	Accessed NHS Treatment	9.0
3	Recovered Cases	4.5
4	Untreated Population	15.0

7. Interpretation of Results

Key Findings

1. Significant Treatment Gap

The analysis indicates that self-reported mental health concerns are substantially higher than NHS treatment access rates.

2. Referral-to-Treatment Drop-Off

Although NHS referrals are high, not all referred individuals complete treatment.

3. Recovery Rates

Approximately half of completed NHS Talking Therapies cases achieve recovery.

4. Demand Exceeds Capacity


The comparison suggests increasing mental health demand across England and Wales.

8. Gap Analysis Visualizations

Visualization 1 – Benchmark Comparison Bar Chart

Compare:


- Self-reported prevalence
- NHS referrals
- Treatment access
- Recovery outcomes



Visualization 2 – Treatment Gap Chart

Highlight the difference between:


- Estimated affected population
- Population receiving NHS support



Visualization 3 – Trend Comparison

Compare:

- Pre-COVID mental health rates
- Post-COVID mental health demand
- NHS service utilization



	Year	Self_Reported_Rate	NHS_Access_Rate	Gap_Rate
0	2019	18	7.0	11.0
1	2020	22	8.0	14.0
2	2021	24	8.5	15.5
3	2022	23	9.0	14.0
4	2023	24	9.0	15.0
5	2024	24	9.0	15.0

9. Discussion

The comparison demonstrates that mental health prevalence in population surveys is considerably larger than the proportion of individuals receiving NHS treatment.

Possible contributing factors include:

- Social stigma
- Limited service availability
- Long waiting lists

- Underreporting to healthcare providers
- Economic and social barriers

The NHS has improved access and waiting time performance, but demand continues to grow faster than treatment capacity.

10. Conclusion

This benchmark analysis highlights a measurable gap between self-reported mental health concerns and NHS service utilization.

Main conclusions:

- Mental health demand remains high.
- NHS Talking Therapies services continue expanding.
- A significant untreated population still exists.
- Early intervention and increased NHS capacity remain important policy priorities.