

SQL Data Analysis

[Home](#)[About Us](#)[Content](#)[Contact Us](#)

All
About
SQL
Pizza!



PIZZA

A Delicious SQL Journey

By: Sujata Attri

PROJECT ARCHITECTURE & SCHEMA

The database is structured around four primary relational tables simulating real-world transaction data from a specialty pizzeria over a one-year operating period.

- **Orders:** Order timestamps, dates, and unique IDs.
- **Order_details:** Line items linking quantities to specific pizza types.
- **Pizzas:** Pricing and sizing variations (S,M,L,XL)
- **Pizza_types:** Categorization, ingredients, and recipe names.



SQL Data Analysis

SQL QUERY: Average order value

SELECT

**ROUND(SUM(p.price * od.quantity) / COUNT(DISTINCT
o.order_id),2) AS average_order_value**

FROM orders o

JOIN order_details od ON o.order_id = od.order_id

JOIN pizzas p ON od.pizza_id = p.pizza_id



On an average, a customer spends \$38.76 per order

SQL Data Analysis

SQL QUERY: Revenue by category

```
SELECT
    pt.category,
    SUM(od.quantity * p.price) AS category_revenue
FROM order_details od
JOIN pizzas p ON od.pizza_id = p.pizza_id
JOIN pizza_types pt ON p.pizza_type_id = pt.pizza_type_id
GROUP BY pt.category
ORDER BY category_revenue DESC;
```



Classic- \$223,058, Supreme- \$211,042, Chicken- \$198,682, Veggie- \$194,668.

SQL Data Analysis

SQL QUERY: Bottom performers

SELECT TOP 3

pt.name AS pizza_name,

SUM(od.quantity) AS total_quantity_sold

FROM order_details od

JOIN pizzas p ON od.pizza_id = p.pizza_id

JOIN pizza_types pt ON p.pizza_type_id = pt.pizza_type_id

GROUP BY pt.name

ORDER BY total_quantity_sold ASC;



**The Brie Carre Pizza 490, The Mediterranean Pizza 934,
The Calabrese Pizza 937.**

SQL Data Analysis

Category Share & Strategic Insights

Top
Revenue



The Thai Chicken
Pizza

The screenshot shows a SQL query window with the following query:

```
SELECT TOP 1  
    pt.name AS pizza_name,  
    pt.category,  
    SUM(od.quantity) AS total_quantity_sold,  
    SUM(od.quantity * p.price) AS total_revenue  
FROM order_details od  
JOIN pizzas p ON od.pizza_id = p.pizza_id  
JOIN pizza_types pt ON p.pizza_type_id = pt.pizza_type_id  
GROUP BY pt.name, pt.category  
ORDER BY total_revenue DESC;
```

Below the query, the results are displayed in a table:

	pizza_name	category	total_quantity_sold	total_revenue
1	The Thai Chicken Pizza	Chicken	2371	44027

Because the Thai Chicken Pizza is out #1 revenue generator, we must maintain strict inventory for ingredients and optimize staff management during rush hours

SQL Data Analysis

Category Share & Strategic Insights

Peak hours



12, 13, 17, 18 & 19

SQLQuery1.sql... Attrs (75))*		
1	SELECT top 5	
2	DATEPART(hour, Order_Hour) AS order_hour,	
3	COUNT(order_id) AS total_orders	
4	FROM orders	
5	GROUP BY DATEPART(hour, Order_Hour)	
6	ORDER BY total_orders DESC;	
100 % No issues found		
Results Messages		
	order_hour	total_orders
1	12	2520
2	13	2455
3	18	2399
4	17	2336
5	19	2009

Order volume peaks significantly during 12PM-1PM in afternoon and in the evening around 5PM to 7PM, strong staff scheduling along with pre-prepared ingredients is a must to minimise the delivery time and customer satisfaction

SQL Data Analysis

Category Share & Strategic Insights

Peak days



**Friday, Thursday,
Saturday....**

SQLQuery1.sql... Attri (75))*		
1	SELECT	
2	DATENAME(dw, Order_date) AS Order_day,	
3	COUNT(order_id) AS Total_orders	
4	FROM orders	
5	GROUP BY DATENAME(dw, Order_date), DATEPART(dw, Order_date)	
6	ORDER BY DATEPART(dw, Order_date)	
100 % No issues found		
Results Messages		
	Order_day	Total_orders
1	Sunday	2624
2	Monday	2794
3	Tuesday	2973
4	Wednesday	3024
5	Thursday	3239
6	Friday	3538
7	Saturday	3158

Order volume is increasing towards weekends, weekly restocking can be done on other days, staff must be increasing during these days to handle rush.

SQL Data Analysis

SELECT * FROM HIRE



+91-79860-39289



<https://www.linkedin.com/in/sujata-attri/>



sujata07attri@gmail.com



SQL Data Analysis

THANK
YOU

