

सिपेट : पेट्रोकेमिकल्स तकनीकी
संस्थान (आई.पी.टी.)

(पूर्व में केंद्रीय प्लास्टिक्स इंजीनियरिंग एवं तकनीकी संस्थान)

रसायन एवं पेट्रो-रसायन विभाग

रसायन एवं उर्वरक मंत्रालय, भारत सरकार

प्लॉट : नं 630 फेज-4, जी.आई.डी.सी., वटवा, अहमदाबाद-382445.

दूरभाष : (079) 40103900-902 फैक्स : (079)-40083905

ईमेल : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

वेबसाइट : www.cipet.gov.in

मुख्यालय : सिपेट, गुिन्दी, चेन्नै - 600 032



सिपेट CIPET



CIPET : INSTITUTE OF PETROCHEMICALS
TECHNOLOGY (IPT)

(Formerly Central Institute of Plastics Engineering & Technology)

Department of Chemicals & Petrochemicals

Ministry of Chemicals & Fertilizers, Govt. of India

Plot No. 630, Phase-IV, G.I.D.C., Vatva, Ahmedabad-382445

Tele. : (079) 40103900-902, 925, Fax : (079) 40083905

Email : cipetahmd@gmail.com, ahmedabad@cipet.gov.in

Web. : www.cipet.gov.in

Head office : CIPET, Guindy, Chennai - 600 032

प्लास्टिक परीक्षण केंद्र / PLASTIC TESTING CENTRE

Compostable Bags

Test Report No.: 2254

Dated : 01.08.2023

PART C
TEST RESULTS

Sr. No.	Test	Test Method	Unit	Results Obtained
1	Material Identification	ASTM E 1252 IDC by Braun	---	PLA & PBAT
2	Filler Content	ASTM D 5630	%	42.94

Note : i) Statement of Conformity & Decision Rule (if any) : NA


ii) Opinion & Interpretation : NA


PART D

REMARKS : Nil

NOTE

- 1 The results related only to the items tested
- 2 The report shall not be reproduced in full/part without written approval of the laboratory
- 3 This Test Report/Certificate is issued only for the samples submitted to CIPET.
- 4 The results stated above related only to the items tested.
- 5 The quality of the subsequent production lot has to be ensured by the purchaser.


Authorised Signatory


Authorised Signatory
2 of 2