# Lovely Professional University



# Synopsis on "Sign up page"

Guided by:

Milanjit Kaur

Prepared By:
Sujay Singh Rajput

Section: INT 301

Roll no: 50

Register no:11608728

# Sign up page:


I have created signup page with the of html (hyper text markup language), CSS (Cascading Style Sheets), SQL (structured query language), PHP (website with which database has been created is phpMyAdmin and for that I have also used software known as Wamp for localhost.

#### **GITHUB ID:**


https://github.com/sujayrajput/Sujayrajput\_signup.git

#### **SCREEN SHOTS:**

PHPMYADMIN SCREEN SHOT OF DATABASE "SUJAY" WITH TABLE NAME "TABLE1"



#### **SIGN UP PAGE:**



### PHP CODE:

```
<link rel='stylesheet' href='https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.0.3/css/font-awesome.min.css'><link rel="stylesheet"
href="./style.css">
</head>
<body>
<?php
if(isset($_POST["Submit"]))
     $username=$_POST['username'];
     $email=$_POST['email'];
     $password=$_POST['password'];
     $confirm_password=$_POST['confirm_password'];
     $query="INSERT INTO table1 (username,email,password,confirm_password)
VALUES ("".$username."", "".$email."", "".$password."", "".$confirm_password."")";
     $run=mysqli_query($conn,$query);
     if($run)
      echo"data inserted successfully";
     else
      echo"error:".mysqli_error($conn);
```

```
}
?>
<!-- partial:index.partial.html -->
<form class="main-form first" action="" method="POST">
 <div class="main-form title">
  <h1>Sign-up</h1>
 </div>
 <div class="main-form__body">
  <input class="main-form__input" type="text" name='username'</pre>
placeholder="Username" required />
  <input class="main-form__input" type="email" name='email' placeholder="Email
Address" required />
  <input class="main-form__input" type="password" name='password'</pre>
placeholder="Password" pattern="(?=.*\d) (?=.*[a-z]) (?=.*[A-Z]).{8}" required />
  <input class="main-form__input" type="password" name='confirm_password'
placeholder="Repeat Password" pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8}"
required/>
   <button class="btn">Clear/button>
  <button class="btn" name="Submit">Sign up</button>
 </div>
</form>
<!-- partial -->
 <script
src='https://cdnjs.cloudflare.com/ajax/libs/jquery/2.1.3/jquery.min.js'></script>
```

```
</body>
```

## **SQL DATABASE CREATION CODE:**

```
CREATE TABLE IF NOT EXISTS table1 (
username varchar(100) NOT NULL,
email varchar(100) NOT NULL,
password varchar(100) NOT NULL,
confirm_password varchar(100) NOT NULL,
UNIQUE KEY `email` (`email`)
)
```

## CSS CODE:

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: Futura;
  outline: none;
}
body {
  font-family: Futura;
```

```
background: #CDE8D5;
.main-form:after {
 content: "";
 display: table;
 clear: both:
.main-form {
 max-width: 300px;
 margin: 40px auto;
 padding: 20px;
 border-radius: 10px;
 background: white;
 box-shadow: 10px 10px 0 rgba(0, 0, 0, 0.1);
.main-form__title {
 padding: 20px 0;
 text-align: center;
.main-form__title h1 {
 position: relative;
 font-size: .8rem;
 text-transform: uppercase;
 letter-spacing: 3px;
 margin-bottom: 25px;
```

```
.main-form__title h1:after {
 position: absolute;
 bottom: -13px;
 left: 0;
 right: 0;
 margin: auto;
 width: 40px;
 height: 4px;
 background: #f2f2f2;
 content: "":
.main-form__input {
 display: block;
 width: 100%:
 border: 0;
 background: #fcfcfc;
 border-radius: 6px;
 padding: 15px;
 margin-bottom: 10px;
 outline: 0;
 font-size: .7rem;
 color: #666666;
 -webkit-transition: all 0.2s ease-in-out;
 -moz-transition: all 0.2s ease-in-out;
```

```
-ms-transition: all 0.2s ease-in-out:
 -o-transition: all 0.2s ease-in-out:
 transition: all 0.2s ease-in-out:
.main-form__input:focus {
 background: #f7f7f7;
.main-form__body .submit {
 display: block;
 width: 48%:
 margin-top: 10px;
 float: left;
 background: #e6e6e6;
 padding: 15px;
 border: 0:
 font-size: .6rem;
 color: #999999:
 cursor: pointer;
 letter-spacing: 3px;
 text-transform: uppercase;
 -webkit-transition: all 0.2s ease-in-out:
 -moz-transition: all 0.2s ease-in-out:
 -ms-transition: all 0.2s ease-in-out:
 -o-transition: all 0.2s ease-in-out;
 transition: all 0.2s ease-in-out:
```

```
.main-form__body .btn:last-of-type {
 float: right;
 background: #FCA44B;
 color: #fff;
.main-form__body .btn:last-of-type:hover {
 background: #fb8b19;
::-webkit-input-placeholder {
 color: #ccccc;
 letter-spacing: 2px;
 text-transform: uppercase;
:-moz-placeholder {
 color: #cccccc:
 letter-spacing: 2px;
 text-transform: uppercase;
::-moz-placeholder {
 color: #ccccc;
 letter-spacing: 2px;
```

```
text-transform: uppercase;
}
:-ms-input-placeholder {
  color: #cccccc;
  letter-spacing: 2px;
  text-transform: uppercase;
}
```

# THANK YOU...!

