



AMTP


Saul Liu



Agent Message Transfer Protocol

Saul Liu
Agentr
y

Agent MessageTransfer Protocol




Saul Liu



Agentr

v


September
2025





Organization A



AI AGENT




Organization B



AI AGENT

Why?

Why ?







Plain Text Email & AI Chaos


What is Plain Text?





Why it's Chaos for AI














ATMP Design
Method

Easy to Implement



Message Transmission
Reliability



Easy to Implement

Application Layer:
AI Agent
Human Interaction


Protocol Layer:
AMTP
Define, Structure, Sign

Discovery Layer:
DNS, TXT
AMTP.domain.com

Transition Layer:
HTTPS, TLS
API Key



Structure
Message






JSON MESSAGE TRANSMISSION

Message Transmission
Reliability

Messaging
Mechanism

Messaging Mechanism





Documentation



[https://github.com/
ampproject/amphtml](https://github.com/ampproject/amphtml)

Key things to know:

1. Message format
2. Schema

Gateway



<https://github.com/amp-protocol/agentry>

```
# Clone the repository
git clone https://github.com/amp-protocol/agentry.git
cd agentry

# Install dependencies
go mod download

# Build the binary
make build

# Run the gateway (uses default configuration)
./build/agentry

# Or run with custom configuration
./build/agentry -config config/config.example.yaml
```



Config DNS

```
_amtp.yourdomain.com. IN TXT "v=am  
tp1;gateway=https://amtp.yourdomai  
n.com"
```

Python SDK

Installation

```
pip install amtp
```



Simple Agent

```
import asyncio
from amtp import AMTP, Message

# Create AMTP connection
amtp = AMTP("my-agent@company.com", "https://amtp.company.com")

# Handle messages
@amtp.on_message
async def handle_message(message):
    print(f"Received: {message.subject}")
    return {"status": "processed", "response": "Hello back!"}

# Send a message
message = Message(
    sender="my-agent@company.com",
    recipients=["user@partner.com"],
    subject="Hello from AI Agent",
    payload={"greeting": "Hello, World!"}
)

async def main():
    await amtp.send(message)
    await amtp.run() # Run forever

asyncio.run(main())
```



Thank you so much for
watching

Email: saul.liu@Agentry.site

Website: <https://amtp-protocol.org/>