New Test Suite

Execution Environment

Host name HP - 20.23.0.79 Local OS Windows 11 64bit

Katalon version 9.5.0.217

Browser

Device name

Summary

ID Test Suites/mku/New Test Suite

Description

Total 3

Passed 0 Failed 3
Error 0 Incomplete 0

Skipped 0

Start 13-06-2024 14:34:34 End 13-06-2024 14:34:36

Elapsed 2.621s

# ID	Description	Status
1 Test Cases/alagappa		FAILED
2 Test Cases/alagappa		FAILED
3 Test Cases/alagappa		FAILED

Information

ID Test Cases/alagappa

Description

Tag

Start 13-06-2024 14:34:35 End 13-06-2024 14:34:35

Elapsed 0.050s Status FAILED

Details

# Description	Elapsed	Status
---------------	---------	--------

#	Description	Elapsed	Status
1	acceptAlert()	0.013s	FAILED
	Unable to appent clart (Poet source com kma katalan care expention StanFailedEvention)		
	Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to accept alert		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert		
	(AcceptAlertKeyword.groovy:71)		
	at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute (AcceptAlertKeyword.groovy:66)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert		
	(WebUiBuiltInKeywords.groovy:1561)		
	at alagappa.run(alagappa:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180) at TempTestSuite1718269466720.run(TempTestSuite1718269466720.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
	is not opened		
	Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'		
	System info: host: 'DESKTOP-1MDK5QI', ip: '20.23.0.79', os.name: 'Windows 11', os.arch:		
	'amd64', os.version: '10.0', java.version: '17.0.7'		
	DIOVERTIDIO, OLIVEL AELSIOD, HUKDOMD		

 $at\ com. kms. katalon. core. webui. driver. Driver Factory. verify Web Driver Is Open$

Driver info: driver.version: unknown

```
Description
                                                                                                                                                                                                                                                                                      Elapsed
                                                                                                                                                                                                                                                                                                                                            Status
  (DriverFactory.java:1070)
                              at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java:
  1083)
                              at com.kms.katalon.core.webui.keyword.builtin.
  AcceptAlertKeyword$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72)
                              at com.kms.katalon.core.webui.keyword.builtin.
  AcceptAlertKeyword$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)
                              at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
  (WebUlKeywordMain.groovy:20)
                              at\ com. kms. katalon. core. we bui. keyword. builtin. Accept Alert Keyword. accept Alert Meyword. accept Al
  (AcceptAlertKeyword.groovy:71)
                              at\ com. kms. katalon. core. webui. keyword. builtin. Accept Alert Keyword. execute
  (AcceptAlertKeyword.groovy:66)
                              at com.kms.katalon.core.keyword.internal.KeywordExecutor.
  executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. accept Alert
  (WebUiBuiltInKeywords.groovy:1561)
                              at Script1718267760421.run(Script1718267760421.groovy:20)
                              ... 18 more
```

Information

ID Test Cases/alagappa

Description

Tag

Start 13-06-2024 14:34:35 End 13-06-2024 14:34:35

Elapsed 0.042s Status FAILED

Details

Description Elapsed Status

Description	Elapsed	Status
acceptAlert()	0.011s	FAILED
Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException:		
Unable to accept alert		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert		
(AcceptAlertKeyword.groovy:71)		
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute		
(AcceptAlertKeyword.groovy:66)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert		
(WebUiBuiltInKeywords.groovy:1561)		
at alagappa.run(alagappa:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
$at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1718269466720.run(TempTestSuite1718269466720.groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened		
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-1MDK5QI', ip: '20.23.0.79', os.name: 'Windows 11', os.arch:		
oystem into nost. Desktor-nindksyt, ip. 20.2s.0.78, 0s.name. Windows 11, 0s.arch.		

'amd64', os.version: '10.0', java.version: '17.0.7'

 $at\ com. kms. katalon. core. webui. driver. Driver Factory. verify Web Driver Is Open$

Driver info: driver.version: unknown

```
Description
                                                                                                                                                                                                                                                                                      Elapsed
                                                                                                                                                                                                                                                                                                                                            Status
  (DriverFactory.java:1070)
                              at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java:
  1083)
                              at com.kms.katalon.core.webui.keyword.builtin.
  AcceptAlertKeyword$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72)
                              at com.kms.katalon.core.webui.keyword.builtin.
  AcceptAlertKeyword$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)
                              at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
  (WebUlKeywordMain.groovy:20)
                              at\ com. kms. katalon. core. we bui. keyword. builtin. Accept Alert Keyword. accept Alert Meyword. accept Al
  (AcceptAlertKeyword.groovy:71)
                              at\ com. kms. katalon. core. webui. keyword. builtin. Accept Alert Keyword. execute
  (AcceptAlertKeyword.groovy:66)
                              at com.kms.katalon.core.keyword.internal.KeywordExecutor.
  executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. accept Alert
  (WebUiBuiltInKeywords.groovy:1561)
                              at Script1718267760421.run(Script1718267760421.groovy:20)
                              ... 18 more
```

Information

ID Test Cases/alagappa

Description

Tag

Start 13-06-2024 14:34:35 End 13-06-2024 14:34:35

Elapsed 0.036s Status FAILED

Details

# Description	Elapsed	Status
---------------	---------	--------

Description	Elapsed	Status
acceptAlert()	0.011s	FAILED
Unable to accept alert (Root cause: com.kms.katalon.core.exception.StepFailedException:		
Unable to accept alert		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.acceptAlert		
(AcceptAlertKeyword.groovy:71)		
at com.kms.katalon.core.webui.keyword.builtin.AcceptAlertKeyword.execute		
(AcceptAlertKeyword.groovy:66)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.acceptAlert		
(WebUiBuiltInKeywords.groovy:1561)		
at alagappa.run(alagappa:20)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
$at\ com. kms. katalon. core. common. Common Executor. access Test Case Main Phase$		
(CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1718269466720.run(TempTestSuite1718269466720.groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: com.kms.katalon.core.webui.exception.BrowserNotOpenedException: Browser		
is not opened		
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'DESKTOP-1MDK5QI', ip: '20.23.0.79', os.name: 'Windows 11', os.arch:		
oystem into nost. Desktor-nindksyt, ip. 20.2s.0.78, 0s.name. Windows 11, 0s.arch.		

'amd64', os.version: '10.0', java.version: '17.0.7'

 $at\ com. kms. katalon. core. webui. driver. Driver Factory. verify Web Driver Is Open$

Driver info: driver.version: unknown

```
Description
                                                                                                                                                                                                                                                                                      Elapsed
                                                                                                                                                                                                                                                                                                                                            Status
  (DriverFactory.java:1070)
                              at com.kms.katalon.core.webui.driver.DriverFactory.getAlert(DriverFactory.java:
  1083)
                              at com.kms.katalon.core.webui.keyword.builtin.
  AcceptAlertKeyword$_acceptAlert_closure1.doCall(AcceptAlertKeyword.groovy:72)
                              at com.kms.katalon.core.webui.keyword.builtin.
  AcceptAlertKeyword$_acceptAlert_closure1.call(AcceptAlertKeyword.groovy)
                              at\ com. kms. katalon. core. we bui. keyword. internal. We bUIKeyword Main. run Keyword
  (WebUlKeywordMain.groovy:20)
                              at\ com. kms. katalon. core. we bui. keyword. builtin. Accept Alert Keyword. accept Alert Meyword. accept Al
  (AcceptAlertKeyword.groovy:71)
                              at\ com. kms. katalon. core. webui. keyword. builtin. Accept Alert Keyword. execute
  (AcceptAlertKeyword.groovy:66)
                              at com.kms.katalon.core.keyword.internal.KeywordExecutor.
  executeKeywordForPlatform(KeywordExecutor.groovy:74)
                              at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. accept Alert
  (WebUiBuiltInKeywords.groovy:1561)
                              at Script1718267760421.run(Script1718267760421.groovy:20)
                              ... 18 more
```