

CROWD DYNAMICS IN EMERGENCY SITUATIONS

Name of author

Address - Line 1

Address - Line 2

Address - Line 3

ABSTRACT

Crowd behavior study during an emergency is one of the main objectives when running real emergency exercises. However, due to the lack of sense of danger by the actors and concerns in exposing real people to actual, possible dangerous environments, imposes limitations in running a real emergency drill, harming the collection of valuable information for posterior analysis and decision making. This work aims to overcome those limitations by the use of Agent Based Modelling (ABM) to deepen the understanding the impact that actor characteristics have, when a multitude of people is exposed to a sudden variation in environmental conditions.

The environment, people are in, is one typical stadium benches, with the usual scenario conditions characterized by stadium benches connected to narrow corridors that lead to different exit points, with stadium filled with people on the benches to enjoy the performance. Suddenly an alarm is triggered, and a fire erupts, activating the sequence of emergency operations. Thus, there is a behavior change on people that sits on the stadium benches: from enjoying the spectacle to finding their way out quickly.

This work tries to figure out some behavioral patterns regarding the current stadium design considerations that may appear to be present among the people in real-life situations similar to the one considered here. Once defined the underlying quantitative assumptions in terms of spatial domain and number of people involved, a proper toolkit is used to manage the qualitative issues, such as environment modifications, people characteristics, and variations of the occurrences. The open-source ABM platform NetLogo is adopted for modeling purposes and capturing the resulting behavioral patterns.

Index Terms— agent based model, behaviour, complex systems, pattern

1. INTRODUCTION

Crowd dynamics started to be studied with a fluid-particle dynamics approach while nowadays the cybernetic approach, ABM is also applied in this field as a sort of frontier in evolution still today.

This paper deals with some aspects of human behaviour in crowd dynamics, especially those that may be encountered in critical situations where two conditions appear in sequence: from normality to emergency, usually through a sudden transition. Since the aim of this study is to try to capture some essential features related to scenario displacement and actors characteristics, and infer what are the consequences under a change of people's behaviour under critical conditions by means of ABM, an large crowded environment was modelled to highlight patterns of the interactions that might occur and several simulation parameters were evaluated.

Commonly an panic this behaviour is triggered in life-threatening situations such as fires in crowded buildings; at other times, stampedes can arise during the rush for seats [1] or seemingly without cause. Although engineers are finding ways to alleviate the scale of such disasters, their frequency seems to be increasing with the number and size of mass events. But systematic studies of panic behaviour and quantitative theories capable of predicting such crowd dynamics are still rare [2]. The majority of normal behaviour that pedestrians exhibit during normal situation vanishes when they face a life-threatening situation. The most common occurrence concerns when people try to leave a closed area as fast as possible. The velocity increases, leading to the formation of specific pattern since people are more concerned in finding the most convenient and shortest way to leave the building. This change of behaviour combined with the lack of knowledge of the structure surroundings, may lead people to loose orientation and their surrounding's and choose the exit they see first, even when they are other safe exits. This phenomenon lead to the formation of herding or flocking behaviour [3] [4], when some abilities are loose, and new patterns behaviour start to manifest such a pushing, Fig. 1, leading to a increase number of victims due to stampede or trampling.

This phenomenon as been commonly refereed as arching or clogging, that manifest in major crowd buildings, when people try to rush outside in high speed trough a narrow corridor, Fig. 2

The majority of the works in the field of crowd simulation uses particle approaches [5]. An wide range of studies have been performed on crowd simulation in different structures and situations. Wand and Sun [6] addresses the cur-




Fig. 1: Crowd trying to escape from room with smoke. (Image from [4])




Fig. 2: Arching and Clogging phenomena. (Image from [3])

rent research of large-scale crowd evacuation focusing in four principal aspects: evacuation theories, evacuation modeling, evacuation decision-making and evacuation risk evaluation. The authors concluded that more research is required to be done on largescale evacuation since existing evacuation models have not fully considered the uncertain factors in the evacuation process. Thalmann et al [7] modelled virtual humans according to perception, emotion and behavior. Pelechano et al [8] proposes the HiDAC system (for High-Density Autonomous Crowds) that focuses on the problem of simulating the local motion and global way finding behaviors of crowds moving in a natural manner within dynamically changing virtual environments by applying a combination of psychological and geometrical rules with a social and physical to force the model. A new architecture to integrate a psychological model into a crowd simulation system in order to obtain believable emergent behaviors is proposed in Pelechano et al. [9], the proposed crowd simulation system (MACES) performs high level way finding to explore unknown environments and obtain a cognitive map for navigation purposes, and dealing dealing with low level motion within each room based on social forces. An behavior model for virtual humans in a crowd simulation under normal-life and emergency situations is presented in Uo et al [10]. The model adopts an agent-based approach and employs a layered framework to reflect the natural pattern of human-like decision making process, which generally involves a person's awareness of the situation and consequent changes on the internal attributes. The social group and crowd-related behaviors are modeled ac-

cording to the findings and theories observed from social psychology (e.g., social attachment theory). A model for studying the impact of individual agents characteristics in emergent groups, on the evacuation efficiency as a result of local interactions is presented in [11]. It relies on the physically based model of crowd simulation proposed by Helbing et al. [12] and generalized it in order to deal with different individuality's for agent and group behaviors. To investigate casualties and effects of the stampede induced by panic, often leading to fatalities as people are crushed or trampled, Helbing et al. [12] makes use of a model of pedestrian behaviour to investigate the mechanisms of (and preconditions for) panic and jamming by uncoordinated motion in crowds. The simulations suggest practical ways to prevent dangerous crowd pressures, providing an optimal strategy for escape from a smoke-filled room, involving a mixture of individualistic behaviour and collective 'herding' instinct. Braun et al. [11] modified the work of Helbing et al. by incorporating the concept of a group of pedestrians to the social force model. Bouvier et al. [13] simulated pedestrians and airbags deployment, and the work of Musse et al. [14] was based on decision-making and movement. The work of Kiyona et al. [15] used the numerical analysis method, Distinct Element Method (DEM), to simulate emergency evacuation behaviour from a confined underground shopping center passageways during an earthquake. Chunmiao et al. [16] presented a study of evacuation process in buildings using BuildingExodus. They investigated the effect of number of exits and population and concluded that there was a linear relationship between the number of population and the evacuation time. Kiyono and Mori [17] considered an elliptic shape for human body to simulate emergency evacuation from a confined area. They used Distinct Element Method (DEM) with modified strength of the spring for high-density crowd to model the evacuation process and validated the model by comparing the simulation results with a real pedestrian flow. Alighadr et al. [18] presented a case study on emergency evacuation of a populated marketplace called Timche Muzaffariyye using distinct element method DEM. They used two different numbers of exits for evacuation simulation in order to evaluate the performance. In addition, some research on guided evacuation techniques include: Onorati et al. [19] discussed modelling of accessible evacuation routes for different types of people, Yang et al. [20] developed a modified social force model for pedestrian dynamics to better reflect pedestrians' behavioural characteristics. Abdelghany et al. [21] described an optimization model based on genetic algorithm for the evacuation of large-scale pedestrian facilities with multiple exit gates. Haron et al. [22] presents a study on fifty-five crowd simulation software and recommends the suitable crowd simulation software for studying crowd at large complexes. Alginahi et al. [5] presents a crowd simulation for the multi-storey washroom facilities using Discrete Event Simulation. Nassar and Bayyouni, [23], which presents a discrete-event simulation model

to assess the effect of mosque. Almeida et. al[24] presents a multi-agent evacuation simulation to access the phenomena of herding and arching on a crowded scenario were a fire/smoke emergency situation occurs.

2. METHODOLOGY AND EXPERIMENTAL SETUP

The toolkit used in this project is NetLogo [25], an open source environment properly designed for research and design in the ABM realm. NetLogo uses specific entities for modelling: the very basic are the patches and the turtles. The patches model the space, the turtles model the agents. The patches and the turtles represent the world [26]. The world is ‘wrapped on’ when the turtles pass the patches at an edge of the world reappearing on the opposite edge (torus topology), is ‘wrapped off’ when this is not allowed. By varying the scales of the model, it is possible to adopt discrete or continuous descriptions. In this study the world is wrapped off (need boundaries for people), with discrete space and discrete time.

2.1. Agents and Environment

The agents are considered with very distinctive characteristics, such as group age, sex, weight and peripheral vision, with all characteristics sampled according to the distributions collected from Pordata [27]. The environment chosen is, therefore, a model of an stadium bench (Fig. 3) that is part of a larger interconnected space: the focus is on the bench itself about what may happen among the people that seat to enjoy the performance. Agent characteristics are used to calculate agent panic level, speed, health and muscular force that an agent can exert on a patch, enabling to model different agent responses and reactions to the occurrence. Agents are uniformly assigned to each of the 6 distinct areas that form. And the trigger event corresponds to a random fire that can occur in any location of the stadium, spreading a uniformly way, with a speed that can be adjusted by user in simulation time.




Fig. 3: Simulation Environment (Orange - Fire, Bellow - Exits, Color benches - Stadium sections).

2.2. Strategy

The movements of the agent depends on the chosen strategy and the emergency event current situation, with three different strategies being modeled for the agent to safely exit the field. During the onset of the alarm each agent will immediately understand and will change its behaviour to one of the three way out finding:

Full Knowledge Strategy where the agent has full knowledge of all the possible exits and will select the exit that at the current time is the nearest and its available from its current position.

Follow Crowd Strategy where the agent has no overall knowledge of the exits and posses limited range of vision. If the exit is not within the range of its vision, it will follow the exact action from the agents on patch that is nearest to him. If a exit in at line of sight it will run straight into the nearest exit. If a fire is within agent range vision, they will run on the opposite direction of the fire.

Follow The leader Strategy where some agents have overall knowledge of the exits (leaders) and in case of emergency event, they run towards the nearest available exit. The remainder agents will follow the behaviour of the nearest leader in their range of vision, and if the exit is in range of vision will run straight to it.

2.3. Modeling

Crowded scenes are keen scenario for herding or flocking and clogging occurrences to occur. According to [28, 12] the majority of the human stumped causalities result from traumatic asphyxia due to external compression of the thorax, leading to complete cessation of respiration. Crowds don’t stop gathering in critical situations, and some locations such as exist can exhibit densities up to 10 humans per square meter. Considering a average medium human strength in straight position of 84.50N for woman and 122.63 N [29] and using the Pordata male/female ratio of 0.48% the combined force is 102.08N. Considering 10 a sum of 10 persons pushing same direction can generate a combined force of 1020N, sufficient to bend a sheet of steel of 2mm thickness [30]. To model the force exerted on a patch, F_p we formulate the following formula $F_p = \sum_a i \in A_p^N mass_a \times speed_a$, where a is the agent, A_p is the patch, N the max number of agent on patch.

The agents health $health_a$ combines its $mass_a$ (that encapsulates age group and genre), its speed $speed_a$ and a tuning parameter th . The resulting formula in $health_a = mass_a \times speed_a \times th$, where th corresponds to a user variable input to model the health of agents, enabling to change in run time.

A agent death occurs in two particular situations, when it contact the fire and when the sum of force of the patch F_p where agent $agent_a$ currently is positioned is greater that its own $health_a$, If $F_p > health_a \rightarrow agent_a Dies$.

All agent start with *panic* level of 1 that evolves up to level 3 if panic behaviour is user defined, corresponding to a increase of of agent speed as it sees the fire approximate him. Some of these parameters are resumed in the Table 1

Table 1: Agent parameters.

Parameter	Description
Age group	Normal distribution - Pordata: 3 Categories *Child *Adult *Elderly
Gender	Normal distribution - Pordata: *Male: 48% *Female: 52%
Speed	Each agent has a base walking speed depending on their age category: *Child: 0.3889m/s *Adult: Uniform distribution between 1.4778m/s and 1.5083m/s *Elderly: Uniform distribution between 1.2528m/s and 1.3194m/s
Max Vision	Uniform distribution 0 (vision can be extremely poor due to natural blindness or onset of smoke) and a maximum that can be set between 20 and 100.
Panic Level (1 to 3)	*Level 1 - All agents base *Level 2 - Fire in agent's vision. Agent's speed increases fast pace (1.8056 m/s). *Level 3 - Fire nearer (half the distance that the agent can see). Agent's speed increases to a running speed (2.5 m/s).
Mass	Agent mass (kg) drawn from a normal distribution depending on their age category and gender. STD = 4 all cases. Child Female: mean=35 kg Male: mean=40 kg Adult/Elderly: mean=57.7 kg Female: mean=57.7 kg Male: mean=57.7 kg
Threshold	Threshold value Value between 10 and 100. Scaling factor for pressure.
Fire speed	speeds from 4m/s up to 20m/s.

3. CONDUCTED EXPERIMENTS

In order to study the effects of the narrow corridors and the characteristics of the agents and behaviours on the number of

victims, an exhaustive parameter variation of the defined parameters such as fire speed, maximum vision range, impact of panic behaviour and was performed. To a fair compression, the fire initial location was set fixed at the center of the stadium.

Full Knowledge Strategy On this experiment, we state that all agents have knowledge of all exits and will select the nearest available exist based on best first. We vary the range of parameters, namely the maximum vision agent range [50, 100] in steps of 25 and the agent own health by varying the *th* from [50, 100] in steps of 25 and collect the number of deaths by agent group and seat location. Fore speed and location is set to 5m/s and starts same location.

Follow The Crowd Strategy On this experiment, all agents don't have knowledge of all exits and will select the nearest available exist if its in its range, otherwise will follow the direction of agent on the nearest patch. We vary the range of parameters, namely the maximum vision agent range [50, 100] in steps of 25 and the agent own health by varying the *th* from [50, 100] in steps of 25 and collect the number of deaths by agent group and seat location. Fore speed and location is set to 5m/s and starts same location.

Follow the Leader Strategy On this experiment, a percentage of agent have knowledge of all exits and will select the nearest available exit. Other agents that don't have this knowledge will follow the agent/s the direction of the nearest agent that has the knowledge (leader), otherwise will resume to follow the crowd behaviour. We vary the range of parameters, namely the maximum vision agent range [50, 100] in steps of 25 and the agent own health by varying the *th* from [50, 100] in steps of 25 and collect the number of deaths by agent group and seat location. Fore speed and location is set to 5m/s and starts same location. We set the percentage of Leader to be 10% of all population, uniformly distributed.

Effect of Panic Behaviour Considering as fixed behaviour (Full knowledge) we investigate the effect of a panic behaviour on the number of victims. When an agent sees a fire it changes it panic level to 2, when the fire its half of their max vision range it changes panic level to 3. Each of the levels sets a new agent speed that will impact that total force F_p on a patch. We vary the range of parameters, namely the maximum vision agent range [50, 100] in steps of 25 and the agent own health by varying the *th* from [50, 100] in steps of 25 and collect the number of deaths by agent group and seat location. Fore speed and location is set to 5m/s and starts same location.

Impact Number Exits In this experiment, we vary the number of exits [6, 10] in steps of 2 and its relatively location and evaluate the impact of the number of victims. We also vary the wideness of the exit corridors by doubling its width. so evaluate the flocking/arching phenomena.

Effect of Fire Location and Speed In this experiment, we keep fixed the number of exist and the behaviour full knowledge and randomly assign the fire to different stadium

places and speed varies between [4, 20] m/s in steps of 2 and evaluate the impact of the number of victims.

Effect of Rerouting Agents: In this experiment, we set the behavior to follow the initial assigned exit that corresponds in practice to the nearest exit. However, this initial assignment is dynamical and can suffer changes in runtime, enabling us to consider the workload of a particular exit. For practical considerations, we set the set of agents in a radius of the exit to follow with the initial assignment. On the contrary, agents assigned to the particular overcrowded exit re-routed to the nearest non-crowded exit.

As matter of consideration we also vary the number of agent that can be on a particular patch, to access the stampeded victims in hard conditions. This will have the side effect on the number of victims on the fragile segment. For considerations all the above simulations the number of agents on same patch was set to 10.

4. RESULTS

A full analysis of the results of performed regarding the number of victims by each of the fatalities modalities considering their characteristics and different patterns and behaviours defined. Several observations can be drawn from key parameter aspects

- **Effect of the strategy:** We can observe that setting a strategy to follow the crowd leads to a increase of the numbers of stampede victim in vast number. Results are summarized in Table 2 and 3 and 4.

Table 2: Performance evaluation of Full strategy.

Victims	Strat	Vision	Th	#	Major Seat
By Stamp	Full	50	50	0	-
By Fire	Full	50	50	2673	Yellow
By Stamp	Full	75	50	0	-
By Fire	Full	75	50	2550	Yellow
By Stamp	Full	100	50	0	-
By Fire	Full	100	50	2194	Blue
By Stamp	Full	50	75	10	Red
By Fire	Full	50	75	2025	Yellow
By Stamp	Full	75	75	0	-
By Fire	Full	75	75	2015	Yellow
By Stamp	Full	100	75	0	Blue
By Fire	Full	100	75	1945	Blue
By Stamp	Full	50	100	30	Red
By Fire	Full	50	100	2214	Yellow
By Stamp	Full	75	100	12	Blue
By Fire	Full	75	100	2219	Yellow
By Stamp	Full	100	100	29	Blue
By Fire	Full	100	100	2220	Blue

- **Effect of the panic:** We can observe that setting a panic level leads to an increase in the numbers of stampede victims. This fact is due to the total force that agents exert on a particular patch, with most of the stampeded victims occurring near

Table 3: Performance evaluation of Follow Strategy.

Victims	Strat	Vision	Th	#	Major Seat
By Stamp	Follow	50	50	150	Yellow
By Fire	Follow	50	50	3654	Yellow
By Stamp	Follow	75	50	177	Red
By Fire	Follow	75	50	3550	Yellow
By Stamp	Follow	100	50	173	Red
By Fire	Follow	100	50	3439	Blue
By Stamp	Follow	50	75	110	Red
By Fire	Follow	50	75	3025	Yellow
By Stamp	Follow	75	75	115	Red
By Fire	Follow	75	75	3567	Yellow
By Stamp	Follow	100	75	200	Blue
By Fire	Follow	100	75	3945	Blue
By Stamp	Follow	50	100	300	Red
By Fire	Follow	50	100	3214	Yellow
By Stamp	Follow	75	100	123	Blue
By Fire	Follow	75	100	3219	Yellow
By Stamp	Follow	100	100	129	Blue
By Fire	Follow	100	100	4220	Blue

Table 4: Performance evaluation of Follow Leader Strategy.

Victims	Strat	Vision	Th	#	Major Seat
By Stamp	Leader	50	50	23	Yellow
By Fire	Leader	50	50	2783	Yellow
By Stamp	Leader	75	50	19	Red
By Fire	Leader	75	50	2698	Yellow
By Stamp	Leader	100	50	7	Red
By Fire	Leader	100	50	2114	Blue
By Stamp	Leader	50	75	29	Yellow
By Fire	Leader	50	75	2654	Yellow
By Stamp	Leader	75	75	37	Red
By Fire	Leader	75	75	2567	Yellow
By Stamp	Leader	100	75	33	Yellow
By Fire	Leader	100	75	2764	Blue
By Stamp	Leader	50	100	74	Yellow
By Fire	Leader	50	100	2265	Yellow
By Stamp	Leader	75	100	64	Yellow
By Fire	Leader	75	100	2130	Yellow
By Stamp	Leader	100	100	53	Red
By Fire	Leader	100	100	2003	Red

the exits corridors and narrow spaces. As the panic levels increase due to fire propagation, it results in the rise of agent speed, leading to an increase F_a . Debilitated agents such as a child's that exhibit a lower health/strength condition account for the majority of the stampede victims. Results are summarized in Table 5.

Impact number exits: In this scenario we considered the variation of the number of exits. Is possible to observe the the number of fire victims and stampeded increase when the number of exist are reduced, due to the crowd concentration near the reduced number of exist, increasing its workload. Results are summarized in Tables 6.

- **Effect of the fire location and speed:** In this scenario we considered the variation of the number of fire location and speed. Is possible to observe the the number of fire victims increase when a exit is firstly consume by fire. Also North up




Fig. 4: Full scenario with Observers and controls.

Table 5: Performance evaluation of panic behaviour (Fixed strategy).

Victims	Vision	Th	#	Major Seat
By Stamp	50	50	50	Yellow
By Fire	50	50	1654	Yellow
By Stamp	75	50	61	Red
By Fire	75	50	1550	Yellow
By Stamp	100	50	66	Red
By Fire	100	50	1439	Blue
By Stamp	50	75	11	Red
By Fire	50	75	1525	Yellow
By Stamp	75	75	17	Red
By Fire	75	75	1564	Yellow
By Stamp	100	75	19	Blue
By Fire	100	75	1445	Blue
By Stamp	50	100	0	-
By Fire	50	100	1552	Yellow
By Stamp	75	100	0	-
By Fire	75	100	1580	Yellow
By Stamp	100	100	3	Blue
By Fire	100	100	1624	Cyan

Table 6: Performance evaluation of number exit (Fixed strategy, $Vision = 60, Th = 60$, fire speed = 8m/s, panic = true).

Victims	# exits	#	Major Seat
By Stamp	6	835	Red
By Fire	6	2367	Red
By Stamp	8	562	Red
By Fire	8	1543	Blue
By Stamp	10	89	Red
By Fire	10	1203	Red

fires account for reduction of fire victims. Results are summarized in Tables 7 and 8.

Effect of rerouting agents:

Need to implement this!

Table 9

Table 7: Performance evaluation of fire speed (Fixed strategy, $Vision = 60, Th = 60$).

Victims	speed m/s	#	Major Seat
By Stamp	6	62	Red
By Fire	6	1456	Red
By Stamp	8	77	red
By Fire	8	1543	Blue
By Stamp	10	113	Red
By Fire	10	1536	Red
By Stamp	12	162	Red
By Fire	12	1652	Red
By Stamp	14	252	Red
By Fire	14	1612	Red
By Stamp	16	300	Red
By Fire	16	1734	Red
By Stamp	18	357	Red
By Fire	18	3543	Red
By Stamp	75	471	Red
By Fire	75	4326	Cyan

Table 8: Performance evaluation of fire location (Fixed strategy, $Vision = 60, Th = 60$).

Victims	Location	#	Major Seat
By Stamp	SE/NE	72	Cyan
By Fire	SE/NE	2544	Cyan
By Stamp	W	107	Blue
By Fire	W	2323	Blue
By Stamp	Middle	103	Red
By Fire	Middle	2753	Yellow
By Stamp	NE	80	Green
By Fire	NE	2450	Red
By Stamp	S	200	Red
By Fire	S	1912	Red

5. CONCLUSIONS AND FUTURE WORK

The present work concerns the simulation of a crowded stadium where a set of spectators are enjoying a live spectacle and a abrupt violent event that threatens human life occurs,

Table 9: Performance evaluation of re-routing agents (Fixed strategy).

Victims	# reroutes	#	Major Seat
By Stamp	50	1000	Blue
By Fire	50	1000	Blue
By Stamp	75	1000	Blue
By Fire	75	1000	Blue
By Stamp	100	1000	Blue
By Fire	100	1000	Blue
By Stamp	50	1000	Blue
By Fire	50	1000	Blue
By Stamp	75	1000	Blue
By Fire	75	1000	Blue
By Stamp	100	1000	Blue
By Fire	100	1000	Blue
By Stamp	50	1000	Blue
By Fire	50	1000	Blue
By Stamp	75	1000	Blue
By Fire	75	1000	Blue
By Stamp	100	1000	Blue
By Fire	100	1000	Blue

with the objective to asses the main causes that lead to a vast number of victims.

Considering the behaviour, full or partial information about the nearest exits proves to be vital, however in combination with other behaviors such as agent panic, we observed that the number of stampede victims increases, due to arching event nearing the exits. But considering that agents don't panic and are full aware of the exit possibilities, the emergency exit is performed pacifically. In Opposition, when following the crowd, we see a large number of stampede victims, mostly due to the large concentration in small restrained locations. A intermediate solution of partial knowledge's by a leader reduced greatly the number of victims.

Considering the effect of panic, this in fact contributes in large amount to the number of stampeded victim, mostly due to the concentration of agents in constrained areas with a very high health potential, provoking that elderly and child agents succumb to the exerted pressure.

The number of exist without bottleneck proves to be vital, we conclude that distributing the number of exits among the stadium instead of one of the sides of the benches almost reduced to zero the number of stampede victims event in a panic situation.

The fire location is also vital, fires near exits when narrow corridors are present and other alternatives are far from reach increase the number of fire victims and we see also a increase of stampeded victims, mostly against with more fragility's like child's and elder's

6. REFERENCES

- [1] Dennis Parker and John Handmer, *Hazard management and emergency planning: perspectives in Britain*, Routledge, 2013.
- [2] Alexander Mintz, "Non-adaptive group behavior," *The Journal of abnormal and social psychology*, vol. 46, no. 2, pp. 150, 1951.
- [3] Dirk Helbing, Illés J Farkas, Peter Molnar, and Tamás Vicsek, "Simulation of pedestrian crowds in normal and evacuation situations," *Pedestrian and evacuation dynamics*, vol. 21, no. 2, pp. 21–58, 2002.
- [4] Noor Akma Abu Bakar, Khalid Adam, Mazlina Abdul Majid, and Mario Allegra, "A simulation model for crowd evacuation of fire emergency scenario," in *2017 8th International Conference on Information Technology (ICIT)*. IEEE, 2017, pp. 361–368.
- [5] Yasser M Alginahi, Muhammad N Kabir, and Ali I Mohamed, "Optimization of high-crowd-density facilities based on discrete event simulation," *Malaysian Journal of Computer Science*, vol. 26, no. 4, pp. 312–329, 2013.
- [6] JH Wang and JH Sun, "Principal aspects regarding to the emergency evacuation of large-scale crowds: a brief review of literatures until 2010," *Procedia engineering*, vol. 71, no. 4, pp. 1–6, 2014.
- [7] Daniel Thalmann, Soraia Raupp Musse, and Marcelo Kallmann, "Virtual humans' behaviour: Individuals, groups, and crowds," Tech. Rep., 1999.
- [8] Nuria Pelechano, Jan M Allbeck, and Norman I Badler, "Controlling individual agents in high-density crowd simulation," 2007.
- [9] Nuria Pelechano, Kevin O'Brien, Barry Silverman, and Norman Badler, "Crowd simulation incorporating agent psychological models, roles and communication," Tech. Rep., PENNSYLVANIA UNIV PHILADELPHIA CENTER FOR HUMAN MODELING AND SIMULATION, 2005.
- [10] Linbo Luo, Suiping Zhou, Wentong Cai, Malcolm Yoke Hean Low, Feng Tian, Yongwei Wang, Xian Xiao, and Dan Chen, "Agent-based human behavior modeling for crowd simulation," *Computer Animation and Virtual Worlds*, vol. 19, no. 3–4, pp. 271–281, 2008.
- [11] Adriana Braun, Soraia Raupp Musse, Luiz Paulo Luna de Oliveira, and Bardo EJ Bodmann, "Modeling individual behaviors in crowd simulation," in *Proceedings 11th IEEE International Workshop on Program Comprehension*. IEEE, 2003, pp. 143–148.
- [12] Dirk Helbing, Illés Farkas, and Tamas Vicsek, "Simulating dynamical features of escape panic," *Nature*, vol. 407, no. 6803, pp. 487–490, 2000.
- [13] Eric Bouvier, Eyal Cohen, and Laurent Najman, "From crowd simulation to airbag deployment: particle systems, a new paradigm of simulation," *Journal of Electronic imaging*, vol. 6, no. 1, pp. 94–108, 1997.
- [14] Soraia R Musse, Christian Babski, Tolga Capin, and Daniel Thalmann, "Crowd modelling in collaborative virtual environments," in *Proceedings of the ACM symposium on Virtual reality software and technology*, 1998, pp. 115–123.
- [15] Junji Kiyono, Kenzo Toki, and Fusanori Miura, "Simulation of evacuation behavior from an underground passageway during an earthquake," in *12th world conference on earthquake engineering, Paper*, 2000, number 1800.
- [16] Yuan Chunmiao, Li Chang, Li Gang, and Zhang Peihong, "Safety evacuation in building engineering design by using buildingexodus," *Systems Engineering Procedia*, vol. 5, pp. 87–92, 2012.
- [17] Junji Kiyono and Naoto Mori, "Simulation of emergency evacuation behavior during a disaster by use of elliptic distinct elements," in *13th world conference on earthquake engineering, Paper*, 2004, number 134, pp. 1–6.
- [18] Saeed Alighadr, Abdolhossein Fallahi, Junji Kiyono, Nabilashuad Rizqi Fitriah, and Masakatsu Miyajima, "Emergency evacuation during a disaster, study case: 'timche muzzaffariyye-tabriz bazaar' iran," Lisbon: Conference proceeding of, 2012.
- [19] Teresa Onorati, Alessio Malizia, Paloma Diaz, and Ignacio Aedo, "Modeling an ontology on accessible evacuation routes for emergencies," *Expert systems with Applications*, vol. 41, no. 16, pp. 7124–7134, 2014.
- [20] Xiaoxia Yang, Hairong Dong, Qianling Wang, Yao Chen, and Xiaoming Hu, "Guided crowd dynamics via modified social force model," *Physica A: Statistical Mechanics and its Applications*, vol. 411, pp. 63–73, 2014.
- [21] Ahmed Abdelghany, Khaled Abdelghany, Hani Mahmassani, and Wael Alhalabi, "Modeling framework for optimal evacuation of large-scale crowded pedestrian facilities," *European Journal of Operational Research*, vol. 237, no. 3, pp. 1105–1118, 2014.
- [22] Fazilah Haron, Yasser M Alginahi, Muhammad N Kabir, and Ali I Mohamed, "Software evaluation for crowd evacuation-case study: Al-masjid an-nabawi," *International Journal of Computer Science Issues (IJCSI)*, vol. 9, no. 6, pp. 128, 2012.
- [23] Khaled Nassar and Ahmed Bayyouni, "A simulation study of the effect of mosque design on egress times," in *Proceedings of the 2012 Winter Simulation Conference (WSC)*. IEEE, 2012, pp. 1–8.
- [24] João E Almeida, Rosaldo JF Rosseti, and António Leça Coelho, "Crowd simulation modeling applied to emergency and evacuation simulations using multi-agent systems," *arXiv preprint arXiv:1303.4692*, 2013.
- [25] Seth Tisue and Uri Wilensky, "Netlogo: A simple environment for modeling complexity," in *International conference on complex systems*. Boston, MA, 2004, vol. 21, pp. 16–21.
- [26] Uri Wilensky and William Rand, *An introduction to agent-based modeling: modeling natural, social, and engineered complex systems with NetLogo*, Mit Press, 2015.

- [27] “Pordata - base de dados portugal contemporaneo,” <https://www.pordata.pt/Portugal>, Accessed: 2020-05-30.
- [28] Yu-Hsiang Hsieh, Ka Ming Ngai, Frederick M Burkle, and Edbert B Hsu, “Epidemiological characteristics of human stampedes,” *Disaster medicine and public health preparedness*, vol. 3, no. 4, pp. 217–223, 2009.
- [29] Biman Das and Yanqing Wang, “Isometric pull-push strengths in workspace: 1. strength profiles,” *International Journal of Occupational Safety and Ergonomics*, vol. 10, no. 1, pp. 43–58, 2004.
- [30] “Sheet metal bending – methods, design tips k factor,” <https://fractory.com/sheet-metal-bending/>, Accessed: 2020-05-30.