

Amazon S3 ✕

Buckets

Access Grants

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

▼ Storage Lens

Dashboards

Storage Lens groups

AWS Organizations settings

Feature spotlight 7

Objects Properties Permissions Metrics Management Access Points

Objects (4) Info

Copy S3 URI

Copy URL

Download

Open

Delete

Actions ▾

Create folder

Upload

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

< 1 >

<input type="checkbox"/>	Name ▲	Type ▼	Last modified ▼	Size ▼	Storage class ▼
<input type="checkbox"/>	1.txt	txt	March 19, 2024, 15:07:44 (UTC+05:30)	0 B	Standard
<input type="checkbox"/>	1702699855406-sample.war	war	December 16, 2023, 09:40:58 (UTC+05:30)	4.5 KB	Standard
<input type="checkbox"/>	1702700276585-sample.war	war	December 16, 2023, 09:47:59 (UTC+05:30)	4.5 KB	Standard
<input type="checkbox"/>	2.txt	txt	March 19, 2024, 15:12:34 (UTC+05:30)	0 B	Standard

Create bucket [Info](#)

Buckets are containers for data stored in S3.

General configuration

AWS Region

US East (N. Virginia) us-east-1 ▾

Bucket type [Info](#)

- ☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
- ☐ **Directory - New**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket name [Info](#)

sujith-bucket-s3

Bucket name must be unique within the global namespace and follow the bucket naming rules. [See rules for bucket naming](#) [🔗](#)

Copy settings from existing bucket - optional

Only the bucket settings in the following configuration are copied.

Choose bucket

Format: s3://bucket/prefix

☰

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [Info](#)

☒ Server-side encryption with Amazon S3 managed keys (SSE-S3)

☐ Server-side encryption with AWS Key Management Service keys (SSE-KMS)

☐ Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing](#) on the [Storage](#) tab of the [Amazon S3 pricing page](#). [🔗](#)

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#) [🔗](#)

☐ Disable

☒ Enable

▶ Advanced settings

❗ After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

Cancel

Create bucket

✔ **Successfully created bucket "sujith-bucket-s3"**
To upload files and folders, or to configure additional bucket settings, choose **View details**.

[View details](#) [✕](#) [👤](#) [🔒](#)

[Amazon S3](#) > Buckets

▶ Account snapshot
Storage lens provides visibility into storage usage and activity trends. [Learn more](#) [🔗](#)

[View Storage Lens dashboard](#)

[General purpose buckets](#) | [Directory buckets](#)

General purpose buckets (3) [Info](#)

[🔄](#) [📄 Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Buckets are containers for data stored in S3.

	Name ▲	AWS Region ▼	Access 🔗	Creation date ▼
<input type="radio"/>	elasticbeanstalk-us-east-1-602093162468	US East (N. Virginia) us-east-1	Objects can be public	December 16, 2023, 09:19:43 (UTC+05:30)
<input type="radio"/>	intellipaat-bucket-5dec	US East (N. Virginia) us-east-1	Bucket and objects not public	December 9, 2023, 13:41:56 (UTC+05:30)
<input type="radio"/>	sujith-bucket-s3	US East (N. Virginia) us-east-1	Bucket and objects not public	March 19, 2024, 16:31:16 (UTC+05:30)

[Amazon S3](#) > [Buckets](#) > [sujith-bucket-s3](#) > Upload

Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#) 

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (5 Total, 2.2 MB)

[Remove](#)

[Add files](#)

[Add folder](#)

All files and folders in this table will be uploaded.

 Find by name

< 1 >

<input type="checkbox"/>	Name ▾	Folder ▾	Type
<input type="checkbox"/>	Agile.txt	-	text/plain
<input type="checkbox"/>	SpotifyInstaller.zip	-	application/zip
<input type="checkbox"/>	error(2).html	-	text/html
<input type="checkbox"/>	VPC-Creation-Assignment---1.pdf	-	application/pdf
<input type="checkbox"/>	sujith123.pem	-	application/x-x509-ca-cert

[Amazon S3](#) > [Buckets](#) > [sujith-bucket-s3](#) > Upload

Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#) 

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (5 Total, 2.2 MB)

[Remove](#)

[Add files](#)

[Add folder](#)

All files and folders in this table will be uploaded.

 Find by name

< 1 >

<input type="checkbox"/>	Name ▾	Folder ▾	Type
<input type="checkbox"/>	Agile.txt	-	text/plain
<input type="checkbox"/>	SpotifyInstaller.zip	-	application/zip
<input type="checkbox"/>	error(2).html	-	text/html
<input type="checkbox"/>	VPC-Creation-Assignment---1.pdf	-	application/pdf
<input type="checkbox"/>	sujith123.pem	-	application/x-x509-ca-cert

Files and folders (5 Total, 2.2 MB)

[Remove](#) [Add files](#) [Add folder](#)

All files and folders in this table will be uploaded.

< 1 >

<input type="checkbox"/>	Name ▾	Folder ▾	Type
<input type="checkbox"/>

Destination [Info](#)

Destination

[s3://sujith-bucket-s3](#)

► Destination details

Bucket settings that impact new objects stored in the specified destination.

► Permissions

Grant public access and access to other AWS accounts.

► Properties

Specify storage class, encryption settings, tags, and more.

Cancel

Upload



🟢 **Upload succeeded**
View details below.

Destination s3://sujith-bucket-s3	Succeeded 🟢 5 files, 2.2 MB (100.00%)	Failed 🔴 0 files, 0 B (0%)
--------------------------------------	--	-------------------------------

Files and folders | Configuration

Files and folders (5 Total, 2.2 MB)

🔍 Find by name

< 1 >

Name	Folder	Type	Size	Status	Error
Agile.txt	-	text/plain	3.1 KB	🟢 Succeeded	-
SpotifyInsta...	-	application/...	2.0 MB	🟢 Succeeded	-
error(2).html	-	text/html	30.3 KB	🟢 Succeeded	-
VPC-Creatio...	-	application/...	147.1 KB	🟢 Succeeded	-
sujith123.pem	-	application/...	1.6 KB	🟢 Succeeded	-