

```
R1#
R1#
R1#
R1#conf ter
Enter configuration commands, one per line.  End with CNTL/Z.
R1(config)#router ospf 10
R1(config-router)#network 50.0.0.0 0.255.255.255 a 1
R1(config-router)#exit
R1(config)#
*Aug 21 15:56:27.705: %OSPF-5-ADJCHG: Process 10, Nbr 2.2.2.2 on Ethernet0/0 from
LOADING to FULL, Loading Done
*Aug 21 15:56:28.071: %OSPF-5-ADJCHG: Process 10, Nbr 4.4.4.4 on Ethernet0/0 from
LOADING to FULL, Loading Done
R1(config)#exit
R1#s
*Aug 21 15:56:49.603: %SYS-5-CONFIG_I: Configured from console by console
R1#show ip ospf neighbor
```

Neighbor ID	Pri	State	Dead Time	Address	Interface
2.2.2.2	1	FULL/DR	00:00:36	50.0.0.2	Ethernet0/0
3.3.3.3	1	2WAY/DROTHER	00:00:38	50.0.0.3	Ethernet0/0
4.4.4.4	1	FULL/BDR	00:00:35	50.0.0.4	Ethernet0/0

```
R1#
```

```
R1#  
R1#  
R1#  
R1#ping 50.0.0.1  
Type escape sequence to abort.  
Sending 5, 100-byte ICMP Echos to 50.0.0.1, timeout is 2 seconds:  
!!!!!  
Success rate is 100 percent (5/5), round-trip min/avg/max = 4/4/4 ms  
R1#ping 50.0.0.2  
Type escape sequence to abort.  
Sending 5, 100-byte ICMP Echos to 50.0.0.2, timeout is 2 seconds:  
!!!!!  
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms  
R1#ping 50.0.0.3  
Type escape sequence to abort.  
Sending 5, 100-byte ICMP Echos to 50.0.0.3, timeout is 2 seconds:  
!!!!!  
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms  
R1#ping 50.0.0.4  
Type escape sequence to abort.  
Sending 5, 100-byte ICMP Echos to 50.0.0.4, timeout is 2 seconds:  
!!!!!  
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms  
R1#
```

Neighbor ID	Pri	State	Dead Time	Address	Interface
2.2.2.2	1	FULL/DR	00:00:35	50.0.0.2	Ethernet0/0
3.3.3.3	1	FULL/DROTHER	00:00:35	50.0.0.3	Ethernet0/0
50.0.0.1	1	FULL/DROTHER	00:00:32	50.0.0.1	Ethernet0/0

R4#show ip ospf database

OSPF Router with ID (4.4.4.4) (Process ID 10)

Router Link States (Area 1)

Link ID	ADV Router	Age	Seq#	Checksum	Link count
1.1.1.1	1.1.1.1	415	0x80000008	0x00D3E0	1
2.2.2.2	2.2.2.2	152	0x8000000D	0x009510	1
3.3.3.3	3.3.3.3	152	0x80000007	0x00633F	1
4.4.4.4	4.4.4.4	151	0x80000008	0x002375	1
50.0.0.1	50.0.0.1	157	0x80000002	0x00D585	1

Net Link States (Area 1)

Link ID	ADV Router	Age	Seq#	Checksum
50.0.0.2	2.2.2.2	157	0x80000002	0x008419

R4#

R4#