

ETL Script Documentation Report

Script: etl.py

Parsed Information

Type: PYTHON

Sources: data/inventory.csv, data/warehouse.csv

Targets: low_stock_report

Transformations: filter/condition, copy, new column: reorder_priority, merge, apply

Auto-Generated Documentation

Script etl.py reads from data/inventory.csv, data/warehouse.csv and writes to low_stock_report.

Business Purpose

This script processes low_stock_report for business reporting.

Impact Analysis

Risk Level: MEDIUM

Reason: Failure affects 1 output(s) but no other scripts directly.

Depends on: ['data/inventory.csv', 'data/warehouse.csv']

Writes to: ['low_stock_report']

Affected scripts if fails: None

ETL Script Documentation Report

Script: sample_hr.py

Parsed Information

Type: PYTHON

Sources: data/attendance.csv, data/employees.csv

Targets: hr_report

Transformations: filter/condition, merge, new column: bonus

Auto-Generated Documentation

Script sample_hr.py reads from data/attendance.csv, data/employees.csv and writes to hr_report.

Business Purpose

This script processes hr_report for business reporting.

Impact Analysis

Risk Level: MEDIUM

Reason: Failure affects 1 output(s) but no other scripts directly.

Depends on: ['data/attendance.csv', 'data/employees.csv']

Writes to: ['hr_report']

Affected scripts if fails: None

ETL Script Documentation Report

Script: sample_orders.py

Parsed Information

Type: PYTHON

Sources: data/orders.csv

Targets: big_orders

Transformations: rename, filter/condition, new column: processed

Auto-Generated Documentation

Script sample_orders.py reads from data/orders.csv and writes to big_orders.

Business Purpose

This script processes big_orders for business reporting.

Impact Analysis

Risk Level: MEDIUM

Reason: Failure affects 1 output(s) but no other scripts directly.

Depends on: ['data/orders.csv']

Writes to: ['big_orders']

Affected scripts if fails: None

ETL Script Documentation Report

Script: sample_sales.sql

Parsed Information

Type: SQL

Sources: orders, customers

Targets: sales_summary

Transformations: where, sum, join, count

Auto-Generated Documentation

Script sample_sales.sql reads from orders, customers and writes to sales_summary.

Business Purpose

This script processes sales_summary for business reporting.

Impact Analysis

Risk Level: MEDIUM

Reason: Failure affects 1 output(s) but no other scripts directly.

Depends on: ['orders', 'customers']

Writes to: ['sales_summary']

Affected scripts if fails: None