Master

Test Cases

User Login 4

This section covers test cases to verify the **login functionality** of the ParaBank application. It ensures that users can log in successfully with valid credentials and that appropriate validation messages are displayed for invalid or missing inputs.

C38: User registration with vaild details

Type	Priority	Estimate	References
Functional	High	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- ParaBank application is accessible
- User is on the Registration page
- User is not already registered
- Stable internet connection is available

Steps

- Navigate to the ParaBank Registration page
- Enter valid details in all mandatory fields
- Click on the Register button

Expected Result

- User account is created successfully
- A success confirmation message is displayed

C39: User can login with valid username and password

Type	Priority	Estimate	References
Functional	High	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- ParaBank application is accessible
- User is already registered with a valid username and password

Steps

- Open Parabank login page
- Enter valid username
- Enter valid password
- Click Log In

Expected Result

User is successfully authenticated

C40: User cannot login with invalid username and password

Type	Priority	Estimate	References
Functional	High	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- ParaBank application is accessible
- User is on the **Login** page
- Stable internet connection is available

Steps

- Navigate to the ParaBank Login page
- Enter an invalid username in the Username field
- Enter an invalid password in the Password field
- Click on the Log In button

Expected Result

- User login fails
- An appropriate error message is displayed

C41: Login attempt with empty username and password

Type	Priority	Estimate	References
Functional	High	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- ParaBank application is accessible
- User is on the Login page
- Stable internet connection is available

Steps

- Navigate to the ParaBank Login page
- Leave the Username and Password field empty
- Click on the Log In button

Expected Result

- Login is not successful
- Validation/error message is displayed indicating required fields

Account Overview 4

This section contains test cases related to displaying user accounts, account balances, and navigation to detailed account information. It ensures correct data presentation and consistent behavior during user interactions.

C42: Account overview page loads successfully after login

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User account exists
- User is on the login page

Steps

- Enter a valid username
- Enter a valid password
- Click the Log In button

Expected Result

User is logged in successfully and the Account Overview page loads displaying linked account details.

C43: Account balance is displayed correctly

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has at least one active account

Steps

- Navigate to the Account Overview page
- Observe the displayed account balance

Expected Result

The account balance is displayed correctly and matches the available balance for the account.

C44: User can view account details by selecting an account

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has at least one active account

Steps

- Navigate to the Account Overview page
- Select an account by clicking the account number

Expected Result

The selected account details page opens and displays transaction information for that account.

C45: Transaction list loads correctly for selected account

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has at least one active account

Steps

- Navigate to the Account Overview page
- Select an account
- View the transaction history section

Expected Result

The transaction list loads successfully and displays transactions related to the selected account only.

Transfer Funds 7

This section contains test cases related to transferring money between user accounts, including amount entry, account selection, and transaction completion. It ensures accurate balance updates and reliable transfer behavior during user actions.

C46: User can transfer funds with valid details

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has at least two active accounts
- Source account has sufficient balance

Steps

- Navigate to the Transfer Funds page
- Select a source account
- Select a destination account
- Enter a valid transfer amount
- Submit the transfer

Expected Result

Funds are transferred successfully and a confirmation message is displayed.

C47: Transfer fails when amount field is empty

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has selected valid source and destination accounts

Steps

- Navigate to the Transfer Funds page

- Leave the amount field empty
- Submit the transfer

Expected Result

The transfer is not processed and the user remains on the Transfer Funds page with an appropriate message displayed.

C48: Transfer fails when source and destination accounts are the same

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has at least one active account

Steps

- Navigate to the Transfer Funds page
- Select the same account as both source and destination
- Enter a valid transfer amount
- Submit the transfer

Expected Result

The transfer is not processed and the user is informed that source and destination accounts must be different.

C49: Transfer blocked when amount exceeds available balance

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- Source account has limited balance
- Destination account is active

Steps

- Navigate to the Transfer Funds page
- Select a source account
- Select a destination account

- Enter an amount greater than the available balance
- Submit the transfer

Expected Result

The transfer is not processed and an appropriate error message is displayed indicating insufficient balance.

C50: Transfer attempt with zero amount

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has selected valid source and destination accounts

Steps

- Navigate to the Transfer Funds page
- Enter the transfer amount as 0
- Submit the transfe

Expected Result

The transfer is not processed and the user remains on the Transfer Funds page with an appropriate message displayed.

C51: Transfer attempt with negative amount

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has selected valid source and destination accounts

Steps

- Navigate to the Transfer Funds page
- Enter a negative value in the amount field
- Submit the transfer

Expected Result

The transfer is not processed and the system prevents submission of an invalid amount.

C52: Multiple rapid clicks on submit button during transfer

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has selected valid source and destination accounts
- Source account has sufficient balance

Steps

- Navigate to the Transfer Funds page
- Enter valid transfer details
- Click the Submit button multiple times rapidly

Expected Result

Only a single transfer is processed and no duplicate transactions are created.

Bill Payment 6

This section includes test cases to verify the bill payment functionality, ensuring users can successfully send payments to payees using valid details and that appropriate validations are shown for missing or incorrect information.

C53: Bill payment completes successfully with valid payee and amount

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has sufficient account balance

Steps

- Navigate to the Bill Pay page
- Enter valid payee details
- Enter a valid payment amount
- Submit the bill payment

Expected Result

The bill payment is processed successfully and a confirmation message is displayed.

C54: Bill payment blocked when mandatory fields are left empty

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

- Navigate to the Bill Pay page
- Leave one or more mandatory fields empty
- Submit the bill pay

Expected Result

The bill payment is not processed and the user is prompted to complete the required fields.

C55: Bill payment fails when amount exceeds available balance

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has limited account balance

Steps

- Navigate to the Bill Pay page
- Enter valid payee details
- Enter a payment amount greater than the available balance
- Submit the bill payment

Expected Result

The bill payment is not processed and an appropriate message is displayed indicating insufficient balance.

C56: Bill payment details appear in account transaction history

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- At least one bill payment has been completed successfully

Steps

- Navigate to the Account Overview page
- Select the account used for bill payment
- View the transaction history

Expected Result

The bill payment entry appears in the transaction history with the correct amount and transaction details.

C57: Account balance updates correctly after bill payment

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- A bill payment has been completed successfully

Steps

- Navigate to the Account Overview page
- Observe the account balance

Expected Result

The account balance is reduced by the bill payment amount and reflects the updated value correctly.

C58: Amount field accepts only numeric input in Bill Pay

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

- Navigate to the Bill Pay page
- Enter alphabets or special characters in the amount field
- Attempt to submit the bill payment

Expected Result

Only numeric values are accepted in the amount field and the bill payment is not processed with invalid input.

Transaction History 4

This section covers test cases to verify that transaction history is displayed accurately, showing correct transaction details and ensuring users can view and navigate past transactions for their accounts.

C59: Transaction history displays list of completed transactions

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has completed at least one transaction

Steps

- Navigate to the Account Overview page
- Select an account
- View the transaction history section

Expected Result

The transaction history displays a list of completed transactions for the selected account.

C60: Transaction entry shows correct amount and transaction type

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in

- At least one transaction exists for the selected account

Steps

- Navigate to the Account Overview page
- Select an account
- Review the transaction history list

Expected Result

Each transaction entry displays the correct amount and the correct transaction type (debit or credit).

C61: Transaction history updates after fund transfer

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- User has at least two active accounts

Steps

- Complete a successful fund transfer
- Navigate to the Account Overview page
- Select the source account
- View the transaction history

Expected Result

The fund transfer entry appears in the transaction history with the correct amount and transaction details.

C62: Transaction history behavior when no transactions exist

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- Selected account has no transaction history

Steps

- Navigate to the Account Overview page

- Select an account with no transactions
- View the transaction history section

Expected Result

The transaction history section displays an empty state or appropriate message indicating no transactions are available.

Update Contact Info 4

C63: Update Contact info page loads with existing user details

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

Navigate to the Profile

Expected Result

The profile information page loads successfully and displays the existing user details correctly.

C64: Profile information updates successfully with valid data

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

- Navigate to the Profile
- Modify profile fields with valid data
- Save the changes

Expected Result

The profile information is updated successfully and the changes are reflected on the profile page.

C65: Updated profile information persists after logout and login

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

- Update profile information with valid data
- Log out of the application
- Log in again
- Navigate to the Profile

Expected Result

The updated profile information is displayed correctly after logging in again.

C66: Profile update behavior with invalid data formats

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

- Navigate to the Profile page
- Enter invalid data formats in one or more fields
- Attempt to save the changes

Expected Result

The profile update is not completed and the user is informed about the invalid data format.

Logout & Session Management 3

This section covers test cases to verify that users can log out securely and that user sessions are handled correctly

C67: User logs out successfully from application

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in to the application

Steps

- Ensure the user is on any authenticated page
- Locate the Log Out option in the application header/menu
- Click the Log Out option

Expected Result

The user is logged out successfully and redirected to the login page.

C68: Browser back button does not restore session after logout

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in to the application

Steps

- Log out of the application
- Click the browser Back button
- Observe the page behavior

Expected Result

The user is not logged back into the application and access to authenticated pages is not restored.

C69: Session ends across all tabs after logout

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- Application is opened in multiple browser tabs

Steps

- Log out of the application from one browser tab
- Switch to another open tab
- Attempt to perform any action

Expected Result

The user session is terminated in all open tabs and access to authenticated pages is blocked.

AI-Augmented Testing 5

This section includes test cases generated with AI assistance to identify advanced edge cases, risk scenarios, and failure conditions across core banking workflows. All AI-suggested test cases were reviewed, refined, and executed manually to ensure accuracy, relevance, and alignment with real-world application behavior.

C70: Fund transfer submission during network interruption

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- Source account has sufficient balance
- Network can be disabled manually

Steps

- Navigate to the Transfer Funds page
- Enter valid transfer details
- Disable internet connection before clicking submit
- Click the Submit button

Expected Result

The transfer is not processed and an appropriate error message is displayed without deducting any balance.

C71: Duplicate bill payment prevention on browser refresh after submission

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- Account has sufficient balance

Steps

- Navigate to the Bill Pay page
- Enter valid payee and payment details
- Click Submit
- Immediately refresh the browser

Expected Result

Only one bill payment is recorded and no duplicate transaction is created.

C72: Large numeric value handling in transfer amount field

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

- Navigate to the Transfer Funds page
- Enter an extremely large numeric value in the amount field
- Attempt to submit the transfer

Expected Result

The system handles the large value safely and prevents processing if it exceeds system-defined limits.

C73: Concurrent transfers from two tabs using the same source account

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

- User is logged in
- Application is open in two browser tabs
- Source account has limited balance

Steps

1. In Tab 1, enter valid transfer details
2. In Tab 2, enter another transfer using the same source account
3. Submit both transfers simultaneously

Expected Result

System processes transfers correctly based on available balance and prevents over-deduction.

C74: Unauthorized page access after manual session cookie deletion

Type	Priority	Estimate	References
Functional	Medium	None	None
Automation Type	**Is Automated**		
None	No		
Test Case Labels			

Preconditions

User is logged in

Steps

1. Open browser developer tools
2. Delete session cookies manually
3. Attempt to navigate to an internal page

Expected Result

User is redirected to the login page and access to authenticated pages is denied.