



CropGuard
AI DISEASE ANALYST

Welcome, Farmer

Sign in to instantly diagnose crop health and access localized prevention guides.

Full Name

 e.g. John Doe

Phone Number

 e.g. +1 555 123 4567

Login to CropGuard

Need help joining? [Contact Support](#)



Good morning,
Farmer John

 Region North

Diagnose Crop

Upload a clear close-up photo of the affected plant leaf or stem to detect diseases in seconds.



Take or Upload Photo

Tap to open camera or drag & drop leaf picture here

 Make sure lighting is bright

 Analyze Crop Health

← Diagnosis Report



HIGH SEVERITY

DETECTED DISEASE

Early Blight

Target Crop: **Tomato**

Confidence Level: **94.2% Accuracy**

Recommended Precautions

Early Blight is caused by the fungus *Alternaria solani*. It initiates brown spots on older leaves. Follow these immediate biological and chemical treatment steps to protect your total harvest yield:



Prune Infected Foliage
Cut away lower affected leaves carefully. Clean shears with alcohol between cuts to prevent spreading spores.



Apply Organic Fungicide
Spray copper-based organic fungicides or *Bacillus subtilis* thoroughly on both sides of remaining healthy leaves.



Improve Soil & Watering
Switch to drip irrigation. Avoid overhead watering completely to keep foliage dry. Mulch around stem base.

 Diagnose Another Crop