Python-PrepTerm Quiz

Code:	MT2020090
-------	-----------

1. Which of the following function sets the integer starting value used in generating random numbers?

```
    choice(seq)
    randrange ([start ,] stop [, step])
    random()
    seed([x])
```

2. What will be the output of the following code snippet?

```
class Sales:
    def _init_(self , id):
        self.id = id
        id = 100

val = Sales(123)
print (val.id)
```

- 1. SyntaxError, this program will not run
- 2. 100
- 3. 123
- 4. None of the above
- 3. What is the output of the code?

```
def f():
    try:
        return(1)
    finally:
        return(2)
k=f()
print(k)

1. 1 2
2. 2 1
```

3. 2

- 4. Error
- 4. Using the pack manager, how you can you put the components in a container in the same row?
 - 1. Component.pack(side= ','LEFT',')
 - 2. Component.pack(','Left',')
 - 3. Component.pack(side=LEFT)
 - 4. Component.pack(Left-side)
- 5. What is the following function gives the total length of the list?
 - 1. cmp(list)
 - $2. \operatorname{len}(\operatorname{list})$
 - 3. max(list)
 - $4. \min(list)$
- 6. How many except statements can a try-except block have?
 - 1. zero
 - 2. one
 - 3. more than one
 - 4. more than zero
- 7. What will be the output of the below given code?

```
colors = ["white", "Black", "Grey"]

x = "Red" not in colors
```

- 1. Yes
- 2. No
- 3. Error: not in not defined
- 4. True
- 8. Which of the following statements can be used to check, whether an object obj is an instance of class A or not?
 - 1. obj.isinstance(A)
 - 2. A.isinstance(obj)
 - 3. isinstance(obj, A)
 - 4. isinstance(A, obj)
- 9. What is the following function reverses objects of list in place?
 - 1. **list** . reverse ()
 - 2. **list** . sort ([func])
 - 3. $\mathbf{list}.pop(obj=\mathbf{list}[-1])$

- 4. **list** .remove(obj)
- 10. What is the following function returns item from the list with max value?
 - 1. cmp(list)
 - $2. \operatorname{len}(\operatorname{list})$
 - $3. \max(list)$
 - 4. min(list)
- 11. What should be given in range of the given below code to print nothing in output?

```
for i in range(?):
    print(i)
```

- 1. 0.1
- 2. 0
- 3. NULL
- 4. 1
- 12. What is the following function removes an object from a list?
 - 1. **list** .index(obj)
 - 2. **list** . insert (index, obj)
 - 3. $\mathbf{list}.pop(obj=\mathbf{list}[-1])$
 - 4. **list** .remove(obj)
- 13. There are different basic operators in python and work according to the order of their precedence.

Arrange the order of precedence of the following operators:

- 1. Division
- 2. Multiplication
- 3. Parentheses
- 4. Exponential
- 5. Addition
- 6. Subtraction
- 1. i, ii, iii, iv, v, vi.
- 2. iv, iii, ii, i, vi, v.
- 3. iii, iv, i, ii, v, vi.
- 4. iv, iii, i, ii, v, vi.
- 14. Which of the following operator in python evaluates to true if the variables on either side of the operator point to the same object and false otherwise?
 - 1. **

\circ	- /	1
۷.	-/	/

- 3. **is**
- 4. not in

15. What is the following function sorts a list?

```
1. list . reverse ()
```

- 2. **list** . sort ([func])
- 3. $\mathbf{list}.pop(obj=\mathbf{list}[-1])$
- 4. **list** .remove(obj)

16. Essential thing to create a window screen using tkinter Python?

- 1. call tk() function
- 2. create a button
- 3. To define a geometry
- 4. All of the above

17. What is output of following code:

$$a = (1, 2) a[0] +=1$$

- 1. (1,1,2)
- 2. 2
- 3. Type Error
- 4. Syntax Error

18. What is output for min("hello world")

- 1. e
- 2. a blank space character
- 3. w
- 4. None of the above.

19. What is the output of print str * 2 if str = 'Hello World!'?

- 1. Hello World!Hello World!
- 2. Hello World! * 2
- 3. Hello World!
- 4. None of the above.

20. For tuples and list which is correct?

- 1. List and tuples both are mutable.
- 2. List is mutable whereas tuples are immutable.
- 3. List and tuples both are immutable.
- 4. List is immutable whereas tuples are mutable.