## Python-PrepTerm Quiz

1. What is the following function gives the total length of the list	1.	What	is t	the	follo	wing	function	gives	the	total	length	of the	list
--	----	------	------	-----	-------	------	----------	-------	-----	-------	--------	--------	------

- 1. cmp(list)
- 2. len(list)
- $3. \max(list)$
- $4. \min(list)$
- 2. How to create a frame in Python?
  - 1. Frame = new.window()
  - 2. Frame = frame.new()
  - 3. Frame = Frame()
  - 4. Frame = window.new()
- 3. Which of the following is required to create a new instance of the class?
  - 1. A constructor
  - 2. A class
  - 3. A value-returning method
  - 4. A None method
- 4. What is the following function compares elements of both dictionaries dict1, dict2?
  - 1. dict1.cmp(dict2)
  - $2. \operatorname{dict1.sort}(\operatorname{dict2})$
  - 3.  $\mathbf{cmp}(\operatorname{dict1}, \operatorname{dict2})$
  - 4. None of the above.
- 5. What will be the output of the following code?

```
minidict = { 'name': 'TutorialsPoint', 'name': 'website'}
print(minidict['name'])
```

- 1. TutorialsPoint
- 2. Website

- 3. ('TutorialsPoint', 'website')
- 4. It will show an Error.
- 6. What is output for min("hello world")
  - 1. e
  - 2. a blank space character
  - 3. w
  - 4. None of the above.
- 7. What will be the output of the following code?

```
print(type(1/2))
```

- 1. <class 'float'>
- 2. <class 'int'>
- 3. NameError: '1/2' is not defined.
- 4. 0.5
- 8. Which of the following environment variable for Python is an alternative module search path?
  - 1. PYTHONPATH
  - 2. PYTHONSTARTUP
  - 3. PYTHONCASEOK
  - 4. PYTHONHOME
- 9. Which of the following function of dictionary gets all the keys from the dictionary?
  - 1. getkeys()
  - 2. key()
  - 3. keys()
  - 4. None of the above.
- 10. What will be the output of the below given code?

```
colors = ["white", "Black", "Grey"]

x = "Red" not in colors
```

- 1. Yes
- 2. No
- 3. Error: not in not defined
- 4. True
- 11. Which of the following statements are correct about the given code snippet?

```
class A:
    def _init_(self , i = 0):
        self.i = i

class B(A):
    def _init_(self , j = 0):
        self.j = j

def main():
    b = B()
    print(b.i)
    print(b.j)

main()
```

- 1. Class B inherits A, but the data field 'i' in A is not inherited.
- 2. Class B inherits A, thus automatically inherits all data fields in A.
- 3. When you create an object of B, you have to pass an argument such as B(5).
- 4. The data field 'j' cannot be accessed by object b.
- 12. Essential thing to create a window screen using tkinter Python?
  - 1. call tk() function
  - 2. create a button
  - 3. To define a geometry
  - 4. All of the above
- 13. For tuples and list which is correct?
  - 1. List and tuples both are mutable.
  - 2. List is mutable whereas tuples are immutable.
  - 3. List and tuples both are immutable.
  - 4. List is immutable whereas tuples are mutable.
- 14. Which of the following operator in python evaluates to true if the variables on either side of the operator point to the same object and false otherwise?
  - 1. \*\*
  - 2. //
  - 3. **is**
  - 4. not in
- 15. What is the output of print str \* 2 if str = 'Hello World!'?
  - 1. Hello World!Hello World!
  - 2. Hello World! \* 2
  - 3. Hello World!

- 4. None of the above.
- 16. Analyze the code:

```
print("Recursive Function")
def factorial(n):
    return(n*factorial(n-1))
factorial(4)
```

- 1. Recursive Function 24.
- 2. Recursive Function.
- 3. Function runs infinitely and causes a StackOverflowError.
- 4. Syntax Error.
- 17. Which of the following function sets the integer starting value used in generating random numbers?
  - 1. choice(seq)
  - 2. randrange ([start,] stop [, step])
  - 3. random()
  - 4.  $\operatorname{seed}([x])$
- 18. What will be the output of the following Python code?

```
def foo(): try: return 1 finally: return 2 k = foo() print(k)
```

- 1. 1
- 2. 2
- 3. 3
- 4. error, there is more than one return statement in a single try-finally block
- 19. What will be the output of the following code snippet?

```
class Sales:
    def _init_(self , id):
        self.id = id
        id = 100

val = Sales(123)
print (val.id)
```

- 1. SyntaxError, this program will not run
- 2. 100
- 3. 123
- 4. None of the above
- 20. What is output for:

```
a = ['hat', 'mat', 'rat']
'rhyme'.join(a)
```

- 1. ['hat','mat','rat','rhyme']
- 2. 'hatmatratrhyme'
- 3. ['hat mat rat rhyme']
- 4. 'hatrhymematrhyme rat'