Python-PrepTerm Quiz

Code: MT2020150

1. What is output of following code:

```
num=3
while True:
    if (num%0o12 == 0):
        break
print(num)
num += 1
```

- $1. \ \ 3\ \ 4\ \ 5\ \ 6\ \ 7\ \ 8\ \ 9\ \ 10\ \ 11\ \ 12$
- 2. 3 4 5 6 7 8 9
- $3. \ 3 \ 4 \ 5 \ 6 \ 7 \ 8 \ 9 \ 10 \ 11$
- 4. None of the above
- 2. When is the finally block executed?
 - 1. when there is no exception
 - 2. when there is an exception
 - 3. only if some condition that has been specified is satisfied
 - 4. always
- 3. How many except statements can a try-except block have?
 - 1. zero
 - 2. one
 - 3. more than one
 - 4. more than zero
- 4. Analyze the code:

```
print("Recursive Function")
def factorial(n):
    return(n*factorial(n-1))
factorial(4)
```

1. Recursive Function 24.

- 2. Recursive Function.
- 3. Function runs infinitely and causes a StackOverflowError.
- 4. Syntax Error.
- 5. For tuples and list which is correct?
 - 1. List and tuples both are mutable.
 - 2. List is mutable whereas tuples are immutable.
 - 3. List and tuples both are immutable.
 - 4. List is immutable whereas tuples are mutable.
- 6. What is the following function inserts an object at given index in a list?
 - 1. **list** .index(obj)
 - 2. **list** . insert (index, obj)
 - 3. $\mathbf{list}.pop(obj=\mathbf{list}[-1])$
 - 4. **list** .remove(obj)
- 7. What is the output of the following code?

$$eval("1 + 3 * 2")$$

- 1. 1+6
- 2. 4*2
- 3. 1+3*2
- 4. 7
- 8. Which of the following is required to create a new instance of the class?
 - 1. A constructor
 - 2. A class
 - 3. A value-returning method
 - 4. A None method
- 9. There are different basic operators in python and work according to the order of their precedence.

Arrange the order of precedence of the following operators:

- 1. Division
- 2. Multiplication
- 3. Parentheses
- 4. Exponential
- 5. Addition
- 6. Subtraction
- 1. i, ii, iii, iv, v, vi.


```
2. iv, iii, ii, i, vi, v.
```

- 3. iii, iv, i, ii, v, vi.
- 4. iv, iii, i, ii, v, vi.
- 10. What will be the output of the following code?

- 1. tniop
- 2. point
- 3. t n i o p 1 0 -1
- 4. point 10-1
- 11. Which of the following function sets the integer starting value used in generating random numbers?
 - 1. choice(seq)
 - 2. randrange ([start,] stop [, step])
 - 3. random()
 - 4. $\operatorname{seed}([x])$
- 12. nfig() in Python Tkinter are used for
 - 1. destroy the widget
 - 2. place the widget
 - 3. change property of the widget
 - 4. configure the widget
- 13. What will be the output of the following Python code?

```
try:
    if '1' != 1:
        raise "someError"
    else:
        print("someError has not occurred")
except "someError":
    print ("someError has occurred")
```

- 1. someError has occurred
- 2. someError has **not** occurred
- 3. invalid code
- 4. none of the mentioned
- 14. Is the following Python code valid?



- 4. None of the above.
- 20. What is the output of the following code?

```
def nprint(message, n):
  while(n > 0):
    print(message)
n-=1
nprint('z', 5)
```

- 1. zzzz
- 2. zzzzz
- 3. Syntax Error
- 4. Infinite Loop