Python-PrepTerm Quiz

Code:	MT2020080
Code:	MT2020080

1.	Which of the	following	environment	variable fe	or Py	thon i	is an	alternative	module	search	path?	•
----	--------------	-----------	-------------	-------------	-------	--------	-------	-------------	--------	--------	-------	---

- 1. PYTHONPATH
- 2. PYTHONSTARTUP
- 3. PYTHONCASEOK
- 4. PYTHONHOME

2. What is output of following code:

$$a = (1, 2) a[0] +=1$$

- 1. (1,1,2)
- 2. 2
- 3. Type Error
- 4. Syntax Error
- 3. What is the following function gives the total length of the list?
 - 1. cmp(list)
 - 2. len(list)
 - 3. $\max(list)$
 - $4. \min(list)$
- 4. What is the following function reverses objects of list in place?
 - 1. **list** . reverse()
 - 2. **list** . sort ([func])
 - 3. $\mathbf{list}.pop(obj=\mathbf{list}[-1])$
 - 4. **list** .remove(obj)
- 5. There are different basic operators in python and work according to the order of their precedence.

Arrange the order of precedence of the following operators:

1. Division

	 Multiplication Parentheses Exponential Addition Subtraction
	 i, ii, iii, iv, v, vi. iv, iii, ii, i, vi, v. iii, iv, i, ii, v, vi. iv, iii, i, ii, v, vi.
6.	What is output for min("hello world") 1. e 2. a blank space character 3. w 4. None of the above.
7.	Pylab is a package that combine, and into a single namespace. 1. Numpy, scipy and matplotlib 2. Numpy, matplotlib and pandas 3. Numpy, pandas and matplotlib 4. Numpy, scipy and pandas
8.	What is output of following code: num=3 while True: if (num%0o12 == 0): break print(num) num += 1
9.	 3 4 5 6 7 8 9 10 11 12 3 4 5 6 7 8 9 3 4 5 6 7 8 9 10 11 None of the above Which of the following operator in python evaluates to true if it does not finds a variable in the specified sequence and false otherwise? ** *//
	3. is

	4.	not in
10.	Wha	t is the following function sorts a list?
	1.	<pre>list . reverse()</pre>
	2.	${f list}$. ${f sort}$ ([func])
	3.	$\mathbf{list}.\operatorname{pop}(\operatorname{obj} = \mathbf{list}[-1])$
	4.	\mathbf{list} .remove(obj)
11.	Wha	t is the following function inserts an object at given index in a list?
	1.	${f list}$. ${f index}({f obj})$
	2.	$\mathbf{list}.\mathrm{insert}(\mathrm{index},\mathrm{obj})$
	3.	$\mathbf{list}.\operatorname{pop}(\operatorname{obj}=\mathbf{list}[-1])$
	4.	list.remove(obj)
12.	Wha	t is the following function removes an object from a list?
	1.	\mathbf{list} . $\mathbf{index}(\mathbf{obj})$
	2.	<pre>list . insert (index, obj)</pre>
		$\mathbf{list}.\operatorname{pop}(\operatorname{obj} = \mathbf{list}[-1])$
	4.	\mathbf{list} .remove(obj)
13.		t will be the output of the following Python code?
	def fo	oo(): try: return 1 finally: return 2 k = $foo()$ print(k)
	1.	
	2.	
	3.	
		error, there is more than one return statement in a single try-finally block
14.		ch of the following operator in python evaluates to true if the variables on either side of operator point to the same object and false otherwise?
	1.	**
	2.	
	3.	
		not in
15.		t will be the output of the code?
	z =	Best website is Tutorials Point" z.find("Tutorials")
	1.	
	2.	
	3.	17

- 4. 16
- 16. What will be the output of the below given code?

```
colors = ["white", "Black", "Grey"]
 x = "Red" not in colors
```

- 1. Yes
- 2. No
- 3. Error: not in not defined
- 4. True
- 17. nfig() in Python Tkinter are used for
 - 1. destroy the widget
 - 2. place the widget
 - 3. change property of the widget
 - 4. configure the widget
- 18. What is the output of print str[2:5] if str = 'Hello World!'?
 - 1. llo World!
 - 2. H
 - 3. llo
 - 4. None of the above.
- 19. Which of the following function convert a string to a float in python?
 - 1. int(x [,base])
 - 2. long(x [,base])
 - 3. float(x)
 - 4. $\mathbf{str}(x)$
- 20. What will be the output of the following code snippet?
 - class Sales:

$$val = Sales(123)$$

print (val.id)

- 1. SyntaxError, this program will not run
- 2. 100
- 3. 123
- 4. None of the above