Python-PrepTerm
Quiz

Code:	MT2020518

1. Which of the following function convert a String to a list in python?

    1. **repr**(x)
    2. **eval**(**str**)
    3. **tuple**(s)
    4. **list** (s)

2. For tuples and list which is correct?

    1. List and tuples both are mutable.
    2. List is mutable whereas tuples are immutable.
    3. List and tuples both are immutable.
    4. List is immutable whereas tuples are mutable.

3. What is output of following code:

```
num=3
while True:
    if (num%0o12 == 0):
        break
print(num)
num += 1
```

    1. 3 4 5 6 7 8 9 10 11 12
    2. 3 4 5 6 7 8 9
    3. 3 4 5 6 7 8 9 10 11
    4. None of the above

4. What is the output of **print str**[2:5] **if str** = `'Hello World!'`?

    1. llo World!
    2. H
    3. llo
    4. None of the above.

5. What is the following function reverses objects of list in place?

    1. **list** .reverse()
    2. **list** .sort([func])
    3. **list** .pop(obj=**list**[−1])
    4. **list** .remove(obj)

6. What is the output of the code?

```
def f():
    try:
        return(1)
    finally:
        return(2)
k=f()
print(k)
```

    1. 1 2
    2. 2 1
    3. 2
    4. Error

7. What is output for **min**("hello world")

    1. e
    2. a blank space character
    3. w
    4. None of the above.

8. Which of the following statements can be used to check, whether an object obj is an instance of class A or not?

    1. obj.**isinstance**(A)
    2. A.**isinstance**(obj)
    3. **isinstance**(obj, A)
    4. **isinstance**(A, obj)

9. What is output for:

    a = ['hat', 'mat', 'rat']

    'rhyme'.join(a)

    1. ['hat','mat','rat','rhyme']
    2. 'hatmatratrhyme'
    3. ['hat mat rat rhyme']
    4. 'hatrhymematrhyme rat'

10. What is the following function inserts an object at given index in a list?

    1. **list** .index(obj)
    2. **list** . insert (index, obj)
    3. **list** .pop(obj=**list**[−1])
    4. **list** .remove(obj)

11. Which of the following statements are correct about the given code snippet?

```
class A:
    def __init__(self, i = 0):
        self.i = i

class B(A):
    def __init__(self, j = 0):
        self.j = j

def main():
    b = B()
    print(b.i)
    print(b.j)

main()
```

    1. Class B inherits A, but the data field `'i'` in A is not inherited.
    2. Class B inherits A, thus automatically inherits all data fields in A.
    3. When you create an object of B, you have to pass an argument such as B(5).
    4. The data field `'j'` cannot be accessed by object b.

12. Pylab is a package that combine _____, _____ and _____ into a single namespace.

    1. Numpy, scipy and matplotlib
    2. Numpy, matplotlib and pandas
    3. Numpy, pandas and matplotlib
    4. Numpy, scipy and pandas

13. Which of the following environment variable for Python contains the path of an initialization file containing Python source code?

    1. PYTHONPATH
    2. PYTHONSTARTUP
    3. PYTHONCASEOK
    4. PYTHONHOME

14. What will be the output of the following Python code?

```
try:
    if '1' != 1:
        raise "someError"
    else:
        print("someError has not occurred")
except "someError":
    print ("someError has occurred")
```

1. someError has occurred
2. someError has **not** occurred
3. invalid code
4. none of the mentioned

15. What will be the output of the below given code?

```
colors = ["white", "Black", "Grey"]
x = "Red" not in colors
```

1. Yes
2. No
3. Error: not in not defined
4. True

16. What is the following function sorts a list?

1. **list** .reverse()
2. **list** .sort([func])
3. **list** .pop(obj=**list**[−1])
4. **list** .remove(obj)

17. What is the output of **print str** ∗ 2 **if str** = 'Hello World!'?

1. Hello World!Hello World!
2. Hello World! ∗ 2
3. Hello World!
4. None of the above.

18. What is the output of the following code?

```
eval("1 + 3 * 2")
```

1. 1+6
2. 4∗2
3. 1+3∗2
4. 7

19. What will be the output of the following code?

```
for i in ['t', 'n', 'i ', 'o', 'p'][::-1]:
    print(i)
```

1. t n i o p
2. p o i n t
3. t n i o p 1 0 −1
4. p o i n t 1 0 −1

20. What is the following function returns item from the list with max value?

    1. **cmp**(**list**)
    2. **len**(**list**)
    3. **max**(**list**)
    4. **min**(**list**)