Python-PrepTerm Quiz

Code: N	IT2020134
---------	-----------

- 1. What is the following function reverses objects of list in place?
 - 1. **list** . reverse()
 - 2. **list** . sort ([func])
 - 3. $\mathbf{list.pop}(\mathbf{obj} = \mathbf{list}[-1])$
 - 4. **list** .remove(obj)
- 2. Name the error that doesn't cause program to stop/end, but the output is not the desired result or is incorrect.
 - 1. Syntax error
 - 2. Runtime error
 - 3. Logical error
 - 4. All of the above
- 3. Which of the following statements are correct about the given code snippet?

```
class A:
    def _init_(self , i = 0):
        self.i = i

class B(A):
    def _init_(self , j = 0):
        self.j = j

def main():
    b = B()
    print(b.i)
    print(b.j)

main()
```

- 1. Class B inherits A, but the data field 'i' in A is not inherited.
- 2. Class B inherits A, thus automatically inherits all data fields in A.
- 3. When you create an object of B, you have to pass an argument such as B(5).
- 4. The data field 'j' cannot be accessed by object b.

- 4. What is the following function removes an object from a list?
 - 1. **list** .index(obj)
 - 2. **list** . insert (index, obj)
 - 3. $\mathbf{list}.pop(obj=\mathbf{list}[-1])$
 - 4. **list** .remove(obj)
- 5. What is output of following code:

```
num=3
while True:
    if (num%0o12 == 0):
        break
print(num)
num += 1
```

- 1. 3 4 5 6 7 8 9 10 11 12
- 2. 3 4 5 6 7 8 9
- 3. 3 4 5 6 7 8 9 10 11
- 4. None of the above
- 6. Which of the following environment variable for Python is an alternative module search path?
 - 1. PYTHONPATH
 - 2. PYTHONSTARTUP
 - 3. PYTHONCASEOK
 - 4. PYTHONHOME
- 7. nfig() in Python Tkinter are used for
 - 1. destroy the widget
 - 2. place the widget
 - 3. change property of the widget
 - 4. configure the widget
- 8. What is the following function returns item from the list with max value?
 - $1. \ \mathbf{cmp(list)}$
 - 2. len(list)
 - 3. max(list)
 - $4. \min(list)$
- 9. Which of the following is required to create a new instance of the class?
 - 1. A constructor
 - 2. A class
 - 3. A value-returning method

- 4. A None method
- 10. Which of the following function convert a String to a list in python?
 - 1. $\mathbf{repr}(x)$
 - 2. eval(str)
 - 3. tuple(s)
 - 4. **list**(s)
- 11. What is the output of print str * 2 if str = 'Hello World!'?
 - 1. Hello World!Hello World!
 - 2. Hello World! * 2
 - 3. Hello World!
 - 4. None of the above.
- 12. For tuples and list which is correct?
 - 1. List and tuples both are mutable.
 - 2. List is mutable whereas tuples are immutable.
 - 3. List and tuples both are immutable.
 - 4. List is immutable whereas tuples are mutable.
- 13. What will be the output of the following code snippet?

```
class Sales:
```

```
def _init_(self , id):
    self.id = id
    id = 100
```

```
val = Sales(123)

print (val.id)
```

- 1. SyntaxError, this program will not run
- 2. 100
- 3. 123
- 4. None of the above
- 14. Which of the following statements can be used to check, whether an object obj is an instance of class A or not?
 - 1. obj.isinstance(A)
 - 2. A.isinstance(obj)
 - 3. isinstance(obj, A)
 - 4. **isinstance**(A, obj)
- 15. Which of the following operator in python evaluates to true if it does not finds a variable in the specified sequence and false otherwise?

- 1. **
- 2. //
- 3. **is**
- 4. not in
- 16. What is the following function inserts an object at given index in a list?
 - 1. **list** .index(obj)
 - 2. **list** . insert (index, obj)
 - 3. $\mathbf{list}.pop(obj=\mathbf{list}[-1])$
 - 4. **list** .remove(obj)
- 17. What is the following function gives the total length of the list?
 - 1. cmp(list)
 - 2. len(list)
 - $3. \max(list)$
 - $4. \min(list)$
- 18. What will be the output of the following code?

- 1. <class 'float'>
- 2. <class 'int'>
- 3. NameError: '1/2' is not defined.
- 4. 0.5
- 19. What is the output of **print** tinylist * 2 **if** tinylist = [123, 'john']?
 - 1. [123, 'john', 123, 'john']\lstinline
 - 2. $[123, 'john'] * 2 \setminus lstinline$
 - 3. Error
 - 4. None of the above.
- 20. How many except statements can a try-except block have?
 - 1. zero
 - 2. one
 - 3. more than one
 - 4. more than zero