1) Tables → represent rel^n in RDM (Rows & Column)
   → Records → rows & attributes → columns

2) Tuple → • single row of a table ie single record of a rel^n

3) Rel^n instance → • finite set of tuples present in rel^n as particular instance • don't have duplicates tuples.

4) Relation schema → describe relation name i-e table name along with its attribute with name.

5) Relation key — identify row in table (rel^n) consist of one or more attributes used to identify rows uniquely.

6) Attribute domain — every attribute has predefined value scope.

✳ **Multidimensional Data Model** –

• Rel^n DM is a 2D dataset ie combinm of row tools.
• If we have more info about same row wrt another dimension then we need to add more dim in relation → becoms 3D data. similarly, we can go adding no. of dimensions → multidim DM
• Data is powerful → valuable asset for any org.
• complexity ↑ difficult to extract data ↑ in order to find actionable insights
• mutidim data model → reps data in cube form (Data Cube).
• data cube enables data to be modeled & viewed in multiple dim-
              ↳ dimensions & facts
• dimensions → view entities in an org stored as records.

* Types of Report -

1) List -
- basic forms of report.
- base of reporting about data & its insights.
- by extending basic list next level analysis of data is done & represent in form of graph, map, table, etc.
- eg → student dataset → student academic performance.

  To report this data → list all student as per exam score time distinction, 1st class, 2nd class, pass & fail.

2) Cross tabs -
- cross tabs = extended version of simple table.
- represent single categorical variable, tables or frequency tables to rep vs.
- describe reln b/w 2 categorical variable → cross tabs used.
- cross tab → categories of one variable → rows of table.
- cross tab → 2nd " → columns of table.
- cells of table contain no. of times that particular comb" occured.
- edges / boundaries → summarized / grouped observation of categories.
- statistical tool for categorical data.
- categorical data = values that are mutually excluse to each other.
- table → detail data in grid structure.

  cross tab → grouped data in grid structure.

3) Statistics -

1) Descriptive statistics -
- main objective - demonstrate huge aportion of corrected data.
- brief summary of gathered data using descriptive charts
- illustrates univariate measure of tendency.
- measures of dispersion like variance & standard deviation.

2) <u>Inferential statistics</u> -
- Main objective - provide more detailed & effective statistics data and
- involved making broader & deeper deduction & interpretations usually on interaction b/w variables cause & effect reln & scope.
- In data analysis are analysis of variance (ANOVA), T-test sample, t- test, z-test; linear regression & multiple regression.

3) <u>Psychometric Tests</u> -
- Analyse attributes & performance of employed survey to ensure survey data to reliable & valid.
- eg → cronbaci's Alpha.

Types of statistical reporting data -
1) Categorical data → result of relative freq. statistics.
2) Ordinal data → Best represented using freq. tables.
           → Data have scales & ordered acc to preference.
3) Interval data → Averaging & standard deviation type of data.
4) Radio data → converted to normal data using algorithms using square roots.

4) <u>Chart</u> -
1) Bar chart:
- compare data b/w diff groups & help to track changes in data over time
- Barcharts most useful when these are big craves ie to show now one group compares to another group.
- Diff types of bar chart - vertical, horizontal, stacked, grouped, barchart.

A B C D(levels)

2) Line chart -
 • Represent trends or progress of respective variables overtime.
 • suitable when i/p data is continous.

3) Dual axis chart -
 • plotted using one x-axis & 2y-axis.
 • 3 data variables → 1 → continous set of data
                    → 2 → grouping by category.

x-axis (Year).

% placement
above 7 LPA
(secondary axis)

4) Area charts -
 • actually line chart but fills up space b/w x-axis x-axis & lineplot.
 • helps analyse both individual & overall contribution against total contri.

No. of placed studs - ▬
No. of % stud 9LPA+ - ▢

5) Mekko chart -

• also known as marimekko chart.
• used to compare measures, values, values, quantities & shown data distribution
• used to show growth, market share · or competitor analysis.

cost.

	Rarle.
	Kitkat
	Britania
	Krackjack.

0   25%.

6) Pie Chart -

① Percentage of data distribution of any variable among categories.
② shows static no. + now categories rep part of a whole.

Sales Rate.

☐ Nort Indi
☐ South
☐ East
☐ West

7) Scatter plot chart -

① shows rel^n distribution pattern b/w 2 variables.
② helps reveal data distribution pattern.
③ useful for to find insights from data like outliers, pattern & similarities.

Y axis.
100
80
60
40
20

10 20 30 40 50 60

8) Bubbled chart —
① similar to scatter plot → reps data distribution among 2 var".
② additionally in bubble chart brd data variable shows size.
as per frequency of 3rd variance.

5) Map —
• Identify insights & make proper decisions.
• Heat map, point map, flow map, statistical map.
• Maps can be further divided into 2D, 3D, static, dynamic.
• often used in combination w/ time, pt, bubble & dim.

1) Heat Map —
① Reps rel" b/w 2 data variables & provides quantity wise info
such as high, medium, low.

	50	40	71	30
1	36	96	43	99
2	98	51	10	59
3	90	27	70	25

100
80
60
40
20

2   3

Operations on Data Reports —

DATA Grouping & Sorting —

① Grouping ┌→ process of breaking up rows into partitions that share properties.
           └→ due to grouping of doc it becomes easy to read relevant data from report.
② removes repeated report
③ summarises categories varies as per call.

ⓐ Grouping based on selected category & conditional parameters-
ⓑ consolidated data at a higher level of granularity.

Grouping by single attributed -
① data grouped based on single attributes or column.
② for eg → sales report → group data by product category.
   . It summarits sales info each category/ product separtly
   . grouping operation will consolidate data & provide
     aggregated values as Total sales, revenue, avg quantity sold.

ii) Grouping by multiple attributes:
   • data in 1st grouped by primary attribute
   • within each group then it is further subdivided based on secondary
                                                                    attribute

iii) Grouping with aggregation -
   • grouping often involves aggregation ie calc summary value for each group
   • agg → when sum, aggreg cale, average, count, max, min.
   • applied to derive meaningful insights.

iv) subtotal & grand total -
   • common to include subtotal & grand total of row/ cols to
     provide an overview of grouped data.
   • subtotal → aggregate values will each group.
   • grand total → overall avg value each group & entire dataset.
   → Data G widely supported various data analysis & reporting tools
   → allows users to summarce.
        • condense large amt of data into manageable-
        • enabling better analysis & decision meaning.

souting -

Sorting -

→ essential operation when working of reports.

→ arrange in order based on one or more attribute or column.

→ ascending, descending & sorting by multiple Attr.

   • Primary attribute → 1st sorting criteria.

   • secondary → & so on.

→ sorting operations available in s/w reporting tools.

* FILTERING REPORTS -

• allows one to selectively display or exclude data based on specified criteria.

• Helps focus on specific subsets of data meet conditions.

i) single condition filtering

ii) multi cond^n _____ → • allows for more complex + precise data selection.

iii) Range based ——→ • range of values for a particular column or attribute.

iv) Text based ——→ Filter text value on patterns.

v) Interactive filtering   (dynamic apply or modify filters)

Adding calculations to reports -

SUM	sum [select cells / range)
AVG	Avg (select / cols / range)
COUNT	count (select cells / cols / range)
MAX	Max (————————)
MIN	MIN (————————)
Standard deviation	STD (————————)
variance	VAR (————————).

✳ Conditional Formatting –

- feature in spreadsheets s/w & data visualization tools tools that allows you to apply formatting to cells.
- visually highlights or emphasize certain certain data based on prefined criteria.
- CF enables us to indentify patterns, trends, outliers, expections in their data.

✳ Overview of CF –

- Formatting Rules ⟶ CF rules ⟶ cond^n + cors. formatting instrctions
  ⟶ evalutes data cell & defines how cell's formatted
- Types of conditions ⟶ numerical, text based, date based, formula bsed cond^n
- Formatting option ⟶ font color, bg color, font style.
- Rules prioritzation ⟶ mutiple rules ⟶ same range of data
  ⟶ diff rules ⟶ conflict.
- Interactive & Dynamic formating ⟶ reflected in real time & formatting adjustr

✳ DRILL DOWN –

① moving higher level summary to detained level of data
② users ⟶ delve deeper into data ⟶ expanding or revealing additional.
③ eg ⟶ sales report initally displays to sales revenue by year.
④ access next level of detail ⟶ ie quaterly sales revenue.
⑤ each drill down ⟶ provide more granualar r data uncovering more specific insights.

DRILL UP —

* * moves from lower level detail to higher level summary
* summarize & aggregate data. → higher level of hierarchy.
* exe → derived down to daily sales rev, drill up to monthly sales rev.
* Drill up allows users to rollup data & collapsing details & focusing on higher level summaries.

* PDF (Portable Doc Format) —

* finalised reports meant for suitable, ^{cases} used in distributing to others.
* presentations, exec summaries, documentation.
* reports that have consistent layout or formatting across diff devices.
* focus on visual presentation rather than data manipulation.

* CSV (comma seperated values)

* stores tabular data data in plain text format, with values seperated by commas
* lightweight → can be used for data insurance — in charge b/w diff sys.

* XLS (excel spreadsheets).

* XLS may contain multiple worksheets, formulae, charts, macros.
* suitable for complex data analysis & reporting scenarios.

* XLM (Extensible Markup Language) —

* ✦ uses tags to define structure of data.
* often used to exchange data between diff application
  because they are are machine-readable & easily customized
* complex to understand for people who are not familiar with format.