Table 1: Girder Only

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	0.75	10.50	55.38	581.44	0.49	8995.83
Web	54.00	0.50	27.00	28.00	756.00	6561.00	6657.90
Bottom Flange	14.00	1.00	14.00	0.50	7.00	1.17	9180.21
	-	-	51.50	-	-	-	24833.94

Table 2: Composite Section (Short Term)

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	1.38	10.50	55.38	581.44	0.49	263.67
Web	54.00	0.50	27.00	28.00	756.00	6561.00	20070.48
Bottom Flange	14.00	1.38	14.00	0.50	7.00	1.17	34817.35
Slab	103.00	8.00	103.00	62.50	6437.50	549.33	15708.11
	-	-	154.50	-	-	-	70859.61

Table 3: Composite Section (Long Term)

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	$_{ m in}$	in^2	in	in^3	in^4	in^4
Top Flange	14.00	2.62	10.50	55.38	581.44	0.49	2273.04
Web	54.00	0.50	27.00	28.00	756.00	6561.00	10890.73
Bottom Flange	14.00	2.62	14.00	0.50	7.00	1.17	22584.49
Slab	103.00	8.00	34.33	62.50	2145.83	183.11	16554.59
	-	-	85.83	-	-	-	52302.85

Table 4: Composite Section (Reinforcement Only)

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
3.23P	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	0.75	10.50	55.38	581.44	0.49	5145.78
Web	54.00	0.50	27.00	28.00	756.00	6561.00	7301.92
Bottom Flange	14.00	1.00	14.00	0.50	7.00	1.17	15006.45
Reinforcement	-	-	12.77	62.00	791.86	0.00	10565.34
	-	-	64.27	-	-	-	38019.48

Table 5: Girder Only

		14010	o. diraci	Omy			
Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	1.38	19.25	56.06	1079.20	3.03	14760.04
Web	54.00	0.50	27.00	28.38	766.12	6561.00	6561.00
Bottom Flange	14.00	1.38	19.25	0.69	13.23	3.03	14760.04
	-	-	65.50	-	-	-	36081.08

Table 6: Composite Section (Short Term)

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	$_{ m in}$	in^3	in^4	in^4
Top Flange	14.00	2.62	19.25	56.06	1079.20	3.03	841.18
Web	54.00	0.50	27.00	28.38	766.12	6561.00	18569.16
Bottom Flange	14.00	2.62	19.25	0.69	13.23	3.03	45801.65
Slab	103.00	8.00	103.00	62.88	6476.12	549.33	19074.33
	-	-	168.50	-	-	-	84286.32

Table 7: Composite Section (Long Term)

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	$_{ m in}$	in^2	in	in^3	in^4	in^4
Top Flange	14.00	0.75	19.25	56.06	1079.20	3.03	4822.44
Web	54.00	0.50	27.00	28.38	766.12	6561.00	10361.87
Bottom Flange	14.00	1.00	19.25	0.69	13.23	3.03	30117.39
Slab	103.00	8.00	34.33	62.88	2158.71	183.11	17773.91
	-	-	99.83	-	-	-	63075.61

Table 8: Composite Section (Reinforcement Only)

	rabic c.	Composite	D0001011 (10				
Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	1.38	19.25	56.06	1079.20	3.03	9438.62
Web	54.00	0.50	27.00	28.38	766.12	6561.00	7392.05
Bottom Flange	14.00	1.38	19.25	0.69	13.23	3.03	21266.47
Reinforcement	-	-	12.77	62.38	796.65	0.00	10339.19
	-	-	78.27	-	-	-	48436.33

Table 9: Girder Only

		14010	J. diruci	Omy			
Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	2.62	36.75	57.94	2129.20	21.10	29479.82
Web	54.00	0.50	27.00	29.62	799.88	6561.00	6561.00
Bottom Flange	14.00	2.62	36.75	1.31	48.23	21.10	29479.82
	-	-	100.50	-	-	-	65520.63

Table 10: Composite Section (Short Term)

ruste for composite section (short form)							
Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	0.75	36.75	57.94	2129.20	21.10	4347.87
Web	54.00	0.50	27.00	29.62	799.88	6561.00	14793.80
Bottom Flange	14.00	1.00	36.75	1.31	48.23	21.10	77023.27
Slab	103.00	8.00	103.00	64.12	6604.88	549.33	30449.85
	-	-	203.50	-	-	-	126614.80

Table 11: Composite Section (Long Term)

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	1.38	36.75	57.94	2129.20	21.10	14034.85
Web	54.00	0.50	27.00	29.62	799.88	6561.00	8644.72
Bottom Flange	14.00	1.38	36.75	1.31	48.23	21.10	50597.13
Slab	103.00	8.00	34.33	64.12	2201.62	183.11	22886.56
	-	-	134.83	-	-	-	96163.26

Table 12: Composite Section (Reinforcement Only)

Shape	Width(b)	Depth(d)	Area(A)	$CG(y_c)$	Ay_c	I_o	I
	in	in	in^2	in	in^3	in^4	in^4
Top Flange	14.00	2.62	36.75	57.94	2129.20	21.10	22042.18
Web	54.00	0.50	27.00	29.62	799.88	6561.00	6957.82
Bottom Flange	14.00	2.62	36.75	1.31	48.23	21.10	37997.69
Reinforcement	-	-	12.77	63.62	812.62	0.00	11622.61
	-	-	113.27	-	-	-	78620.30