# S01 - DOM to Selenium Code-HW

"model": "meta-llama/llama-4-scout-17b-16e-instruct",

"temperature": 0.1,

"include_reasoning":true

Getting the below error for the above one,

{ "error": { "message": "`include_reasoning` is not supported with this model", "type": "invalid_request_error", "param": "include_reasoning" } } Why I am getting this error

This error means your request body contains the include_reasoning parameter, but the groq/compound-mini model **does not support it**.

The include_reasoning parameter is only supported by **reasoning/thinking models** on Groq, such as:

- qwen/qwen3-32b
- deepseek-r1-distill-llama-70b
- Other models explicitly designed for chain-of-thought reasoning

**Fix options:**

1. **Remove include_reasoning from the request body** — if you just want the web search answer without reasoning traces, simply delete that parameter.
2. **Switch to a model that supports it** — if you specifically want reasoning output, use a compatible model like qwen/qwen3-32b instead of groq/compound-mini



// Commenting "include_reasoning":true

GenAI-March-Home Work > **S01 - DOM to Selenium Code-HW**

Save | Share

**POST** https://api.groq.com/openai/v1/chat/completions **Send**

Docs | Params | Authorization | Headers 10 | Body | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Schema | Beautify

```
{
  "messages": [
    {
      "role": "user",
      "content": "Extract the below given DOM : \n\n<input type=\"text\" class=\"inputBox\" name=\"companyName\" size=\"30\"
        maxlength=\"100\" id=\"createLeadForm_companyName\">\n<input type=\"text\" class=\"inputBox\" name=\"lastName\" size=\"30\"
        maxlength=\"100\" id=\"createLeadForm_lastName\">\n<input type=\"text\" class=\"inputBox\" name=\"firstName\" size=\"30\"
        maxlength=\"100\" id=\"createLeadForm_firstName\">\n<input type=\"submit\" class=\"smallSubmit\" name=\"submitButton\"
        value=\"Create Lead\" id=\"ext-gen630\"> and provide me the selenium java code. Instruction: Remove the extra textsand only
        give me code as output"
    }
  ],
  "model": "meta-llama/llama-4-scout-17b-16e-instruct",
  "temperature": 0.1
//   "include_reasoning":true
}
```

Body | Cookies 1 | Headers 20 | Test Results | 200 OK · 560 ms · 1.36 KB | Save Response

{} JSON | Preview | Visualize


```
{
    "id": "chatcmpl-0effeadb-5d5a-4d17-9b91-f2fa90493f1a",
    "object": "chat.completion",
    "created": 1776229703,
    "model": "meta-llama/llama-4-scout-17b-16e-instruct",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "```java\nimport org.openqa.selenium.By;\nimport org.openqa.selenium.WebDriver;\nimport org.openqa.selenium.
                    WebElement;\nimport org.openqa.selenium.chrome.ChromeDriver;\n\npublic class Main {\n    public static void main
                    (String[] args) {\n        System.setProperty(\"webdriver.chrome.driver\", \"/path/to/chromedriver\");\n
                    WebDriver driver = new ChromeDriver();\n\n        driver.get(\"your_website_url\");\n\n        WebElement
                    companyNameInput = driver.findElement(By.id(\"createLeadForm_companyName\"));\n        WebElement lastNameInput =
                    driver.findElement(By.id(\"createLeadForm_lastName\"));\n        WebElement firstNameInput = driver.findElement(By.id
                    (\"createLeadForm_firstName\"));\n        WebElement submitButton = driver.findElement(By.id(\"ext-gen630\"));
                    \n\n        companyNameInput.sendKeys(\"Your Company Name\");\n        lastNameInput.sendKeys(\"Your Last Name\");
                    \n        firstNameInput.sendKeys(\"Your First Name\");\n        submitButton.click();\n\n        driver.quit();
                    \n    }\n}\n```"
```

// By changing modal to qwen/qwen3-32b

GenAI-March-Home Work › **S01 - DOM to Selenium Code-HW**

Save | Share

**POST** https://api.groq.com/openai/v1/chat/completions **Send**

Docs | Params | Authorization | Headers 10 | Body | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Schema | Beautify


```
{
  "messages": [
    {
      "role": "user",
      "content": "Extract the below given DOM : \n\n<input type=\"text\" class=\"inputBox\" name=\"companyName\" size=\"30\"
        maxlength=\"100\" id=\"createLeadForm_companyName\">\n<input type=\"text\" class=\"inputBox\" name=\"lastName\" size=\"30\"
        maxlength=\"100\" id=\"createLeadForm_lastName\">\n<input type=\"text\" class=\"inputBox\" name=\"firstName\" size=\"30\"
        maxlength=\"100\" id=\"createLeadForm_firstName\">\n<input type=\"submit\" class=\"smallSubmit\" name=\"submitButton\"
        value=\"Create Lead\" id=\"ext-gen630\"> and provide me the selenium java code. Instruction: Remove the extra textsand only
        give me code as output"
    }
  ],
  "model": "qwen/qwen3-32b",
  "temperature": 0.1,
  "include_reasoning":true
}
```


Body | Cookies 1 | Headers 20 | Test Results | **200 OK** · 3.20 s · 2.59 KB | Save Response

{} JSON | Preview | Visualize


```
{
    "id": "chatcmpl-12d20cdc-8c17-4118-be3e-0b7ec03e4ed1",
    "object": "chat.completion",
    "created": 1776229877,
    "model": "qwen/qwen3-32b",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "import org.openqa.selenium.By;\nimport org.openqa.selenium.WebDriver;\nimport org.openqa.selenium.WebElement;
                    \nimport org.openqa.selenium.chrome.ChromeDriver;\n\npublic class CreateLeadTest {\n    public static void main(String
                    [] args) {\n        WebDriver driver = new ChromeDriver();\n        driver.get(\"https://example.com\");\n
                    driver.findElement(By.id(\"createLeadForm_companyName\")).sendKeys(\"Acme Corp\");\n        driver.findElement(By.id
                    (\"createLeadForm_lastName\")).sendKeys(\"Doe\");\n        driver.findElement(By.id(\"createLeadForm_firstName\")).
                    sendKeys(\"John\");\n        driver.findElement(By.id(\"ext-gen630\")).click();\n        driver.quit();\n    }\n}",
                "reasoning": "Okay, let's see. The user wants me to extract the given DOM elements and provide Selenium Java code. The
                    DOM has four input fields: company name, last name, first name, and a submit button. The instructions say to remove
                    extra texts and only give the code.\n\nFirst, I need to identify each element. The input fields have IDs like
                    createLeadForm_companyName, createLeadForm_lastName, createLeadForm_firstName, and the submit button has an ID
```


## S02 - TextFromImage-Url-HW

GenAI-March-Home Work > **S02 - TextFromImage-Url-HW**

Save | Share

**POST** https://api.groq.com/openai/v1/chat/completions **Send**

Docs | Params | Authorization | Headers 10 | **Body** | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | **raw** | binary | GraphQL | JSON | Schema | Beautify


```
  messages : [
    {
      "role": "user",
      "content": [
        {
          "type": "text",
          "text": "This is a image. Extract and return only the text exactly as shown, preserving case."
        },
        {
          "type": "image_url",
          "image_url": {
            "url": "https://img.freepik.com/premium-vector/
                international-languages-collage-language-school-mixed-media-halftone-crowd-raised-hands-holding-speech-bubbles-with-gree
                tings-multiple-languages-global-communication-vector-illustration_229548-5363.jpg?semt=ais_hybrid&w=740&q=80"
          }
        }
      ]
    }
  ]
}
```


**Body** | Cookies 1 | Headers 20 | Test Results | **200 OK** • 631 ms • 1.26 KB | Save Response

{ } JSON | Preview | Visualize


```
{
    "id": "chatcmpl-2f6c6509-155d-43a3-9115-a7d274a086c0",
    "object": "chat.completion",
    "created": 1776234096,
    "model": "meta-llama/llama-4-scout-17b-16e-instruct",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "The text in the image is:\n\n* どうも\n* Ahoj\n* Witaj\n* 你好\n* Bitao\n* Ciao\n* Hallo\n* Xin chao\n* 안녕\n*
                    नमसते\n* Hello\n* Hola\n* Salut\n\nThese are all greetings in different languages. \n\nHere are the greetings written
                    exactly as shown, preserving case:\n\n1. どうも\n2. Ahoj\n3. Witaj\n4. 你好\n5. Bitao\n6. Ciao\n7. Hallo\n8. Xin
                    chao\n9. 안녕\n10. नमसते\n11. Hello\n12. Hola \n13. Salut"
            },
            "logprobs": null,
            "finish_reason": "stop"
        }
    ],
    "usage": {
```


# S03-WebSearch-HW

GenAI-March-Home Work > **S03-WebSearch-HW**

Save | Share

**POST** https://api.groq.com/openai/v1/chat/completions **Send**

Docs | Params | Authorization | Headers 11 | **Body** | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | **raw** | binary | GraphQL | JSON | Schema | Beautify


```
{
  "model": "groq/compound-mini",
  "messages": [
    {
      "role": "user",
      "content": "Search the web and compare the following: Query: GPT-4o vs Gemini 1.5 Pro vs Claude 3.5"
    },
    {
      "role": "user",
      "content": "Return:\n- Short answer (max 5 lines)\n- Top 3 relevant sources\n- No extra explanation"
    }
  ]
}
```


**Body** | Cookies 1 | Headers 20 | Test Results | **200 OK** • 5.56 s • 11.92 KB | Save Response

{ } JSON | Preview | Visualize


```
{
    "id": "stub",
    "object": "chat.completion",
    "created": 1776244752,
    "model": "groq/compound-mini",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "- GPT-4o: strong multimodal abilities, fastest latency, high overall accuracy; higher cost than Gemini.  \n-
                    Claude 3.5 Sonnet: best coding performance (≈92-94% HumanEval), excellent reasoning per dollar; slightly slower,
                    premium pricing.  \n- Gemini 1.5 Pro: cheapest per-token, massive 2 M-token context window, good for large-context
                    tasks; weaker on coding and some reasoning benchmarks.  \n\n**Top sources**  \n1. “GPT-4o vs Claude 3.5 Sonnet vs
                    Gemini 1.5 Pro: Best AI Model Compared” – https://explore.n1n.ai/blog/
                    gpt-4o-vs-claude-3-5-sonnet-vs-gemini-1-5-pro-comparison-2026-03-01  \n2. “Claude 3.5 Sonnet vs ChatGPT 4o vs
                    Gemini 1.5 Pro: Anthropic is Back” – https://beebom.com/claude-3-5-sonnet-vs-chatgpt-4o-vs-gemini-1-5-pro/  \n3.
                    “Claude 3.5 Sonnet vs GPT-4o vs Gemini: A Comprehensive Comparison” – https://www.evolution.ai/post/
                    claude-vs-gpt-4o-vs-gemini",
                "reasoning": "<tool>search(GPT-4o vs Gemini 1.5 Pro vs Claude 3.5)</tool>\n<output>Title: GPT-4o vs Claude 3.5 Sonnet vs
```

# S05- MultiLingual-HW

GenAI-March-Home Work > **S05- MultiLingual-HW**

Save | Share

**POST** https://api.groq.com/openai/v1/chat/completions **Send**

Docs | Params | Authorization | Headers 10 | Body | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON | Schema | Beautify

```
{
  "model": "llama-3.3-70b-versatile",
  "messages": [
    {"role": "system", "content": "You are an API Specialist. Convert the user prompt into Tamil"},
    {"role": "user", "content": "ഞാൻ ഒരു API സ്പെഷ്യലിസ്റ്റാണ്. ഉപയോക്തൃ പ്രോംപ്റ്റ് മലയാളത്തിലേക്ക് പരിവർത്തനം ചെയ്യുക.\n\nനന്റായി
        രസകരമായിരിക്കും. ഈ API എങ്ങനെ ഉപയോഗിക്കാം?"}
  ]
}
```

Body | Cookies 1 | Headers 20 | Test Results | **200 OK** · 729 ms · 1.17 KB | Save Response

{} JSON | Preview | Visualize

```
{
    "id": "chatcmpl-12b7ae5c-9941-401f-8ff6-591fb466ff9e",
    "object": "chat.completion",
    "created": 1776245117,
    "model": "llama-3.3-70b-versatile",
    "choices": [
        {
            "index": 0,
            "message": {
                "role": "assistant",
                "content": "நான் ஒரு API நிபுணர். பயனர் உரை தமிழில் மாற்றுக.\n\nஇது நன்றாக இருக்கும். இந்த API எப்படி பயன்படுத்தலாம்?"
            },
            "logprobs": null,
            "finish_reason": "stop"
        }
    ],
    "usage": {
        "queue_time": 0.072271114,
        "prompt_tokens": 256,
        "prompt_time": 0.013311307,
```