

Fine Tuned Model

The screenshot displays the 'Fine-tuning' interface with a modal window showing details for a specific fine-tuning job. The modal title is 'ftgpt-4o-mini-2024-07-18:testleaf-2:DZ9tqAdG'. The job status is 'Succeeded'. The training method is 'supervised'. The base model is 'gpt-4o-mini-2024-07-18'. The output model is 'ftgpt-4o-mini-2024-07-18:testleaf-2:DZ9tqAdG'. The job was created at '27 Apr 2026 12:02:05'. The training file is 'file-Uwi3oH4ZbDVZqkLhaSh7x'. The validation file is '-'. The checkpoints are listed as '1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100'. The job was trained with 63,948 tokens, 4 epochs, a batch size of 1, an LR multiplier of 0.12, and a seed of 1235136655. The background shows a table of fine-tuning jobs with columns for 'FINE-TUNE ID', 'STATUS', 'TRAINED TOKENS', and 'CREATED'. The first job is 'ftgpt-4o-mini-2024-07-18:testleaf-2:DZ9tqAdG' with a status of 'Succeeded' and 63,948 trained tokens.

FINE-TUNE ID	STATUS	TRAINED TOKENS	CREATED
ftgpt-4o-mini-2024-07-18:testleaf-2:DZ9tqAdG	Succeeded	63,948	27 Apr 2026 12:02

Added Fine Tuned Model to the Extension

The screenshot shows the 'AI Code Generator' settings interface. The 'Code Generator' tab is selected. The settings are as follows:

- Language Binding:** Java
- Browser Engine:** Selenium
- Select LLM Provider:** Testleaf
- Select Model:** SFT
- Testleaf API Key:** [Redacted]

Generated Code

AI Code Generator



Code Generator

Settings

☒ Feature File ☒ Page Class

Reset Chat

Feature: Create Account in OpenTaps

Scenario Outline: Create a new account with valid details

Given I open the create account page

When I enter "<accountName>" as the Account Name

And I enter "<localName>" as the Local Name

And I enter "<annualRevenue>" as the Annual Revenue

And I select "<currency>" as the Preferred Currency

And I select "<industry>" as the Industry

And I select "<ownership>" as the Ownership

And I enter "<numberEmployees>" as the Number of Employees

And I enter "<sicCode>" as the SIC Code

And I enter "<tickerSymbol>" as the Ticker Symbol

And I enter "<description>" as the Description

And I enter "<importantNote>" as the Important Note

And I enter "<countryCode>" as the Country Code

And I enter "<areaCode>" as the Area Code

And I enter "<phoneNumber>" as the Phone Number

And I enter "<email>" as the Email Address

And I enter "<webUrl>" as the Web Url

And I enter "<toName>" as the To Name

And I enter "<addressLine1>" as the Address Line 1

And I enter "<city>" as the City

And I select "<country>" as the Country

And I enter "<postalCode>" as the Zip/Postal Code

And I click the Create Account button

Then I should see the account created successfully

Copy

Provide additional information

Feature: Create Account in OpenTaps

Scenario Outline: Create a new account with valid details

Given I open the create account page

When I enter "<accountName>" as the Account Name

And I enter "<localName>" as the Local Name

And I enter "<annualRevenue>" as the Annual Revenue

And I select "<currency>" as the Preferred Currency

And I select "<industry>" as the Industry

And I select "<ownership>" as the Ownership

And I enter "<numberEmployees>" as the Number of Employees

And I enter "<sicCode>" as the SIC Code

And I enter "<tickerSymbol>" as the Ticker Symbol

And I enter "<description>" as the Description

And I enter "<importantNote>" as the Important Note

And I enter "<countryCode>" as the Country Code

And I enter "<areaCode>" as the Area Code

And I enter "<phoneNumber>" as the Phone Number

And I enter "<email>" as the Email Address

And I enter "<webUrl>" as the Web Url

And I enter "<toName>" as the To Name

And I enter "<addressLine1>" as the Address Line 1

And I enter "<city>" as the City

And I select "<country>" as the Country

And I enter "<postalCode>" as the Zip/Postal Code

And I click the Create Account button

Then I should see the account created successfully

Examples:

	accountName		localName		annualRevenue		currency		industry		ownership	
numberEmployees		sicCode		tickerSymbol		description		importantNote		countryCode		
	areaCode		phoneNumber		email		webUrl		toName		addressLine1	
city		country		postalCode								

	Test Account		Test Local		1000000		AED		Aerospace		Sole Proprietorship		50
	1234		TST		Test Desc		Test Note		1		123		4567890
test@example.com		http://example.com		Test To		123 Test St		Chennai		India		600001	

	Sample Account		Sample Local		2000000		AFA		Computer Hardware				
Partnership		100		5678		SMP		Sample Desc		Sample Note		91	
456		9876543		sample@example.com		http://sample.com		Sample To		456			
Sample St		Bangalore		India		560001							

```
package com.leaf taps.stepdefs;
```

```
import io.cucumber.java.en.*;
```

```
import org.openqa.selenium.*;
```

```
import org.openqa.selenium.chrome.ChromeDriver;
```

```
import org.openqa.selenium.support.ui.*;
```

```
public class CreateAccountStepDefinitions {
```

```
    private WebDriver driver;
```

```
    private WebDriverWait wait;
```

```
    @io.cucumber.java.Before
```

```
    public void setUp() {
```

```
        driver = new ChromeDriver();
```

```
        wait = new WebDriverWait(driver, Duration.ofSeconds(10));
```

```
        driver.manage().window().maximize();
```

```
    }
```

```
@io.cucumber.java.After
```

```
public void tearDown() {
```

```
    if (driver != null) driver.quit();
```

```
}
```

```
@Given("I open the create account page")
```

```
public void openCreateAccountPage() {
```

```
    driver.get("https://leaftaps.com/crmsfa/control/createAccountForm");
```

```
}
```

```
@When("I enter {string} as the Account Name")
```

```
public void enterAccountName(String accountName) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("accountName")));
```

```
    el.sendKeys(accountName);
```

```
}
```

```
@When("I enter {string} as the Local Name")
```

```
public void enterLocalName(String localName) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("groupNameLocal")));
```

```
    el.sendKeys(localName);
```

```
}
```

```
@When("I enter {string} as the Annual Revenue")
```

```
public void enterAnnualRevenue(String annualRevenue) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("annualRevenue")));
```

```
el.sendKeys(annualRevenue);
```

```
}
```

```
@When("I select {string} as the Preferred Currency")
```

```
public void selectPreferredCurrency(String currency) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.elementToBeClickable(By.id("currencyUomId")));
```

```
    el.sendKeys(currency);
```

```
}
```

```
@When("I select {string} as the Industry")
```

```
public void selectIndustry(String industry) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.elementToBeClickable(By.name("industryEnumId")));
```

```
    el.sendKeys(industry);
```

```
}
```

```
@When("I select {string} as the Ownership")
```

```
public void selectOwnership(String ownership) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.elementToBeClickable(By.name("ownershipEnumId")));
```

```
    el.sendKeys(ownership);
```

```
}
```

```
@When("I enter {string} as the Number of Employees")
```

```
public void enterNumberOfEmployees(String numberEmployees) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("numberEmployees")));
```

```
    el.sendKeys(numberEmployees);
```

```
}
```

```
@When("I enter {string} as the SIC Code")
```

```
public void enterSICCode(String sicCode) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("sicCode")));
```

```
    el.sendKeys(sicCode);
```

```
}
```

```
@When("I enter {string} as the Ticker Symbol")
```

```
public void enterTickerSymbol(String tickerSymbol) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("tickerSymbol")));
```

```
    el.sendKeys(tickerSymbol);
```

```
}
```

```
@When("I enter {string} as the Description")
```

```
public void enterDescription(String description) {
```

```
    WebElement el = wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("ext-gen518")));
```

```
    el.sendKeys(description);
```

```
}
```

```
@When("I enter {string} as the Important Note")
```

```
public void enterImportantNote(String importantNote) {
```

```
    WebElement el = wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("ext-gen528")));
```

```
    el.sendKeys(importantNote);
```

```
}
```

```
@When("I enter {string} as the Country Code")
```

```
public void enterCountryCode(String countryCode) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("primaryPhoneCountryCode")));
```

```
    el.sendKeys(countryCode);
```

```
}
```

```
@When("I enter {string} as the Area Code")
```

```
public void enterAreaCode(String areaCode) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("primaryPhoneAreaCode")));
```

```
    el.sendKeys(areaCode);
```

```
}
```

```
@When("I enter {string} as the Phone Number")
```

```
public void enterPhoneNumber(String phoneNumber) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("primaryPhoneNumber")));
```

```
    el.sendKeys(phoneNumber);
```

```
}
```

```
@When("I enter {string} as the Email Address")
```

```
public void enterEmail(String email) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("primaryEmail")));
```

```
    el.sendKeys(email);
```



```
}
```

```
@When("I enter {string} as the Web Url")
```

```
public void enterWebUrl(String webUrl) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("primaryWebUrl")));
```

```
    el.sendKeys(webUrl);
```

```
}
```

```
@When("I enter {string} as the To Name")
```

```
public void enterToName(String toName) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("generalToName")));
```

```
    el.sendKeys(toName);
```

```
}
```

```
@When("I enter {string} as the Address Line 1")
```

```
public void enterAddressLine1(String addressLine1) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("generalAddress1")));
```

```
    el.sendKeys(addressLine1);
```

```
}
```

```
@When("I enter {string} as the City")
```

```
public void enterCity(String city) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("generalCity")));
```

```
    el.sendKeys(city);
```

```
}
```

```
@When("I select {string} as the Country")
```

```
public void selectCountry(String country) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.elementToBeClickable(By.id("generalCountryGeold")));
```

```
    el.sendKeys(country);
```

```
}
```

```
@When("I enter {string} as the Zip/Postal Code")
```

```
public void enterPostalCode(String postalCode) {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("generalPostalCode")));
```

```
    el.sendKeys(postalCode);
```

```
}
```

```
@When("I click the Create Account button")
```

```
public void clickCreateAccount() {
```

```
    WebElement el =
```

```
wait.until(ExpectedConditions.elementToBeClickable(By.xpath("//input[@value='Create Account']")));
```

```
    el.click();
```

```
}
```

```
@Then("I should see the account created successfully")
```

```
public void verifyAccountCreation() {
```

```
    WebElement successMessage =
```

```
wait.until(ExpectedConditions.visibilityOfElementLocated(By.className("successMessage")));
```

```
    assert successMessage.isDisplayed();
```

```
}
```

