List of keywords used for Advanced prompt engineering which will helps for a strong prompt creation.

Core Prompt Structure Keywords

These define *how the prompt is framed*:

- **Instruction** – clearly state the task
- **Context** – background information
- **Input Data** – what the model should work on
- **Output Format** – desired structure (JSON, bullets, etc.)
- **Constraints** – limits, rules, boundaries
- **Goal / Objective** – end result you want

Role & Perspective Keywords

Used to guide tone and expertise:

- **Act as…** (e.g., "Act as a senior data scientist")
- **Persona** – define personality or expertise
- **Audience-aware** – tailor for beginners, experts, etc.
- **Voice / Tone** – formal, casual, persuasive, technical

Reasoning & Thinking Keywords

These improve depth and accuracy:

- **Chain-of-Thought (CoT)** – step-by-step reasoning
- **Step-by-step** – explicit breakdown
- **Explain your reasoning**
- **Deliberate reasoning**
- **Self-consistency** – generate multiple answers, pick best
- **Reflection / Self-check** – verify correctness

Control & Constraint Keywords

Used to reduce hallucinations and tighten output:

- **Strictly follow**
- **Do not assume**
- **Only use provided data**
- **Limit to X words**
- **Avoid repetition**
- **No extra explanation**

Output Formatting Keywords

Ensure structured responses:

- **Bullet points**
- **Numbered list**
- **Table format**
- **JSON output**
- **Markdown formatting**
- **Headings / Sections**

Few-shot & Example-based Keywords

Improve performance with examples:

- **Examples:**
- **Sample input/output**
- **Demonstration**
- **Template**
- **Pattern matching**

Iterative Refinement Keywords

Used for improving results step-by-step:

- **Refine**
- **Improve**
- **Rewrite**
- **Optimize**
- **Expand / Summarize**
- **Critique and revise**

Safety & Accuracy Keywords

For reliable outputs:

- **Fact-check**
- **Cite sources**
- **Confidence level**
- **If unsure, say "I don't know"**
- **Avoid hallucination**

Advanced Prompting Techniques (Concept Keywords)

These are widely used in modern prompt engineering:

- **Zero-shot prompting**
- **Few-shot prompting**
- **Chain-of-Thought (CoT)**
- **Tree-of-Thought (ToT)**
- **ReAct (Reason + Act)**
- **Prompt chaining**
- **Meta prompting**
- **Self-ask prompting**

Optimization & Performance Keywords

To fine-tune outputs:

- **Concise vs Detailed**
- **High-level vs Low-level**
- **Deterministic output**
- **Creative vs factual balance**
- **Temperature control (conceptual)**

A **strong prompt usually combines**:

- Role + Context + Clear Task + Constraints + Output Format

1. **MASTER PROMPT TEMPLATE**

[ROLE]

Act as a [expert role/persona].

[CONTEXT]

You are helping with: [describe situation, background, or domain].

[TASK]

Your task is to: [clear, specific instruction].

[INPUT]

Here is the input data:

[Paste text / data / question]

[OUTPUT FORMAT]

Provide the output in:

- [bullet points / table / JSON / steps / essay]

- Include: [specific elements required]

[CONSTRAINTS]

- Limit to [X words]
- Do not assume missing information
- Avoid repetition
- Use simple/technical language (choose one)

[REASONING]

Think step-by-step before answering.

[QUALITY CONTROL]

- Verify correctness
- If unsure, say "I don't know"
- Provide confidence level (optional)

⚡ 2. QUICK PROMPT BUILDER (FILL-IN VERSION)

```
Act as a _________.

Context: _________.

Task: _________.

Input: _________.

Output format: _________.

Constraints: _________.

Think step-by-step and ensure accuracy.
```

🎯 3. HIGH-PERFORMANCE PROMPT PATTERNS

🔹 A. Structured Output Prompt

```
Generate a response in JSON format with the following fields:
{
  "title": "",
  "summary": "",
  "key_points": [],
  "examples": []
}
```

🔹 B. Step-by-Step Reasoning Prompt

```
Solve this problem step-by-step.
Explain your reasoning clearly before giving the final answer.
```

🔹 C. Expert-Level Prompt

```
Act as a senior expert in [field].
Provide a detailed, technically accurate explanation.
Include real-world examples and best practices.
```

🔹 D. Constraint-Based Prompt

```
Answer the question using only the provided data.
Do not add assumptions or external knowledge.
Limit response to 150 words.
```

🔹 E. Iterative Improvement Prompt

```
Step 1: Generate an initial answer.
Step 2: Critique the answer.
Step 3: Improve it based on the critique.
```

Advanced Prompt Engineering Keywords & Framework Elements

🧠 Core Reasoning & Logic Techniques

Keyword	Purpose	Best Use Case
Chain-of-Thought (CoT)	Guides step-by-step reasoning	Math problems, logical deduction, multi-step tasks
Tree-of-Thoughts (ToT)	Explores multiple reasoning paths	Complex planning, puzzle solving, strategic decisions
Self-Consistency	Generates multiple answers, selects most consistent	High-stakes queries, ambiguous problems
ReAct (Reason + Act)	Alternates reasoning with tool actions	Interactive agents, research tasks, API workflows
Reflexion	Self-critique and iterative improvement	Error correction, quality refinement

🎯 Prompt Structure & Format Keywords

Keyword	Function	Example Usage
Zero-shot	Task instruction without examples	"Classify this text as positive/negative"
Few-shot	Includes 1+ input-output examples	Demonstrating format, tone, or logic pattern
One-shot	Single example for guidance	Quick format illustration
Meta Prompting	Prompt generates/refines itself	Clarifying vague queries, self-optimization
Step-back Prompting	Broad analysis → targeted follow-up	Research questions, exploratory tasks
Self-Ask Decomposition	Breaks complex query into sub-questions	Multi-faceted decisions, research synthesis

📐 Framework Acronyms & Models

Popular Structured Frameworks:

1. **COSTAR** www.parloa.com
   - Context | Objective | Style | Tone | Audience | Response
2. **CRISPE** www.parloa.com
   - Capacity/Role | Role | Insight | Statement | Personality | Experiment
3. **RACE** www.parloa.com
   - Role | Action | Context | Expectation
4. **BAB** (Before-After-Bridge) www.parloa.com
   - Problem → Desired outcome → Solution path
5. **Five S Model** www.parloa.com
   - Set scene → Specify task → Simplify → Structure → Share feedback
6. **CLEAR/SMART/QUEST** felix-pappe.mediu...
   - Goal-oriented research and task frameworks

🎨 Content & Style Control Keywords

Keyword	Effect	Application
Role Prompting / Persona	Assigns expertise or perspective	"Act as a senior data analyst..."
Tone Specification	Controls voice: formal, casual, empathetic	Customer support, brand alignment
Output Format Directive	Enforces JSON, markdown, bullets, etc.	API integration, structured reports
Constraint Injection	Adds limits: word count, banned terms, scope	Compliance, safety, focus
Contextual Priming	Prepends relevant background data	RAG systems, domain-specific tasks
Directional Stimulus	Guides attention to key elements	Highlighting priorities in complex prompts

⚙️ Technical Optimization Keywords

Keyword	Purpose	Implementation Tip
Temperature Tuning	Controls creativity vs. determinism	Low (0-0.3) for facts; High (0.7-1.0) for ideation
Top-p / Nucleus Sampling	Manages output diversity	Balance novelty with coherence
Delimiter Usage (`###`, `"""`, `---`)	Separates instructions, context, query	Prevents prompt injection, improves parsing
Prompt Chaining	Links multiple prompts sequentially	Complex workflows, multi-stage reasoning
Retrieval-Augmented Generation (RAG)	Injects external knowledge	Grounding responses in enterprise data
Program-Aided Language Models (PAL)	Executes code within reasoning	Math, data analysis, automation tasks

🛡️ Safety & Reliability Keywords

Keyword	Function	Why It Matters
Guardrails	Blocks harmful/off-topic outputs	Compliance, brand safety
Fallback Prompts	Backup instructions for edge cases	System resilience, user experience
LLM-as-a-Judge	Uses AI to evaluate AI outputs	Scalable quality assurance
Prompt Versioning	Tracks changes like code	Auditability, regression testing
Red Teaming	Tests prompts against adversarial inputs	Security, robustness validation
Evaluation Metrics	Measures accuracy, relevance, consistency	Continuous improvement loop

🔄 Emerging & Advanced Keywords (2026)

Keyword	Description	Trend Impact
Multimodal Prompting	Combines text, image, audio, video inputs	Richer interactions, complex workflows
Agentic Prompting	Prompts that enable autonomous tool use	AI agents, workflow automation
Programmatic Prompt Generation	AI optimizes prompts algorithmically (e.g., DSPy)	Scaling prompt engineering
Prompt Auditing	Compliance & risk assessment of prompts	Regulatory readiness (GDPR, HIPAA)
Episodic Memory Prompts	References past interactions for continuity	Personalized, context-aware AI
Graph Prompting	Structures knowledge as relationships	Complex reasoning, knowledge graphs