

Slice modeling and dynamic resource scaling

Purpose: Introduction on 5G slice modeling and dynamic resource scaling using vNetRunner and [MicroOpt](#) frameworks.

Key Tasks

1. Set up the environment
2. Explore the dataset
3. Train VNF models using vNetRunner
4. Compose end-to-end slice models
5. Perform dynamic resource scaling using MicroOpt

Set up repository and environment

Clone the repository to your local machine:

```
git clone https://github.com/sulaimanalmani/5GDynamicResourceAllocation.git
```

Navigate to the repo:

```
cd 5GDynamicResourceAllocation/
```

Install the required python packages

```
sudo apt-get -y install python3-pip
```

Install the python virtual environment package:

```
sudo apt-get -y install python3-venv
```

Create the environment:

```
python3 -m venv ~/myenv
```

Activate the environment:

```
source ~/myenv/bin/activate
```

Install the required python packages by running these one by one:

```
pip install -r requirements.txt
```

Download and extract the resource allocation dataset:

```
git clone https://github.com/sulaimanalmani/net_model_dataset.git
```

Navigate to the dataset directory:

```
cd net_model_dataset
```

Extract the dataset:

```
sh extract_data.sh
```

Navigate back to the main repo:

```
cd ../
```

Launch JupyterLab:

```
jupyter lab
```

Once you have launched JupyterLab, it will open a new tab in your default browser. You can also access the interface by clicking the link in the terminal. The link will be in the following format:

```
http://127.0.0.1:8000/?token=<token>
```

For more information on JupyterLab, you can refer to the [JupyterLab documentation](#).


Accessing the jupyter notebooks

We have divided the session into three notebooks:

1. P1-WorkshopNotebook.ipynb: In this notebook, we will be exploring and visualizing our resource allocation dataset gathered from the in-lab 5G testbed.
2. P2-WorkshopNotebook.ipynb: In this notebook, we will be using the datasets to train VNF models using the vNetRunner framework. Subsequently we will be using the trained VNF models to compose end-to-end slice models.
3. P3-WorkshopNotebook.ipynb: In this notebook, we will be using the [MicroOpt](#) framework to perform dynamic resource scaling.

Accessing the jupyter notebooks

Please read the tips section below, and then proceed to open each of the notebook in order in the JupyterLab (as shown below) interface and follow the instructions in the notebook to complete the exercises.



Tips and Tricks

Press the Run button in the toolbar or use `Ctrl + Enter` to execute the code in a cell.

Double-clicking a markdown cell will reveal its code. Press `Ctrl + Enter` to execute the code in the cell and display the rendered markdown again.

Use the sidebar on the left to navigate the file structure and explore the dataset.