

Cucumber Report

01-Aug-2023, 3:41:13 pm

Start : Aug 01, 3:36:45.225 pm

End : Aug 01, 3:40:48.820 pm

Duration : 4 m 3.595 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 3
FAILED - 3
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test the Facebook Application</u>	4 m 3.595 s	3	0	3	0	6	3	3	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@EndToEndTesting	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Test the Facebook Application</u>	3	0	3	0	4 m 3.595 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test the Facebook Application</u>	<u>Test RegisterPage Functionation</u>	2	1	1	0	1 m 19.753 s
2	<u>Test the Facebook Application</u>	<u>Test RegisterPage Functionation</u>	2	1	1	0	56.759 s
3	<u>Test the Facebook Application</u>	<u>Test RegisterPage Functionation</u>	2	1	1	0	1 m 46.919 s


Test the Facebook Application

FAILED	DURATION - 4 m 3.595 s	Scenarios		Steps	
/ 3:36:45.225 pm // 3:40:48.820 pm /		Total - 3		Total - 6	
		Pass - 0		Pass - 3	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	



Test RegisterPage Functionation

<div><div>FAILED</div><div>DURATION - 1 m 19.753 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div> <td rowspan="4"><div></div></td>	<div></div>
/ 3:36:45.327 pm // 3:38:05.080 pm /				
Test the Facebook Application				
@EndToEndTesting				


#	Step / Hook Details	Status	Duration
1	Given User on Register Page	PASSED	1 m 9.368 s
2	When User enter "Vibha" and "Date" and "vibha@gmail.com" and "vibha@gmail.com" and "vibha123" and "22" and "May" and "1993" and "Female"	FAILED	9.704 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d8bfc9b9579f118854db52e46a992d9d, findElement {using=name, value=//input[@type='radio']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\shree\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55166}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55166/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d8bfc9b9579f118854db52e46a992d9d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:46) at UtilsLayer.SelectClass.selectByVisibleText(SelectClass.java:11) at PageLayer.RegisterPage.registerPageFunctionality(RegisterPage.java:61) at StepDefination.RegisterPageStepDef.user_enter_and_and_and_and_and_and_and(RegisterPageStepDef.java:25) at ?.User enter "Vibha" and "Date" and "vibha@gmail.com" and "vibha@gmail.com" and "vibha123" and "22" and "May" and "1993" and "Female"(file:///C:/Users/Sulbha/eclipse-workspace/FacebookApplication/AllFeatureFiles/facebook.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - StepDefination.RegisterPageStepDef.tearDown(io.cucumber.java.Scenario)	PASSED	0.613 s
	Test RegisterPage Functionation		
			



Test RegisterPage Functionation

<div>FAILED</div> <div>DURATION - 56.759 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:38:05.124 pm // 3:39:01.883 pm /</div>				
<div>Test the Facebook Application</div>				
<div>@EndToEndTesting</div>				

#	Step / Hook Details	Status	Duration
1	Given User on Register Page	PASSED	48.658 s
2	<p>When User enter "Pranita" and "lthape" and "panu@gmail.com" and "panu@gmail.com" and "panu123" and "23" and "Jul" and "1992" and "Female"</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b9bcd2db99ff70b6499e8c031bf4925d, findElement {using=name, value=//input[@type='radio']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\shree\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:55204}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55204/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b9bcd2db99ff70b6499e8c031bf4925d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>	FAILED	7.848 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.getTagNames(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:46) at UtilsLayer.SelectClass.selectByVisibleText(SelectClass.java:11) at PageLayer.RegisterPage.registerPageFunctionality(RegisterPage.java:61) at StepDefination.RegisterPageStepDef.user_enter_and_and_and_and_and_and_and_and(RegisterPageStepDef.java:25) at ?.User enter "Pranita" and "lthape" and "panu@gmail.com" and "panu@gmail.com" and "panu123" and "23" and "Jul" and "1992" and "Female"(file:///C:/Users/Sulbha/eclipse-workspace/FacebookApplication/AllFeatureFiles/facebook.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - StepDefination.RegisterPageStepDef.tearDown(io.cucumber.java.Scenario)	PASSED	0.249 s
	Test RegisterPage Functionation		
			

Test RegisterPage Functionation

FAILED DURATION - 1 m 46.919 s / 3:39:01.901 pm // 3:40:48.820 pm / Test the Facebook Application @EndToEndTesting		Steps Total - 2 Pass - 1 Fail - 1 Skip - 0	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User on Register Page	PASSED	1 m 34.774 s
2	When User enter "Komal" and "Kale" and "komal@gmail.com" and "komal@gmail.com" and "komal123" and "10" and "Mar" and "1994" and "Female" <pre> org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=115.0.5790.110) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d029444a3e3649d6f0dcac5b6e0f48aa, findElement {using=name, value=//input[@type='radio']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\shree\AppData\Loca...}, goog:chromeOptions: </pre>	FAILED	11.590 s

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:55286}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55286/devtoo..., se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d029444a3e3649d6f0dcac5b6e0f48aa at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:46) at UtilsLayer.SelectClass.selectByVisibleText(SelectClass.java:11) at PageLayer.RegisterPage.registerPageFunctionality(RegisterPage.java:61) at StepDefination.RegisterPageStepDef.user_enter_and_and_and_and_and_and_and_and(RegisterPageStepDef.java:25) at ?.User enter "Komal" and "Kale" and "komal@gmail.com" and "komal@gmail.com" and "komal123" and "10" and "Mar" and "1994" and "Female"(file:///C:/Users/Sulbha/eclipse-workspace/FacebookApplication/AllFeatureFiles/facebook.feature:6) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - StepDefination.RegisterPageStepDef.tearDown(io.cucumber.java.Scenario) Test RegisterPage Functionation	PASSED	0.549 s
	