



CustomersController



- `api/customers`
- `api/customers/10`
- `api/customers/MorrisHarber`
- `api/customers/9445644233`
- `api/customers?lat=54.64&lng=28.01`
- `api/customers?city=Gdynia&street=Dworcow&country=Poland`
- `api/customers/10/products`
- `api/customers/10/products/5`
- `service1.asmx`
- `service1.svc`

- GET
- POST
- PUT `api/customers/10`
- PATCH `api/customers/10`
- DELETE `api/customers/10`

KML (WKT, WKB), GML, GeoJson



url: `api/customers?lat=54.64&lng=28.01`




Accept: kml


`api/customers?lat=54.64&lng=28.01format=kml`




`api/customers.kml`


KMLFormatter

View()









DbContext

ChangeTracker

OriginalValue CurrentValue IsModified

State

sql

record


deleted


Remove()


unchanged


Update()

modified









OData

api/customers?\$fields=FirstName,LastName\$orderby=size\$filter=IsRemoved eq false

api/customers/10

api/customers/Marcin

api/customers?city=Warszawa

GraphQL


POST

{ Customers

api/service

api/customers

Authorization Basic base64(login:password)



GET api/customers

POST api/tokens/createtoken

login
hasło

GET api/customers

Authorization Bearer 455rer90fdr8t345unwfwef

OAuth 2.0

JWT (Javascript Web Token)

Bearer header+payload+signature

