

GET api/customers

GET api/customers/100

POST api/customers

PUT api/customers/100

PATCH api/customers/100


DELETE api/customers/100

GET api/customers/100/orders/last

GET api/customers?city=Poznan&street=Dworcowa

GET april ust mers/pesel/105454545

GET appropriete omers?action=delete



GET api/customers/100

Accept: application/json

GET api/customers/100


Accept: image/png


GET api/customers

Accept: kml



Key	Value	Cykl życia
IOrderService Faker <customer> ICustomerService ICustomerService</customer>	FakeOrderService CustomerFaker FakeCustomerService DbCustomerService	Singleton Transient Scoped





 \searrow

GET api/customers HTTP/1.1

Host: localhost:5000

Accept: application/xml


POST api/customers HTTP/1.1


Host: localhost:5000

Content-Type: application/json

200 OK


Content-Type: application/json







IPrincipal



ClaimsIdentity

AuthenticationType { get; }
IsAuthenticated { get; }
Name { get; }

Key	Value
kat	В
kat	С
terminważności	2030-01-01
email	marcin.sulecki@sulmar.pl
phoneCell	555-000-011

OAuth 2.0

POST api/customers/createtoken

Content-Type: application/json

{ "login": "marcin", "password": "12345" }

A543lkjfsdcn5309598359843598c34b95ce


Authorization

Bearer A543lkjfsdcn5309598359843598c34b95ce


JWT (Json Web Token)

Bearer A543lkjfsdcn5309598359843598c34b95ce


Basic




Bearer











Wzorzec Mediator

