

REST API

GET api/customers

GET api/customers/10

GET api/customers/Johny

GET api/customers/01234567890

POST api/customers

PUT api/customers/10

PATCH api/customers/10

DELETE api/customers/10

HEAD api/customers/10

OPTIONS api/customers/10

api/customers?Calculate api/customers?Remove

posts/57356




REST API


GET api/products

GET api/products/10

GET api/products/012345678



KONFIGURACJA








Name	Age ♦	Nickname	Employee ▼
(job title) Giacomo Guilizzoni Founder & CEO		Peldi	•
Marco Botton Tuttofare	38		☑
Mariah Maclachlan Better Half	41	Patata	⊟
Valerie Liberty Head Chef	:)	Val	☑
Data Grid Docs			



Window Name	
Cancel OK	













GET http://localhost:5000/api/customers?format=kml

Content-Type: kml




















Name (job title)	▲ Age \$	Nickname	Employee ▼
Giacomo Guilizzoni Founder & CEO	40	Peldi	•
Marco Botton Tuttofare	38		☑
Mariah Maclachlan Better Half	41	Patata	⊟
Valerie Liberty Head Chef	:)	Val	☑
Data Grid Docs			




WebApi


HTTP/1.1







RCP (Remote Call Procedures)



GET /api/customers HTTP/1.1 Host: https://localhost:5001 Accept: application/json

Authorization:

POST /api/customers HTTP/1.1

Host: https://localhost:5001 Content-Type: application/xml

<xml>

•••

</xml>

200 OK

Content-Type: application/json

{json}

201 Created

Content-Type: application/json

Location: https://localhost:5001/api/

customers/100

{json}

Basic

GET /api/customers HTTP/1.1

Host: https://localhost:5001 Accept: application/json

Authorization: Basic encodeBase64({login}:{password})

Key

Schema

Parameter

Token

GET /api/customers HTTP/1.1

Host: https://localhost:5001

Accept: application/json

Authorization: Bearer {token}

IPrincipal

