Produk_Pilihan

Execution Environment

Host name raiha - LAPTOP-UT2QLFD0

Local OS Windows 10 64bit

Katalon version 8.5.5.208 Browser null

Summary

ID Test Suites/Produk_Pilihan/Produk_Pilihan

Description Test module Produk Pilihan

Total 4

Passed 0 Failed 4
Error 0 Incomplete 0

Skipped 0

Start 2023-07-28 15:56:50 End 2023-07-28 16:00:44

Elapsed 3m - 53.933s

#	ID	Description	Status
1	Test Cases/Produk Pilihan/Main/TC_Produk_Sejenis	Test case cek produk pilihan	FAILED
2	Test Cases/Produk Pilihan/Main/TC_Produk_Pilihan_Lebih_Untung	Test case cek produk pilihan dengan tag 'mau lebih untung'	FAILED
3	Test Cases/Produk Pilihan/Main/TC_Tambah_Produk_Pilihan	Test case produk pilihan tambah keranjang produk pilihan	FAILED
4	Test Cases/Produk Pilihan/Main/TC_Share_Produk_Pilihan	Test case Produk Pilihan cek produk sejenis	FAILED

TC_Produk_Sejenis

Information

ID Test Cases/Produk Pilihan/Main/TC_Produk_Sejenis

Description Test case cek produk pilihan

Tag

Start 2023-07-28 15:56:50 End 2023-07-28 15:57:36

Elapsed 46.374s
Status FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

TC_Produk_Sejenis

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Produk Pilihan/TC_Cek_Produk_Pilihan"), [:], STOP_ON_FAILURE)	45.979s	FAILED
	Unable to call Test Case 'Test Cases/Produk Pilihan/TC_Cek_Produk_Pilihan' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Produk Pilihan/TC_Cek_Produk_Pilihan' failed		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at TC_Produk_Sejenis.run(TC_Produk_Sejenis:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1690534599121.run(TempTestSuite1690534599121.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Object Object Repository/Produk Pilihan/Produk Pilihan Tango not found		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:39)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1. doCall(TapKeyword.groovy:79) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call		
	(TapKeyword,groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		

runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.

TC_Produk_Sejenis

Status

```
Description
                                                                                      Elapsed
groovy:84)
         at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
(TapKeyword.groovy:68)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap
(MobileBuiltInKeywords.groovy:1490)
         at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$2.call
(Unknown Source)
         at TC_Cek_Produk_Pilihan.run(TC_Cek_Produk_Pilihan:28)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         java:448)
         at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:439)
         at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
```

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.

 $at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:$

CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

(TestCaseExecutor.java:410)

... 20 more

at com.kms.katalon.core.keyword.builtin.

java:285)

142)

Information

ID Test Cases/Produk Pilihan/Main/TC_Produk_Pilihan_Lebih_Untung

Description Test case cek produk pilihan dengan tag 'mau lebih untung'

Tag

Start 2023-07-28 15:57:36 End 2023-07-28 15:59:19

Elapsed 1m - 42.919s

Status FAILED

Details


#	Description	Elapsed	Status
1	startApplication(APP, false) Started app at: 'C:\Users\raiha\Documents\Katalon Studio\Mobile Klik IGR\AndroidApp\Klik Dev v6.1.16.apk'	8.254s	PASSED
2	waitForElementPresent(findTestObject("Kategori/Minuman"), 0) Element 'Object Repository/Kategori/Minuman' is present	3.738s	PASSED
3	Tap menu "Akun" Tapped on element 'Object Repository/Profil/Profil_Button/Menu Akun'	0.747s	PASSED
4	waitForElementPresent(findTestObject("Profil/Alamat_Penerima/Alamat_Button/Menu Kelola Alamat Penerima"), 0) Element 'Object Repository/Profil/Alamat_Penerima/Alamat_Button/Menu Kelola Alamat Penerima' is present	0.201s	PASSED
5	Tap menu 'Kelola Alamat Penerima' Tapped on element 'Object Repository/Profil/Alamat_Penerima/Alamat_Button/Menu Kelola Alamat Penerima'	1.030s	PASSED
6	waitForElementPresent(findTestObject("Profil/Alamat_Penerima/Ganti_Alamat/Pilih Alamat 2"), 0) Element 'Object Repository/Profil/Alamat_Penerima/Ganti_Alamat/Pilih Alamat 2' is present	0.852s	PASSED

#	Description	Elapsed	Status
7	Tap tombol 'Pilih Alamat' pada baris kedua Tapped on element 'Object Repository/Profil/Alamat_Penerima/Ganti_Alamat/Pilih Alamat 2'	0.930s	PASSED
8	Tap tombol back Press back button successfully	2.796s	PASSED
9	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.021s	PASSED
10	waitForElementPresent(findTestObject("Profil/Alamat_Penerima/Alamat_Button/Menu Kelola Alamat Penerima"), 0) Element 'Object Repository/Profil/Alamat_Penerima/Alamat_Button/Menu Kelola Alamat Penerima' is present	0.221s	PASSED
11	Tap menu 'Home' Tapped on element 'Object Repository/Homepage/Menu Home'	0.761s	PASSED
12	swipe(0, 400, 0, 0) Swiped from 0,400 to 0,0	1.078s	PASSED
13	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.001s	PASSED
14	swipe(760, 1000, 0, 1000) Swiped from 760,1,000 to 0,1,000	1.092s	PASSED
15	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.013s	PASSED

#	Description	Elapsed	Status
16	Tap 'Tambah Keranjang' pada produk pilihan dengan tag 'lebih untung'	1.405s	PASSED
	Tapped on element 'Object Repository/Produk Pilihan/Produk Lebih Untung/Tambah Keranjang Lebih Untung'		
17	waitForElementPresent(findTestObject("Checkout/Tambah_Keranjang/Icon_Keranjang/Popup Harga Termurah"), 20)	2.918s	PASSED
	Element 'Object Repository/Checkout/Tambah_Keranjang/Icon_Keranjang/Pop-up Harga Termurah' is present		

#	Description	Elapsed	Status
8	takeScreenshot(getReportFolder() + "Cek Tambah Keranjang Lebih Untung.png")	1.379s	PASSED
	Screenshot is taken		

Status




#	Description	Elapsed	Status
19	Tap tombol 'Cancel'	1.088s	PASSED
	Tapped on element 'Object Repository/Produk Pilihan/Produk Lebih Untung/Cancel Keranjang Lebih Untung'		
20	delay(2, CONTINUE_ON_FAILURE)	2.019s	PASSED
	Delayed 2 second(s)		
21	Tap gambar produk pilihan dengan tag lebih untung	10.089s	FAILED
	Object Object Repository/Produk Pilihan/Produk Lebih Untung/Mie Sedaap Lebih Untung not found		
22	waitForElementPresent(findTestObject("Produk Pilihan/Produk Sejenis/Tab Promosi"), 20)	20.153s	PASSED
	Object Object Repository/Produk Pilihan/Produk Sejenis/Tab Promosi not found		
23	swipe(100, 425, 0, 0)	1.116s	PASSED
	Swiped from 100,425 to 0,0		
24	delay(1, CONTINUE_ON_FAILURE)	1.006s	PASSED
	Delayed 1 second(s)		

#	Description	Elapsed	Status
25	takeScreenshot(getReportFolder() + "Cek Lebih Untung.png", CONTINUE_ON_FAILURE)	0.995s	PASSED

Screenshot is taken

Elapsed

Status



Description Elapsed Status

CallTestCase(findTestCase(*Profil/Alamat_Penerima/TC_Reset_Pilih_Alamat*), [:], Unable to call Test Case Test Cases/Profil/Alamat_Penerima/TC_Reset_Pilih_Alamat* (Root cause: com_kms_katalon.core_exception.StepFailedException: Call Test Case Test Cases/Profil/Alamat_Penerima/TC_Reset_Pilih_Alamat* failed at om_kms_katalon.core_keyword.builtin. CallTestCaseKeywordS_callTestCase_closuref.adcall(CallTestCaseKeyword.groovy:63) at com_kms_katalon.core_keyword.builtin. CallTestCaseKeywordS_callTestCase_closuref.adl(CallTestCaseKeyword.groovy) at com_kms_katalon.core_keyword.builtin.CallTestCaseKeyword.groovy:31) at com_kms_katalon.core_keyword.builtin.CallTestCaseKeyword.callTestCase(CaseKeyword.groovy:81) at com_kms_katalon.core_keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword_groovy:41) at com_kms_katalon.core_keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword_groovy:44) at com_kms_katalon.core_keyword_builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword_proovy:44) at com_kms_katalon.core_keyword_builtin.CallTestCaseKeyword.execute (callTestCaseKeyword_proovy:44) at com_kms_katalon.core_keyword_builtin.CallTestCaseKeyword.executer.executeKeyword_proovy:334) at com_kms_katalon.core_main.ScriptEngine_run(TC_Produk_Pilihan_Lebih_Untung_79) at com_kms_katalon.core_main.ScriptEngine_run(ScriptEngine_java:194) at com_kms_katalon.core_main.TestCaseExecutor.runScript(TestCaseExecutor.java:419) at com_kms_katalon.core_main.TestCaseExecutor.processExecutorPhase (TestCaseExecutor_java:419) at com_kms_katalon.core_main.TestCaseExecutor.accessMainPhase (TestCaseExecutor_java:419) at com_kms_katalon.core_main.TestCaseExecutor.accessMainPhase (TestCaseExecutor_java:419) at com_kms_katalon.core_main.TestCaseExecutor.accessTestCaseExecutor.java:161) at com_kms_katalon.core_main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor_java:419) at com_kms_katalon.core_main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor_java:419) at com_kms_katalon.core_main.TestCaseExecut
(Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Profil/Alamat_Penerima/TC_Reset_Pilih_Alamat' failed at com.kms.katalon.core.keyword.builtin. CallTestCasekeywordS_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCasekeywordS_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.excute (CallTestCaseKeyword.groovy:41) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.excute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.builtin.Keywords.callTestCase(BuiltinKeywords.groovy:334) at TC_Produk_Pilihan_Lebih_Untung.run(TC_Produk_Pilihan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.nunScript(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.grocessExecutor.processExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (TestCaseExecutor.java:45) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:151) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain
at com.kms.katalon.core.keyword.bultin. CallTestCaseKeywords_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.bultin. CallTestCaseKeyword5_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.bultin.CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.bultin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.bultin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.bultin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.bultin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.bultin.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.bultin.Keywords.callTestCase(BuiltinKeywords.groovy:334) at TC_Produk_Plilinan_Lebih_Untung.run(TC_Produk_Plilinan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptIngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutor.phase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestSuiteMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:451) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.StartTestSuite(TestCaseMain.java:
at com.kms.katalon.core.keyword.builtin. CallTestCaseKeywords_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at TC_Produk_Plilhan_Lebih_Untung.run(TC_Produk_Plilhan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestSuiteMainPhase (TestCaseExecutor.java:65) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(Unknown)
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at TC_Produk_Pilihan_Lebin_Untung.run(TC_Produk_Pilihan_Lebin_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:416) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuiteCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestSuite(TestCaseMain.java:185)
(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:34) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at TC_Produk_Plilhan_Lebih_Untung.run(TC_Produk_Plilhan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:485) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:485) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at TC_Produk_Pilihan_Lebih_Untung.run(TC_Produk_Pilihan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)
(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at TC_Produk_Piilhan_Lebih_Untung.run(TC_Produk_Piilhan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptCaseExecutor. java:119) at com.kms.katalon.core.main.TestCaseExecutor.unScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:166) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(Unknown Source)
executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at TC_Produk_Pilihan_Lebih_Untung.run(TC_Produk_Pilihan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(Unknown Source)
at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334) at TC_Produk_Pilihan_Lebih_Untung.run(TC_Produk_Pilihan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite\$0.call(Unknown Source)
at TC_Produk_Pilihan_Lebih_Untung.run(TC_Produk_Pilihan_Lebih_Untung:79) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$tartTestSuite\$0.call(Unknown Source)
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)
Source)
at TampTootSuita1600524500121 rup/TampTootSuita1600524500121 groow(26)
Caused by: com.kms.katalon.core.exception.StepFailedException: Object Object
Repository/Profil/Profil_Button/Menu Akun not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:39)
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40)
at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1. doCall(TapKeyword.groovy:79)
at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call (TapKeyword.groovy)
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.

```
Description
                                                                                               Elapsed
                                                                                                                 Status
groovy:84)
          at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
(TapKeyword.groovy:68)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. mobile. keyword. Mobile Built In Keywords. tap
(MobileBuiltInKeywords.groovy:1490)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$2.call
(Unknown Source)
          at TC_Reset_Pilih_Alamat.run(TC_Reset_Pilih_Alamat:23)
          at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
          at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
          at\ com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.pt) \\
java:448)
          at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:439)
          at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:418)
          at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
          at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)
java:285)
          at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
142)
          at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
          ... 20 more
```

TC_Tambah_Produk_Pilihan

Information

ID Test Cases/Produk Pilihan/Main/TC_Tambah_Produk_Pilihan

Description Test case produk pilihan tambah keranjang produk pilihan

Tag

Start 2023-07-28 15:59:19 End 2023-07-28 16:00:02

Elapsed 42.389s Status FAILED

Details

Description Elapsed Status

TC_Tambah_Produk_Pilihan

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Produk Pilihan/TC_Cek_Produk_Pilihan"), [:], STOP_ON_FAILURE)	41.890s	FAILED
	Unable to call Test Case 'Test Cases/Produk Pilihan/TC_Cek_Produk_Pilihan' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Produk Pilihan/TC_Cek_Produk_Pilihan' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase		
	(CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute		
	(CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.groovy:334)		
	at TC_Tambah_Produk_Pilihan.run(TC_Tambah_Produk_Pilihan:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:151)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1690534599121.run(TempTestSuite1690534599121.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Object Object Page 1 to 1/2 of the Pilitary (Page 1 to 1/2) of the Pilitary (Page 1 to		
	Repository/Produk Pilihan/Produk Pilihan Tango not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:39)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.doCall(TapKeyword.groovy:79)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call (TapKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	at com.kms.katalon.core.mobile.keyword.internat.wobile.keywordwain.		

runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.

TC_Tambah_Produk_Pilihan

Status

```
Description
                                                                                      Elapsed
groovy:84)
         at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
(TapKeyword.groovy:68)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap
(MobileBuiltInKeywords.groovy:1490)
         at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$2.call
(Unknown Source)
         at TC_Cek_Produk_Pilihan.run(TC_Cek_Produk_Pilihan:28)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         java:448)
         at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:439)
         at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
(TestCaseExecutor.java:410)
```

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.

 $at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:$

CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

at com.kms.katalon.core.keyword.builtin.

java:285)

... 20 more

142)

TC_Share_Produk_Pilihan

Information

ID Test Cases/Produk Pilihan/Main/TC_Share_Produk_Pilihan

Description Test case Produk Pilihan cek produk sejenis

Tag

Start 2023-07-28 16:00:02 End 2023-07-28 16:00:44

Elapsed 41.992s Status FAILED

Details

Description Elapsed Status

TC_Share_Produk_Pilihan

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Produk Pilihan/TC_Cek_Produk_Pilihan"), [:], STOP_ON_FAILURE)	41.722s	FAILED
	Unable to call Test Case 'Test Cases/Produk Pilihan/TC_Cek_Produk_Pilihan' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Produk Pilihan/TC_Cek_Produk_Pilihan' failed at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin.		
	CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:74) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)		
	at TC_Share_Produk_Pilihan.run(TC_Share_Produk_Pilihan:21) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:151) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1690534599121.run(TempTestSuite1690534599121.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Object Object		
	Repository/Produk Pilihan/Produk Pilihan Tango not found at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:39) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed (MobileKeywordMain.groovy:40)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1. doCall(TapKeyword.groovy:79)		
	at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword\$_tap_closure1.call (TapKeyword.groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		

runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.

TC_Share_Produk_Pilihan

Status

```
Description
                                                                                      Elapsed
groovy:84)
         at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute
(TapKeyword.groovy:68)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.mobile.keyword.MobileBuiltlnKeywords.tap
(MobileBuiltInKeywords.groovy:1490)
         at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$2.call
(Unknown Source)
         at TC_Cek_Produk_Pilihan.run(TC_Cek_Produk_Pilihan:28)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         java:448)
         at\ com. kms. katalon. core. main. Test Case Executor. do Execute (Test Case Executor.)
java:439)
         at\ com. kms. katalon. core. main. Test Case Executor. process Execution Phase
(TestCaseExecutor.java:418)
         at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
```

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.

 $at\ com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:$

CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

(TestCaseExecutor.java:410)

... 20 more

at com.kms.katalon.core.keyword.builtin.

java:285)

142)