ordergroup

ACCEPTED · 2026-10-14

DISCOVERY FINDINGS

Knowledge Quiz

Findings accepted by the client — binding for the work that follows

CLIENT	ISSUED	VERSION
Order Group (internal)	2026-10-14	cc58629

00

Document record

PROJECT

Knowledge Quiz

CLIENT

Order Group (internal)

ISSUED

2026-10-14

ACCEPTED

2026-10-14

VERSION

cc58629

ANALYSIS LED BY

Maciej

DOCUMENT SCOPE

5 topics · 65 findings · 3 assumptions to confirm

What accepting this means

> The client has accepted this document. The findings are binding: the requirements, the split of work and the estimate rest on these and on nothing else. Changing any of them now takes a separate agreement with the client.

How to read this document

Every finding carries a number, for example **DSC-03-04**. The number is permanent and points at exactly one sentence — when you send remarks, please quote the number instead of describing where in the text it sits.

The findings are copied word for word. What you read here is exactly what the requirements and the estimate will be built on.

Sentences marked with an **Assumption** chip are our proposed default — they hold until you correct them. They are also gathered in a section of their own at the end.

Marks beginning with **SRC** point at a specific item in the material we worked from. That material is listed at the end of the document, and wherever a finding cites an item outright, the item's text is quoted underneath it.

Contents

01 _ Overview and goals

02 _ Actors

03 _ Glossary

04 _ Scope

05 _ Users, technology and data

06 _ E-ink UI and non-functional requirements

07 _ Age categories

08 _ Question cards

09 _ Question content

10 _ Assumptions to confirm

01

Overview and goals

Why this system is being built, and how we will know it worked.

A quiz app for the Mudita Kompakt E-ink phone that a parent and a child aged 3–5 play together like a deck of question cards: pick an age, read a question, touch to reveal the answer, move on. It works fully offline, in Polish and English. It is an internal Order Group initiative, built by the og plugin's autonomous delivery loop.

Goals

G1 _	From launch, the first answer is on screen after two touches — one to pick a category, one to reveal.
G2 _	Each of the three categories holds 50 questions in Polish and English, all reviewed by the product owner before release.
G3 _	On the Mudita Kompakt the core scenario runs without animation; the answer appears within 1 s of a touch and the category screen within 3 s of launch.
G4 _	Every story is delivered by the delivery loop with its unit and e2e tests green on the emulator.

02

Actors

The roles the whole specification speaks in. Every requirement names one of them.

ACTOR	WHO THEY ARE	HOW THEY SIGN IN	ACCESS, IN SHORT
Parent	The adult playing with the child; reads questions aloud and leads the game	No sign-in	The whole app: categories, cards, language switch
Child	A child aged 3–5 playing with the parent; may tap through the cards themselves	No sign-in	The whole app, same as the parent

03

Glossary

Terms with one fixed meaning across the project.

TERM	MEANS EXACTLY
Age category	A group of questions for children of a given minimum age; v1 has 3+, 4+ and 5+
Card	One question with its single correct answer, shown alone on the screen
Deck	All cards of one age category, in the shuffled order the app goes through without repeats
Reveal	The touch on a card that shows the answer below the question
Continue entry	The entry above the category list that returns to the last-used category at its next unseen card
End card	The card shown after the last card of a deck, offering a new shuffle or the categories
Content	The questions, answers and illustrations shipped inside the app, in Polish and English
E-ink	The black-and-white electronic-paper screen of the Mudita Kompakt, with slow refresh
Delivery loop	The og plugin's autonomous delivery process (**/og:deliver**) that builds the stories

04

Scope

What we deliver and — just as important — what we deliberately do not.

In scope

- Age categories — the opening screen: choosing one of the three categories, the continue entry above a fixed list, a list driven by data.
- Question cards — the deck: one card at a time, reveal on touch, shuffled without repeats with the position remembered, the end card, the way back to the categories.
- Question content — 150 questions (50 per category) in Polish and English, optional black-and-white illustrations, a data structure open to additions, the in-app language switch.

Out of scope

- Answer choices (A/B/C), scoring, ranking, achievements, gamification or any tracking of the child's results.
- User accounts, sign-in or child profiles.
- A backend, CMS or API; downloading or updating content online; sync between devices.
- Analytics, crash reporting or any other network call.
- Distribution through an app store.
- Devices other than the Mudita Kompakt — tablets, iOS, web.
- Greys, system font scaling or screen-reader support.
- Visual parity with Mudita's own apps, or tracking changes to the Mindful Design site.
- A separate UI design step, post-release support, a security audit or load testing.
- Separate, culturally adapted decks per language.

05

Users, technology and data DSC-01 · CROSS-CUTTING

Who uses the app and in what setting, the platform and stack constraints the sources impose, where data lives (locally, no backend), and what the MVP explicitly leaves out (accounts, sync, CMS). Visual and device constraints are **DSC-02**; the content itself is **DSC-05**.

DSC-01-01 _	The app is used by a parent and a child together; the parent leads — presents or reads each question and reveals the answer.
DSC-01-02 _	The app targets Android devices with an E-ink screen; no other platform is part of the MVP.
DSC-01-03 _	The MVP works entirely on the device: no backend, no API, no content downloaded from the Internet.
DSC-01-04 _	There are no user accounts or sign-in of any kind; whoever holds the device uses the app.
DSC-01-05 _	Nothing about the child is stored or shared: no child profiles, no statistics, no sync between devices.
DSC-01-06 _	The app is built in React Native with Expo, starting from the company boilerplate **ordergroup/boilerplate-react-native-expo**.
DSC-01-07 _	The app is an internal Order Group initiative; its author is the product owner and makes the scope decisions.
DSC-01-08 _	The MVP has no deadline.
DSC-01-09 _	The app is implemented through the og plugin's autonomous delivery loop.
DSC-01-10 _	Either the parent or the child may operate the device.
DSC-01-11 _	The MVP is exactly what the MVP brief and its supplement describe; anything else is out.

DSC-01-12 _	The app makes no network calls: no analytics and no crash reporting.
DSC-01-13 _	The MVP is distributed as an APK installed directly on the device, not through an app store.
DSC-01-14 _	Upgrading the boilerplate to the latest React Native, Expo and packages is the first piece of work and part of the scope.
DSC-01-15 _	The component library is the tech lead's choice, measured against the E-ink requirements and Mudita Mindful Design.
DSC-01-16 _	The delivery is code with automated tests; there is no separate UI design step and no post-release support.
DSC-01-17 _	The MVP is accepted by the product owner running the core scenario on a real E-ink device.
DSC-01-18 _	The repository lives in the Order Group GitHub organisation; Maciej owns its access and the release signing key; there is no hosting.

06

E-ink UI and non-functional requirements DSC-02 · CROSS-CUTTING

The constraints every screen obeys because the app runs on an E-ink display: contrast, palette, element size, refresh behaviour, navigation simplicity, and the Mudita design references that will detail them. Also the technical checklist (devices, accessibility, performance, security, privacy).

DSC-02-01 _	Every screen is designed for an E-ink display first.
DSC-02-02 _	The interface is high-contrast and monochrome.
DSC-02-03 _	Text and touch targets are large enough for both a parent and a small child to read and hit.
DSC-02-04 _	Nothing animates: the screen changes only when its content changes, and unnecessary refreshes are avoided.
DSC-02-05 _	The app has few screens and a flat, simple navigation.
DSC-02-06 _	Mudita Mindful Design and MMD are an inspiration: the app follows their interaction patterns and visual language without being a 1:1 copy; the E-ink requirements of the MVP brief are the binding bar.
DSC-02-07 _	MMD's Kotlin code is not reused; it is a pattern to model on.
DSC-02-08 _	Only black and white are used — no greys.
DSC-02-09 _	The MVP does not support system font scaling or a screen reader.
DSC-02-10 _	The Mudita Kompakt is the only device the app is built for and accepted on, and it is tested manually.
DSC-02-11 _	The app supports Android 12 and newer — the version the Kompakt runs.

DSC-02-12 _	On the Kompakt the answer appears within 1 s of a tap and the category screen within 3 s of launch. **ASSUMPTION** Q26
DSC-02-13 _	There is no security audit in the MVP.
DSC-02-14 _	The app processes no personal data, so no regulation-specific work is needed.
DSC-02-15 _	Every story ships with unit and e2e tests; the MVP is accepted manually on the Kompakt; there is no load testing.
DSC-02-16 _	The design assumes the Kompakt's screen refreshes at about 10 Hz.
DSC-02-17 _	Element sizes are set by judgement, with no hard numeric minimum, and are judged on the Kompakt.
DSC-02-18 _	The delivery loop verifies each story on an Android emulator; the Kompakt is checked by hand.

07

Age categories

DSC-03 · BUSINESS AREA

The screen the app opens on: choosing an age category, how the last-used one is offered, and how the set of categories can grow later. Ends where the chosen category hands over to the question cards (**DSC-04**); what content a category holds is **DSC-05**.

DSC-03-01 _	The app always opens on the age-category screen.
DSC-03-02 _	The list of categories is driven by the app's data, so adding a category later needs no screen redesign.
DSC-03-03 _	New categories and questions arrive only with a new app version; nothing is updated online.
DSC-03-04 _	Choosing a category starts the question cards of that category.
DSC-03-05 _	Version 1 has exactly three categories: 3+, 4+ and 5+.
DSC-03-06 _	The last-used category is remembered after the app is closed and offered as a separate entry above the full list, which keeps a fixed order.
DSC-03-07 _	On the very first launch there is no such entry, only the list of categories. **ASSUMPTION** Q27

08

Question cards DSC-04 · BUSINESS AREA

The quiz itself as a deck of cards: one question at a time, a tap reveals the answer, the next interaction moves on. Includes what the MVP deliberately does not do on this screen (choosing answers, scoring, tracking). Starts once a category is chosen (DSC-03); the questions' wording and volume are DSC-05.

DSC-04-01 _	One question is shown at a time, filling as much of the screen as possible, readable for both parent and child.
DSC-04-02 _	Each card has two states: first the question alone, then with its correct answer revealed.
DSC-04-03 _	A touch reveals the answer; the next interaction moves on to the next card.
DSC-04-04 _	It is a deck of cards, not a test: no answer choices, scoring, ranking or tracking of the child's results.
DSC-04-05 _	The whole MVP is one loop: choose an age, see a question, ask the child, touch, see the answer, next question.
DSC-04-06 _	Each category's questions are shuffled once and shown without repeats.
DSC-04-07 _	The position in each category is remembered after the app is closed, and continuing resumes at the next unseen question.
DSC-04-08 _	When a category runs out, an end card offers to start it again in a new order or to go back to the categories.
DSC-04-09 _	The whole card responds to a touch, and the answer appears below the question, which stays on screen.
DSC-04-10 _	The user returns to the categories with the Android back action or a small visible control kept clear of the card's tap area.

09

Question content

DSC-05 · BUSINESS AREA

The questions and answers themselves: their character, how they match the child's age, that they ship inside the app, and that their structure lets more questions and categories be added later. Who writes and checks them is part of this topic. How they are displayed is **DSC-04**.

DSC-05-01 _	The questions are educational, popular-science, nature-related and trivia.
DSC-05-02 _	Each question's difficulty matches its age category.
DSC-05-03 _	Questions and answers ship inside the app.
DSC-05-04 _	Content is kept in a structure where adding questions or categories is a change of data, not of the app's screens.
DSC-05-05 _	Every question has exactly one correct answer.
DSC-05-06 _	AI writes the questions and answers within the delivery loop and checks that each suits its age category.
DSC-05-07 _	The product owner reviews all the content once the loop has finished, before release.
DSC-05-08 _	Each category has 50 questions, 150 in total.
DSC-05-09 _	Some questions carry a pure black-and-white illustration, AI-generated, only where a picture helps.
DSC-05-10 _	The app and its content exist in Polish and English, with the same questions in both.
DSC-05-11 _	The language is chosen with a switch inside the app.
DSC-05-12 _	The switch sits on the category screen, the first launch follows the device language (Polish, otherwise English), and the choice is remembered. **ASSUMPTION** Q28

10

Assumptions to confirm

The points where we took a default, or are waiting on your decision.

We took a default — please confirm

Q26 _

How fast must the app respond on the Kompakt?(TQ05, **DSC-02-12**)

Our proposal: the answer appears within 1 s of a tap; the category screen appears within 3 s of launch

Q27 _

What does the category screen show the very first time the app is opened, before any category has been used?

Our proposal: no continue entry, just the list of categories

Q28 _

Where is the language switch, and which language does the app start in?

Our proposal: the switch is on the category screen; on first launch the app uses Polish if the device is set to Polish, otherwise English; the choice is remembered