


Domain: <https://smartvps.store/>

Please note all apis are secure with basic auth. You need to pass authorization token which you can generate using your username:password



1. Start VPS API:

API Endpoint: `api/ocean/start`

Params: ip (type string)

Postman CURL:

```
curl --location 'domain/api/ocean/start' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Basic yourtoken' \  
--data '{ "ip" : "192.168.1.1" }'
```

Response you will receive the string status.

2. Stop VPS API:

API Endpoint: `api/ocean/stop`

Params: ip (type string)

Postman CURL:

```
curl --location 'domain/api/ocean/start' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Basic yourtoken' \  
--data '{ "ip" : "192.168.1.1" }'
```

Response you will receive the string status.

3. Format VPS API:

API Endpoint: api/ocean/stop

Params: ip (type string)

Postman CURL:

```
curl --location 'domain/api/ocean/format' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Basic yourtoken' \  
--data '{ "ip" : "192.168.1.1" }'
```

Response you will receive the string status.

4. VPS status API

API Endpoint: api/ocean/status

Params: ip (type string)

Postman CURL:

```
curl --location 'domain/api/ocean/format' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Basic yourtoken' \  
--data '{ "ip" : "192.168.1.1" }'
```

Response you will receive the string status.

5. VPS change os API

API Endpoint: api/ocean/changeos

Params: ip (type string) and os string

for os possible value:

For Windows: 2012, 2016, 2019, 2022, 11 , For Linux: centos, ubuntu

Postman CURL:

```
curl --location 'domain/api/ocean/format' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Basic yourtoken' \  
--data '{ "ip" : "192.168.1.1" }'
```

Response you will receive the string status.

6. VPS ipstock API

API Endpoint: api/ocean/ipstock

Postman CURL:

```
curl --location 'domain/api/oceansmart/ipstock' \  
--header 'Authorization: Basic yourtoken'
```

Response you will receive the json object as string.

7. VPS Buy API

Please Note: First you need to call ipstock api to get the available ip and then call this api to buy the vps.

API Endpoint: api/ocean/buyvps

Params: ip (type string)

Postman CURL:

```
curl --location 'domain/api/ocean/buyvps' \  
--header 'Content-Type: application/json' \  
--header 'Authorization: Basic yourtoken' \  
--data '{"ip": "192.168" "ram": "4"}'
```

Response you will receive the string status.