OceanLinux

Reseller API Documentation

Partner Integration Guide | Version 1.0 | June 2025

Integrate VPS hosting into your website or billing panel.
Buy servers, manage power, sync credentials, and renew — all via REST API.

1. Base URL & Authentication

Base URL: https://oceanlinux.com/api/v1/reseller

Required headers on EVERY request:

```
x-api-key:    rz_YOUR_API_KEY
x-api-secret: sec_YOUR_API_SECRET
```

IMPORTANT: Never expose API Secret in frontend JavaScript. Call API from backend only.

2. Quick Start Flow

GET /products !’ Stock + your prices
POST /orders !’ Buy server
GET /orders/{orderId} !’ IP + password (poll 15 sec)
GET /orders/{orderId}/status !’ Online / offline
POST /orders/manage !’ Start / stop / restart / reinstall
POST /orders/{orderId}/sync !’ Sync IP, password, validity
POST /orders/{orderId}/renew !’ Renew service

3. Account & Wallet

GET /account — business info, balance, totalRecharged, totalSpent, totalOrders
GET /wallet — balance + transaction history with rates

4. Products

GET /products — all products with YOUR custom prices
GET /products?id=PRODUCT_ID — single product
"price" = your rate | "basePrice" = reference only

5. Buy Server — POST /orders

```
{
  "productId": "65a1b2c3...",
  "memoryOption": "4GB",
  "userEmail": "customer@yourdomain.com",
  "os": "Ubuntu 22"
}
```

OS: Ubuntu 22 | CentOS 7 | Windows 2022 64. Poll GET /orders/{id} until IP + password ready (2-5 min).

6. Orders

GET /orders — list all orders with price, IP, credentials
GET /orders/{orderId} — detail + management.supportedActions

7. Status — GET /orders/{orderId}/status

```
{ "online": true, "powerState": "running" }
```

running = ON | stopped = OFF (same as OceanLinux panel)

8. Sync — POST /orders/{orderId}/sync

Pull latest IP, username, password, validity from OceanLinux.
Use after reinstall or credential change.

```
{
  "ipAddress": "103.179.xx.xx",
  "username": "root",
  "password": "NewPass123",
  "validity": {
    "expiryDate": "2025-08-20T00:00:00.000Z",
    "daysRemaining": 28,
    "status": "active"
  }
}
```

9. Manage — POST /orders/manage

```
{ "orderId": "65b...", "action": "start" }
```

Actions:

start | stop | restart | status | sync
reinstall — format/rebuild (osType: ubuntu/centos/windows)
changeos — change OS (SmartVPS products)
After reinstall: wait 3-5 min !’ POST /orders/{id}/sync for new password.

10. Renew

GET /orders/{orderId}/renew — check price & eligibility
POST /orders/{orderId}/renew — wallet deduct + extend expiry

11. Error Codes

200 Success | 201 Order created | 401 Invalid credentials
402 Insufficient balance | 403 Suspended | 404 Not found | 409 Out of stock

12. cURL Examples

Buy server

```
curl -X POST "https://oceanlinux.com/api/v1/reseller/orders" \
  -H "x-api-key: rz_YOUR_KEY" \
  -H "x-api-secret: sec_YOUR_SECRET" \
  -H "Content-Type: application/json" \
  -d '{"productId":"ID","memoryOption":"4GB","userEmail":"client@mail.com"}'
```

Check status

```
curl "https://oceanlinux.com/api/v1/reseller/orders/ORDER_ID/status" \
  -H "x-api-key: rz_YOUR_KEY" \
  -H "x-api-secret: sec_YOUR_SECRET"
```

Sync credentials

```
curl -X POST "https://oceanlinux.com/api/v1/reseller/orders/ORDER_ID/sync" \
  -H "x-api-key: rz_YOUR_KEY" \
  -H "x-api-secret: sec_YOUR_SECRET"
```

Stop server

```
curl -X POST "https://oceanlinux.com/api/v1/reseller/orders/manage" \
  -H "x-api-key: rz_YOUR_KEY" \
  -H "x-api-secret: sec_YOUR_SECRET" \
  -H "Content-Type: application/json" \
  -d '{"orderId":"ORDER_ID","action":"stop"}'
```

Support

Email: support@oceanlinux.com

© OceanLinux — Reseller Partner API v1.0