PMAS-Arid Agriculture University Rawalpindi University Institute of Information Technology Quiz #: 01 Student Name: Zaheer Akbal Reg. #: 21-Arid-684 Course Code: Marks: Class: BSCS (Even) SA Student's Signature: Teacher's Signature: Vs , Tava (compilation (5) (5) writter

if pencer as contructor.

Methods can be defined as proger

is writter is seen

PMAS-Arid Agriculture University Rawalpindi University Institute of Information Technology Quiz #: Student Name: Junaid Ahmed Marks: Course Code: Class: BSCS 5-A (Eve) Reg. #: 21- Asid -583 Student's Signature: Junaid Teacher's Signature:

DI

10

21-A-544 T 155 CS S-A PUZ#1 7 1 Diffrentiate 6/w private, public and protected 30 110 · Private members are only accessible within the class TIN · Public members are accessible from any part -All of the program both within and outside the class

Protected members are accessible within the class
where they are defined and in subclasses

(inheritors) of that class. 1 1 1 JDK, JRE, JVM, Byte Coda -1 10 JDK is a software package containing tools for Java application development including a compiler, debugger and libraries JVM (Java Virtual Maghine) is an execution 10 environment for Java by the code, translating and 4 running Java program on diffrent platforms JRG (Java Runtime Environment) is an environment that allows running Java applications
It includes JVM and core libraries XI -1 Byte code ! Its an intermediate representation of Java cale, executed by the JVM 70 making Java, platform independent 3 U 0 11 a (8)