Subject index

acceleration
  fluid particle, 47
action, 98
adiabatic law, 148
Airy, G. B., 399
amplitude parameter, 27
asymptotic expansion, 35
  breakdown/non-uniformity, 37, 57
  gauge function, 36
  matching principle, 38, 57
  multiple scales, 43
  near-field/far-field, 41, 57, 58
  order notation, 36
  stationary phase, 76, 181, 186
  strained coordinates, 42
attenuation
  of solitary wave, 365, 374
averaged Lagrangian, 114, 181

barotropic fluid, 51
Benjamin-Feir instability
  of Stokes wave, 336
Bernoulli, D., 399
Bernoulli's equation, 11
Bessel equation, 82
Bessel, F. W., 399
Bessel function, 67, 75, 76
bi- (bound) soliton
  of NLS equation, 321, 322, 350, 351
bilinear form of
  2D KdV equation, 240
  Boussinesq equation, 243
  cKdV equation, 243, 291
  DS equations for long waves, 325, 350
  KdV equation, 236
  N-soliton of KdV equation, 240
  NLS equation, 318, 349
  solitary wave of KdV equation, 237
  two-soliton of KdV equation, 239
  two-soliton of NLS equation, 320
bilinear method, 234
  for KdV equation, 235
  for NLS equation, 318
bilinear operator 236
  properties, 237, 290
body force, 5
bore, 156
  energy loss, 161, 375 376, 384
  Froude number, 196, 384
  jump condition, 157, 159, 160
  Rankine–Hugoniot conditions, 159, 160
  reflection at a wall, 197
  undular, 162, 374, 378
bottom boundary condition, 14, 18
  viscous, 357, 397
bound (bi-) soliton
  of NLS equation, 321, 322, 350, 351
boundary conditions
  bottom, 14, 18
  dynamic, 14, 15
  kinematic, 14
  surface tension, 16
  viscous fluid, 357, 397
  water waves, general, 13
boundary layer
  model equation, 387, 388
boundary layer (viscous)
  and KdV equation, 372
  under solitary wave, 367, 370, 373
bounded (compact) support, 32
Boussinesq equation, 216, 219
  bilinear form, 243
  conservation laws, 250, 293
  conserved quantities, 293
  solitary-wave solution, 286
  standard form, 287
  two-soliton solution, 291
Boussinesq, J., 399
breaking of waves, 35, 85, 157, 170, 196

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

Bretherton's equation, 59
bubble model, 53
Burgers equation, 60, 378
Burns condition (integral), 257, 261, 294, 295, 380
  generalised, 266, 339

capillary wave
  group speed, 75
  ship-wave pattern, 195
  speed, 64
Cartesian (rectangular) coordinates, 3
Cauchy, A-L., 399
Cauchy principal value, 262
Cauchy problem (wave equations), 32, 39
Cauchy-Riemann relations, 52
caustic, 104, 116
characteristic
  variables, 32
characteristics
  method of, 34
  shallow water equations, 149
  variable depth, 191
circular hydraulic jump, 197
circulation
  solitary wave, 177, 199
cKdV equation
  see concentric KdV equation
cnoidal wave, 176, 199
compact (bounded) support, 32
completely integrable equations
  see also soliton theory, 201, 223
completely integrable system, 249
complex potential, 52
complex velocity, 52
concentric (c)KdV equation, 211
  bilinear form, 243, 291
  conservation laws, 250, 293
  conserved densities, 293
  general solution, 233
  solitary-wave solution, 290
concentric wave, 66, 187
  deep water, 75, 187
conservation laws
  an infinity of, 249
  energy, 20, 245, 292
  for 2D KdV equation, 251
  for Boussinesq equation, 250, 293
  for cKdV equation, 250, 293
  for DS equations, 329, 352
  for KdV equation, 247, 292, 293
  for NLS equation, 325, 351
  for shallow water equations, 252, 294
  Hamiltonian system, 249
  in soliton theory, 243
  mass, 3, 4, 19, 244, 327
  momentum, 7, 246
  two-dimensional NLS equation, 352
  variable-depth KdV equation, 296
conservative force field, 10
conserved density/quantity, 245, 246
  for Boussinesq equation, 293
  for cKdV equation, 293
  for KdV equation, 292
constant of the motion, 246
continuity equation, 4
continuum hypothesis, 3
convective derivative, 5
coordinates
  cylindrical, 8, 13
  rectangular Cartesian, 3, 8, 13
critical level (layer), 257, 295
crossing waves
  see oblique waves
cubic Schrödinger equation
  see Nonlinear Schrödinger equation
curl of a vector field, 9
cylindrical coordinates, 8, 13
cylindrical KdV equation
  see concentric (c)KdV
cylindrical tank
  waves in, 187
cylindrical wave
  see concentric wave, 66

D'Alembert, J., 400
D'Alembert's solution (wave equation), 32, 56
dam-break problem, 151
damping
  of gravity waves, 360
Davey–Stewartson (DS) equations, 305, 307
  and stability of Stokes wave, 336
  bilinear form for long waves, 325, 350
  conservation laws, 329, 352
  for long waves, 323
  into NLS equation, 350
  long/short wave limits, 346
  matching to 2D KdV equation, 347
  solitary-wave solution, 350
del operator, 4
density
  conserved, 245
  fluid, 3
derivative
  convective, 5
  material, 5
Descartes, R., 400
differentiation under the integral, 4, 53, 54
dispersion, 33
dispersion relation, 33, 56
  gravity waves with viscosity, 362, 387

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

dispersion relation (*cont.*)
plane waves, constant depth, 64
with viscosity and surface tension, 387
dissipation (damping), 34, 363, 364
divergence of a vector field, 4
divergence theorem, 4
diverging wave system (ship waves), 130, 132
DS equations
see Davey–Stewartson equations
DS equations (long waves), 323
bilinear form, 325, 350
solitary-wave solution, 325, 351
Duhamel's method, 371, 389
dynamic boundary condition, 14, 15, 55
dynamic wave, 381

edge waves, 90
with oblique waves, 192
eigenvalue, 86
eikonal equation, 99, 192
elliptic functions, 198
elliptic integrals, 198
energy, 23, 190, 191
conservation law, 20, 245, 292
propagation, 73
solitary wave, 177
speed of propagation, 73
energy equation, 20, 54, 98, 113, 160
energy flux, 23, 190, 191
energy loss
bore/hydraulic jump, 161
envelope (caustic), 104, 116
equation
Bernoulli, 11
Bessel, 82
Boussinesq, 216, 219
Bretherton's, 59
Burgers, 60
classical wave, 31, 56
completely integrable, 201
concentric KdV, 211, 214
continuity, 4
eikonal, 99, 192
energy, 20, 54, 98, 113, 160
Euler, 5, 8, 49
Gel'fand–Levitan, 225, 226
Helmholtz's, 50
Johnson's *see* ncKdV
Korteweg–de Vries, 42, 58, 174, 204, 208
KP *see* two-dimensional KdV
Laplace, 12, 13
linearised, 30
linearised shallow water, 80
long wave, 30
Marchenko, 225, 226
mass conservation, 3, 4
mass conservation integral, 19
Navier–Stokes, 5, 393
nearly-concentric (nc)KdV, 214, 216
Newton's second law, 7
Nonlinear Schrödinger, 45, 58, 298, 304
Painlevé, 224, 286
pressure (unsteady Bernoulli), 12
ray, 193
shallow water, 147
two-dimensional KdV, 209, 211
Euler, L., 400
Euler's equation, 5, 8, 49
Eulerian description, 48
expansion fan, 152

Faddeev condition, 226
far-field/near-field, 41, 57, 58, 206
Fermat, P. de, 400
Fermat's principle, 193
flow
incompressible, 5, 48, 49
inviscid, 5
irrotational, 9, 52, 56
steady, 11
viscous, 5, 393
fluid
barotropic, 51
inviscid, 5
particle acceleration, 47
viscous, 5, 393
flux
conservation law, 245
force
body, 5
conservative, 10
gravity, 6
local (short-range), 5
normal, 6
pressure, 6
Fourier representation
modulated wave, 345
Fredholm alternative, 96
Fredholm, E. I., 400
Froude number, 162, 379, 384
bore/hydaulic jump, 196
Froude, W., 400
fully developed flow, 378

Gauss, K. F., 400
Gauss' theorem, 4
Gaussian curvature, 17
Gel'fand–Levitan equation
also see Marchenko equation, 225, 226
generalised Burns condition, 266, 295, 339

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

generalised NLS equation, 349
geometrical optics, theory of, 93
gradient vector, 11
gravity, 10
gravity wave
  group speed/velocity, 64, 65
  linearised on constant slope, 85
  nonlinear on constant slope, 162
  speed (phase), 64, 65
  with viscosity, 360
Green, G., 401
Green's formula, 96
Green's law, 84, 104, 191, 272
group speed velocity, 33, 44, 189
  capillary wave, 75
  for shear flow, 339, 354
  gravity wave, 74, 75
  harmonic wave, 69, 72
  in NLS equation, 302
group velocity vector, 98, 192

Hamilton, W. R., 401
Hamiltonian flow, 249
Hamiltonian mechanics, 224
Hamiltonian system, 249
Hankel, H., 401
Hankel transform, 67
harmonic solution, 33
  plane waves, constant depth, 62
harmonic terms, 44
harmonic wave, 33
  group speed velocity, 69, 72
  particle path, 67
  phase speed, 64
Heaviside, O., 401
Helmholtz, H. von, 401
Helmholtz's equation, 50
higher harmonics, 301
highest wave
  Stokes, 169, 197
Hirota's bilinear method
  see under bilinear, 234
historical notes, 399
hodograph transformation, 153, 182
  Jacobian, 154
Hugoniot, P. H., 401
hydraulic jump, 156
  circular, 197
  energy loss, 161
  Froude number, 162, 196
  jump condition, 157, 159, 160
  Rankine–Hugoniot condition, 159, 160
  shooting flow, 162
  subcritical flow, 162
  supercritical flow, 162
  tranquil flow, 162
hydrostatic pressure, 49

implicit solution
  nonlinear waves, 56
impulse, 118, 123
impulsive pressure, 124
incompressible flow, 5, 48, 49
influence points, 128, 194
instability
  Benjamin–Feir (Stokes wave), 336
integral equation
  see Marchenko equation
invariant
  Riemann, 149
inverse scattering transform theory
  see soliton theory
inviscid flow, 5
irrotational flow, 9, 52, 56

Jacobi, K. G. J., 401
Jacobian, 154
Jacobian elliptic functions, 198
Johnson's equation
  see nearly concentric (nc)KdV
jump condition
  bore/hydraulic jump, 157, 159, 160

Kadomtsev–Petviashvili (KP) equation
  see two-dimensional KdV
Kelvin, Lord, 402
Kelvin's method of stationary phase, 186
Kelvin–Helmholtz instability, 185
kinematic boundary condition, 14
kinematic condition, 52
kinematic wave, 381
Korteweg–de Vries (KdV) equation
  bilinear form, 236
  bilinear method, 235
  centre of mass property, 292
  cnoidal wave, 176
  concentric, 211, 214
  conservation laws, 247
  conserved densities, 292
  derivation, 204
  derivation/far-field, 206
  for shear flow, 255, 261
  for variable depth, 268, 272
  for variable depth, fast, 274
  for variable depth, slow, 274
  for water waves, 208
  general solution, 225
  introduction, 42, 57, 58
  matching to NLS equation, 308
  N-soliton solution, 231

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

Korteweg–de Vries (KdV) equation (*cont.*)
nearly-concentric, 214, 216
rational solution, 286
scaling transformation, 285
sech^2 solution, 174
similarity solution, 286
solitary-wave solution, 226
three-soliton solution, 241, 288
two-dimensional, 209, 211
two-soliton solution, 228, 230, 231
water-wave introduction, 172, 174
with boundary-layer term, 372, 390
with surface tension, 285
Korteweg–de Vries family of equations
matching to near-field, 221
transformations between, 219
Korteweg–de Vries–Burgers equation, 383
steady solution, 384, 391
Kronecker, L., 402

Lagrange, J. L., 402
Lagrangian
averaged, 114, 181
Lagrangian description, 48
Lagrangian function, 199
Laguerre, E., 402
Laguerre polynomials, 92
Lamb, H., 402
Laplace, P. S., 402
Laplace's equation, 12, 13, 183, 192
Laplace's formula (surface tension), 17
linear integral equation, 225
linear momentum, 5, 7
linear scattering problem, 224
linearised equation, 30
linearised shallow water equations, 80
local (short-range) force, 5
long wave equation, 30
long wavelength parameter, 26

Ma solitary wave
into rational-cum-oscillatory solution, 348
of NLS equation, 315, 317, 348
Mach angle, 122
Mach, E., 402
Mach number, 162
Marchenko equation, 225, 226
separable, 228
mass
solitary wave, 177
mass conservation equation, 3, 4, 19, 244, 327
integral form, 19
mass flux
Stokes wave, 146, 191
matching
between DS and 2D KdV equations, 347
between NLS and KdV equations, 308
to near-field, 221
matching principle, 38, 57
material derivative, 5, 47, 48
mean drift, 191, 332, 346, 354
method of characteristics, 34, 56
method of steepest descent, 77
modulated wave
Fourier representation, 345
momentum, 5, 7
multiple scales, 43
ray theory (varying current), 108
ray theory (varying depth), 94

N-soliton solution
of KdV equation, 231
of KdV equation, bilinear form, 240
of NLS equation, 317
Navier, C. L. M. H., 402
Navier-Stokes equation, 5, 393
ncKdV equation
see nearly-concentric KdV equation
near-field
matching for KdV equations, 221
near-field/far-field, 41, 57, 58
nearly-concentric (nc)KdV equation, 214, 216
Newton, I., 403
Newton's second law, 5, 7
NLS equation
see Nonlinear Schrödinger equation
NLS+/− equations, 312
NLS− equation
solitary-wave solution, 348
nondimensionalisation, 24, 55
Nonlinear Schrödinger (NLS) equation, 45, 58, 298, 304
bi- (bound) soliton solution, 321, 322, 350, 351
bilinear form, 318, 349
bilinear method, 318
conservation laws, 325, 351
derivation for water waves, 298
for shear flow, 337
for variable depth, 341, 355
for variable depth, fast, 343
for variable depth, slow, 355
general solution, 312, 349
generalised, 349
introduction, 58
long/short wave limits, 346
Ma solitary wave, 315, 317, 348
matching to KdV equation, 308

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

Nonlinear Schrödinger (NLS) equation (*cont.*)
  moment of inertia, 353
  N-soliton solution, 317
  rational-cum-oscillatory solution, 316, 317, 348
  similarity solution, 349
  solitary-wave solution, 313, 316, 347
  stability of Stokes wave, 332
  two-soliton solution, 320, 321, 351
nonlinear superposition principle, 240
nonlinear wave equation, 34, 56, 59
normal force, 6

oblique waves, 183, 185, 211
  nonlinear interaction, 277
  strong interaction, 281
  two-dimensional KdV equation, 211, 242, 283
  variable depth, 100
  weak interaction, 277, 279, 282
  with edge waves, 192

Painlevé equation, 224, 286
parameter
  amplitude, 27
  Froude number, 162, 196, 379, 384
  long wavelength, 26
  Reynolds number, 55, 358
  shallowness, 26
  Weber number, 27
particle path, 10, 51
  harmonic wave, 67, 183
periodic terms, 44
phase shift
  for KdV soliton solution, 232
phase speed, 33
  capillary waves, 64
  deep water, 64
  gravity waves, 64, 65
  long waves, 64
  plane waves, constant depth, 64
  ripples, 64
  shallow water, 64
  short waves, 64
plane waves, constant depth, 62
  dispersion relation, 64
  phase speed, 64
Poincaré, J. H., 403
Poiseuille channel flow, 378
position vector, 2
potential
  complex, 52
  vector, 52
potential function, 10
  velocity, 11
pressure, 2, 6
  hydrostatic, 49
  impulsive, 124
pressure equation (unsteady Bernoulli), 12

Rankine, W. J. M., 403
Rankine's vortex, 51
Rankine–Hugoniot conditions
  bore/hydraulic jump, 159, 160
rational solution
  of KdV equation, 286
rational-cum-oscillatory solution
  of NLS equation, 316, 317, 348
ray equation, 193
ray theory, 93, 181
  caustic, 104, 116
  cylindrical geometry, 105
  ship waves, 134
  slowly varying current, 108
  slowly varying depth, 94, 193, 194
Rayleigh, Lord, 403
Rayleigh–Taylor instability, 186
rectangular Cartesian coordinates, 8, 13
rectangular channel, waves in, 183
reflected wave, 83, 274
reflection at wall
  by bore, 197
resonant waves, 211, 242, 291
resonant-wave solution
  of 2D KdV equation, 291
Reynolds number, 55, 358
Reynolds, O., 403
Riemann, G. F. B., 403
Riemann invariants, 149, 182
  shallow water equations, 149
ring waves
  with shear flow, 263
ripples
  see capillary waves
roll waves, 384
run-up, 93, 196
Russell, J. S., 404
  observations, 201

scaling, 24, 28
Schrödinger, E., 404
secular terms, 44
set-down
  Stokes wave, 142, 332, 354
shallow water equations, 147, 252
  bore/hydraulic jump, 156
  characteristics, 149
  conservation laws, 252, 294
  dam-break problem, 151

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

shallow water equations (*cont.*)
hodograph transformation, 153
linearised, 80
Riemann invariants, 149
shallowness parameter, 26
shear flow
group speed/velocity, 339, 354
KdV equation, 255, 261
NLS equation, 337
ring waves, 263
stability of Stokes wave, 341
ship waves, 117, 181
capillary, 195
circular path, 195
decreasing depth, 194
deep water, 117
diverging system, 130, 132
influence points, 128, 194
point impulse, 118, 123
ray theory, 134
transverse system, 130, 132
wedge angle, 122, 194
shooting flow
hydraulic jump, 162
short-crested waves, 184
short-range force, 5
side-band instability
of Stokes wave, 336
similarity solution
of KdV equation, 286
of NLS equation, 349
simple waves, 149, 195
with shear, 195
singular solution
of ordinary differential equation, 267, 295
sloshing waves, 184, 187
slowly varying current
ray theory, 108
upwelling/down current, 110
slowly varying depth
KdV equation, 274
NLS equation, 355
ray theory, 94
Snell's law, 193
solenoidal vector, 5
solitary wave, 165
attenuation due to viscosity, 365, 374
circulation, 177, 199
for variable depth, 274, 296
impulse (momentum), 177
integral relations, 176, 199
introduction, 60
kinetic energy, 177
mass, 177
momentum (impulse), 177
of 2D KdV equation, 287, 289
of Boussinesq equation, 286
of cKdV equation, 290
of DS equations, 350
of DS equations for long waves, 325, 351
of KdV equation, 226
of KdV equation, bilinear form, 237
of NLS equation, 313, 316, 347
of NLS– equation, 348
potential energy, 177
sech^2, 171, 182, 198
speed, 166
with viscous boundary layer, 367, 370, 373
soliton
the word, 224
soliton theory
conservation laws, 243
for 2D KdV equation, 233
for cKdV equation, 233
for DS equations, 323
for KdV equation, 225
for NLS equation, 312, 349
general, 223
speed
capillary wave, 64
group, 33, 44
phase, 33
standing waves, 183
stationary phase, method of, 181, 186
application, 76
steady flow
definition, 11
steepest descent, method of, 77, 181
step
waves over, 185
Stokes mean drift, 191, 332, 346, 354
Stokes wave, 139, 181
Benjamin–Feir instability, 336
mass flux, 146, 191
mean drift, 191, 332, 346, 354
set-down, 142, 332
side-band instability, 336
stability, 332, 337
stability over shear flow, 341
Stokes, G. G., 404
Stokes' highest wave, 169, 197
stream function, 51, 52
streamline, 9, 51
stress tensor, 351
strong interaction
oblique waves, 281
subcritical flow
hydraulic jump, 162
supercritical flow
hydraulic jump, 162
surface shear stress, 367, 368, 388, 397
surface tension
boundary condition, 16

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

surface tension (*cont.*)
  Gaussian curvature, 17
  in KdV equation, 285
  Laplace's formula, 17

Taylor, G. I., 404
Taylor shock profile, 60
tensor, 352
  stress, 2, 393
tensor calculus, 352
three-soliton solution
  of KdV equation, 241, 288
tranquil flow
  hydraulic jump, 162
transformation
  2D KdV → cKdV, 220
  between KdV equations, 219
  Boussinesq → KdV, 287
  ncKdV → 2D KdV, 287
  ncKdV → KdV, 220
transverse wave system (ship waves), 130, 132
trapped waves, 90, 104
travelling wave, 60
  solitary, 60
  Taylor profile, 60
two-dimensional (2D) KdV equation, 209, 211
  bilinear form, 240
  conservation laws, 251
  general solution, 233
  matching to DS equations, 347
  resonant-wave solution, 291
  solitary-wave solution, 287, 289
  two-soliton solution, 289, 291
two-dimensional Boussinesq equation, 289
  solitary-wave solution, 289
two-dimensional NLS equation, 352
  conservation laws, 352
two-soliton solution
  from bilinear form: KdV equation, 239
  of 2D KdV equation, 289, 291
  of Boussinesq equation, 291
  of KdV equation, 228, 230, 231
  phase shift for KdV solution, 232

undular bore, 162, 374, 378
  energy loss, 375, 376, 384
  Froude number, 384
  steady model for, 376, 384
uniform stream
  waves on, 184, 185
uniqueness theorem, 54
upwelling/down current, 110

variable depth
  characteristics, 191
  conservation law, 296
  fast, for KdV equation, 274
  fast, for NLS equation, 343
  KdV equation, 268, 272
  NLS equation, 341, 355
  oblique waves, 100
  slow, for KdV equation, 274
  slow, for NLS equation, 355
  solitary wave, 296
  wave propagation, 80
variational principle, 199
vector
  position, 2
  potential, 52
  solenoidal, 5
  velocity, 2
  vorticity, 9, 11
vector calculus, 2
vector field
  curl, 9
  del operator, 4
  differential identities, 47
  divergence, 4
  divergence theorem, 4
  gradient vector, 11
  integral identities, 47
velocity
  complex, 52
  group, 98, 192
  in fluid, 2
  potential, 11, 52
viscous boundary layer
  and KdV equation, 372
  under solitary wave, 367, 370, 373
viscous flow, 5, 357, 393
vortex, 9
  Rankine's, 51
vorticity, 49, 50
vorticity vector, 9, 11

wave action, 98
wave breaking, 35, 85, 157, 170, 196
wave, dynamic, 381
wave equation, 31, 56
  Cauchy problem, 32, 39, 56
  d'Alembert's solution, 32, 56
  hierarchies, 58, 59
  nonlinear, 34, 56, 59
wave hierarchies, 58, 59, 380
wave, kinematic, 381
wave number, 33
wave, reflected, 83
waves, linear
  capillary, 64

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056

waves, linear (*cont.*)
cylindrical tank, 187
cylindrical/concentric, 66
dynamic, 381
edge waves on constant slope, 90
gravity, 64, 65
harmonic, 33, 63, 67
in rectangular channel, 183
oblique, 183, 185
oblique, variable depth, 100
on constant slope, 85, 192
on uniform stream, 184, 185
over step, 185
plane, constant depth, 62
ripples, 64
run-up, 93
ship, 117
short-crested, 184
sloshing, 184
standing, 183
trapped, 90, 104
travelling, 60
variable depth, 80
waves, nonlinear
bore, 156
cnoidal, 176
dam-break problem, 151
expansion fan, 152
harmonic, 141
hodograph transformation, 153
hydraulic jump, 156
implicit solution, 56
long, 146
mass flux, 146, 191
oblique, 209
resonant, 211, 242, 291
run-up, 196
Russell's solitary wave, 166
sech^2 solitary wave, 171
set-down, 142
simple, 149
sloping beach, 162
Stokes, 139
Stokes' highest, 169
two-dimensional, 209
weak interaction
oblique waves, 277, 279, 282
Weber number, 27
Weber, W. E., 404
wedge angle
ship waves, 122, 194

Downloaded from https://www.cambridge.org/core. National University of Singapore (NUS), on 09 Aug 2019 at 07:55:02, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511624056