Тұраш Айбек

“Логотип әзірлеу”
reactJS + Vite қосымшасы

Қосымша орындау процесі

App.jsx - LogoMakerApp - Visual Studio Code

File Edit Selection View Go Run Terminal Help

EXPLORER

LOGOMAKERAPP
- android
- dist
- node_modules
- public
- src
  - assets
  - components
  - context
  - lib
  - utils
  - App.jsx
  - global.css
  - main.jsx
- .eslintrc.cjs
- .gitignore
- capacitor.config.json U
- components.json
- index.html M
- jsconfig.json
- LICENSE
- package-lock.json M
- package.json M
- postcss.config.js
- README.md M
- tailwind.config.js
- vite.config.js M

OUTLINE

TIMELINE

index.html M | README.md M | package.json M | vite.config.js M | App.jsx | IconList.jsx

src > App.jsx > ...

```
1  import React, { useContext, useState } from "react";
2  import Header from "./components/custom/Header";
3  import SideNav from "./components/custom/SideNav";
4  import IconController from "./components/custom/IconController";
5  import BackgroundController from "./components/custom/BackgroundController";
6  import LogoPreview from "./components/custom/LogoPreview";
7  import Footer from "./components/custom/Footer";
8  import { Separator } from "./components/ui/separator";
9  import IconList from "./components/custom/IconList";
10
11 const App = () => {
12   const [activeIndex, setActiveIndex] = useState(0);
13   return (
14     <div className="w-[100vw] overflow-x-hidden">
15       <Header activeIndex={activeIndex} setActiveIndex={setActiveIndex} />
16       <div className=" grid grid-cols-1 md:grid-cols-6 ">
17         <div className="md:hidden h-[350px] w-screen overflow-scroll  p-5 ">
18           <LogoPreview />
19         </div>
20         <div className="md:col-span-3 h-[330px] md:h-screen border  shadow-sm p-5 overfl
21           <Separator className="md:hidden" />
22           {activeIndex == 0 ? <IconController /> : <BackgroundController />}
23         </div>
24         <div className="hidden md:block md:col-span-3 ">
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

bash

```
ayangali@lenovo-legion-Y530-15ICH:~/Desktop/LogoMakerApp$
```

main* 0 0 0 | Ln 10, Col 1 | Spaces: 2 | UTF-8 | LF | JavaScript JSX

Қосышаны смартфон ішінде тексеруден өткізу





Қосымшаны орнату





Қосымшаның негізгі беті



Қосымшаның негізгі беті



Логотип түсімен жұмыс ітсеу



Логотип фонының түсін өзгерту