
Laporan Praktikum 2 TCP/IP Model


Kegiatan:DNS
Nama: Sultan Nicho Rahmatulloh
NRP: 5325600002

Data Layer


Application Layer



Host-to-host layer



Internetwork Layer



Network Interface Layer

```
User Datagram Protocol, Src Port: 49670, Dst Port: 53
    Source Port: 49670
    Destination Port: 53
    Length: 45
    Checksum: 0x17d5 [unverified]
    [Checksum Status: Unverified]
    [Stream index: 534]
    [Stream Packet Number: 1]
  [Timestamps]
      [Time since first frame: 0.000000000 seconds]
      [Time since previous frame: 0.000000000 seconds]
    UDP payload (37 bytes)
```

Kegiatan:FTP

Nama: Sultan Nicho Rahmatulloh

NRP: 5325600002

```
Command Prompt - ftp newf
Microsoft Windows [Version 10.0.26200.9457]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Anis Mirna>ftp newfs.pens.ac.id
Connected to newfs.pens.ac.id.
220 ProFTPD 1.3.5b Server (newfs.eepis-its.edu) [::ffff:202.9.85.80]
200 UTF8 set to on
User (newfs.pens.ac.id:(none)): anonymous
331 Anonymous login ok, send your complete email address as your password
Password:

230-Selamat datang NEWFS PENS, user: anonymous@202.9.85.32 !
230-
230-Waktu saat ini: Tue Oct 13 05:00:25 2026
230-
230 Anonymous access granted, restrictions apply
ftp>
```

Data Layer

Application Layer

```
Frame 146029: Packet, 124 bytes on wire (992 bits), 124 bytes captured (992 bits) on interface \Device\NPF_{CCABEDEB-4943-4735-AE30-CE2704FA1F8B}, id 0
  Section number: 1
  Interface id: 0 (\Device\NPF_{CCABEDEB-4943-4735-AE30-CE2704FA1F8B})
      Interface name: \Device\NPF_{CCABEDEB-4943-4735-AE30-CE2704FA1F8B}
      Interface description: Wi-Fi
  Encapsulation type: Ethernet (1)
  Arrival Time: Oct 13, 2026 12:00:17.823450500 SE Asia Standard Time
  UTC Arrival Time: Oct 13, 2026 05:00:17.823450500 UTC
  Epoch Arrival Time: 1791867617.823450500
  [Time shift for this packet: 0.000000000 seconds]
  [Time delta from previous captured frame: 7.496100 milliseconds]
  [Time since reference or first frame: 10 minutes, 13.008979500 seconds]
  Frame Number: 146029
  Frame Length: 124 bytes (992 bits)
  Capture Length: 124 bytes (992 bits)
  [Frame is marked: False]
  [Frame is ignored: False]
  [Protocols in frame: eth:ethertype:ip:tcp:ftp]
  Character encoding: ASCII (0)
  [Coloring Rule Name: TCP]
  [Coloring Rule String: tcp]
```

Host-to-host layer

```
Ethernet II, Src: VMware_b5:55:03 (00:50:56:b5:55:03), Dst: Intel_aa:c4:bd (6c:94:66:aa:c4:bd)
  Destination: Intel_aa:c4:bd (6c:94:66:aa:c4:bd)
      .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
      .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
  Source: VMware_b5:55:03 (00:50:56:b5:55:03)
      .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
      .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 2289]
```

Internetwork Layer

```
Internet Protocol Version 4, Src: 202.9.85.80, Dst: 10.252.129.156
  0100 .... = Version: 4
  .... 0101 = Header Length: 20 bytes (5)
  Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
    0000 00.. = Differentiated Services Codepoint: Default (0)
    .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
  Total Length: 110
  Identification: 0x4a27 (18983)
  010. .... = Flags: 0x2, Don't fragment
    0... .... = Reserved bit: Not set
    .1.. .... = Don't fragment: Set
    ..0. .... = More fragments: Not set
  ...0 0000 0000 0000 = Fragment Offset: 0
  Time to Live: 63
  Protocol: TCP (6)
  Header Checksum: 0x4571 [validation disabled]
  [Header checksum status: Unverified]
  Source Address: 202.9.85.80
  Destination Address: 10.252.129.156
  [Stream index: 1607]
```


Network Interface Layer

```
Transmission Control Protocol, Src Port: 21, Dst Port: 61421, Seq: 1, Ack: 1, Len: 70
  Source Port: 21
  Destination Port: 61421
  [Stream index: 71]
  [Stream Packet Number: 4]
  [Conversation completeness: Incomplete, DATA (15)]
    ..0. .... = RST: Absent
    ...0 .... = FIN: Absent
    .... 1... = Data: Present
    .... .1.. = ACK: Present
    .... ..1. = SYN-ACK: Present
    .... ...1 = SYN: Present
    [Completeness Flags: ··DASS]
  [TCP Segment Len: 70]
  Sequence Number: 1    (relative sequence number)
  Sequence Number (raw): 347448553
  [Next Sequence Number: 71    (relative sequence number)]
  Acknowledgment Number: 1    (relative ack number)
  Acknowledgment number (raw): 1478227580
  0101 .... = Header Length: 20 bytes (5)
```


Kegiatan:HTTP
Nama: Sultan Nicho Rahmatulloh
NRP: 5325600002

Data Layer


Application Layer



Host-to-host layer



Internetwork Layer



Network Interface Layer

