



Commvault Professional Advanced

Student Guide

Module 4 – Advanced Monitoring

Copyright

Information in this document, including URL and other website references, represents the current view of Commvault Systems, Inc. as of the date of publication and is subject to change without notice to you.

Descriptions or references to third party products, services or websites are provided only as a convenience to you and should not be considered an endorsement by Commvault. Commvault makes no representations or warranties, express or implied, as to any third-party products, services or websites.

The names of actual companies and products mentioned herein may be the trademarks of their respective owners. Unless otherwise noted, the example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted herein are fictitious.

Complying with all applicable copyright laws is the responsibility of the user. This document is intended for distribution to and use only by Commvault customers. Use or distribution of this document by any other persons is prohibited without the express written permission of Commvault. Without limiting the rights under copyright, no part of this document may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), or for any purpose, without the express written permission of Commvault Systems, Inc.

Commvault may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from Commvault, this document does not give you any license to Commvault's intellectual property.


COMMVAULT MAKES NO WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, AS TO THE INFORMATION CONTAINED IN THIS DOCUMENT.

©1999-2023 Commvault Systems, Inc. All rights reserved. Commvault, Commvault and logo, the "C hexagon" logo, Commvault Systems, Solving Forward, SIM, Singular Information Management, Commvault HyperScale, ScaleProtect, Commvault OnePass, Commvault Galaxy, Unified Data Management, QiNetix, Quick Recovery, QR, CommNet, GridStor, VaultTracker®, InnerVault, Quick Snap, QSnap, IntelliSnap, Recovery Director, CommServe, CommCell, APSS, Commvault Edge, Commvault GO, Commvault Advantage, Commvault Complete, Commvault Activate, Commvault Orchestrate, and CommValue are trademarks or registered trademarks of Commvault Systems, Inc. All other third-party brands, products, service names, trademarks, or registered service marks are the property of and used to identify the products or services of their respective owners. All specifications are subject to change without notice.


Confidentiality

The descriptive materials and related information in the document contain information that is confidential and proprietary to Commvault. This information is submitted with the express understanding that it will be held in strict confidence and will not be disclosed, duplicated or used, in whole or in part, for any purpose other than evaluation purposes. All right, title and intellectual property rights in and to the document is owned by Commvault. No rights are granted to you other than a license to use the document for your personal use and information. You may not make a copy or derivative work of this document. You may not sell, resell, sublicense, rent, loan or lease the document to another party, transfer or assign your rights to use the document or otherwise exploit or use the Manual for any purpose other than for your personal use and reference. The document is provided "AS IS" without a warranty of any kind and the information provided herein is subject to change without notice.

©1999-2023 Commvault Systems, Inc. All rights reserved



CommCell® Console Tools



Views

Disk Library Summary View


The screenshot displays the COMMVERVE v11 Commcell Console. The left sidebar shows a tree view with 'CommCell Browser' expanded, leading to 'Storage Resources' and then 'Libraries'. A red circle labeled '1' highlights the 'Dedup Disk (CM-1)' library. The central pane shows a table of mount paths with columns: Mount Path, Device Name, Status, and Free Space. A red circle labeled '2' highlights the 'Status' column. Below the table, there are icons for export formats, with a red circle labeled '3' highlighting the 'Summary' tab. The right pane shows the 'Data In Disk Library - Dedup Disk (CM-1)' summary, including a 'Mountpaths Space Usage' chart, a 'Distribution By Data Written' chart, and a 'Data Table' with columns: Mount Path, Agent Type, Data Written, Number of Clients, and Number of Jobs.

Mount Path	Device Name	Status	Free Space
[CVMA-1] F:\...	Device_3	Offline	2 GB
[CVMA-1] G:\Vol1	Device_11	Offline	22.9 GB


Storage Policy Copy	Storage Policy	Agent Type	Data Written	Number of Clients	Number of Jobs
Primary	C:\File-Edmdu	Windows File Systems	623 GB	1	9
Primary	C:\File-Edmdu	Big Data Apps	475.68 GB	1	1

The disk library summary view provides information on the status of mount paths, the total disk capacity, and the free space is provided.

1. **Expand Libraries > click the disk library**
2. The display window shows the status of the mount path
3. Choose the export format; sample is shown




4. Click to expand graphical view of mount path usage
5. Displays the capacity of each mount path and free space



6. Click to expand graphical view of data written by policy copies
7. The image shows details of content by policy copy
8. Click any section of the pie chart to display additional details of the protected jobs

Disk Usage Tab of a Disk Library



The Disk Usage tab of a disk library properties provide information about space usage and deduplication performances.

1. **Expand Storage Resources > Libraries > right-click the library > Properties**
2. The Disk Space Utilization section displays current space usage
3. The Disk Space Savings section displays deduplication efficiency in the storage location
4. The Average Daily Disk Consumption section shows daily average for new space consumption and data aging space freeing up

Engine Views

The Deduplication Engine view provides information about the deduplication engine performance. Information such as the amount of data protected vs. the amount of data written, the number of unique blocks in the deduplication store, the number of records pending deletion and the average query and insert (Q&I) time are important to properly monitor deduplication health of a CommCell environment.

Monitoring Deduplication Best Practices

- A Deduplication Database (DDB) with an average Q&I time over 2000 microseconds should be investigated as it may be indicative of performance issues which could impact backup jobs, auxiliary copy jobs and data aging.
- A DDB or DDB partition getting close to 750,000,000 unique blocks may represent a partition reaching its capacity. Overtime, the DDB partition performances will degrade, impacting all deduplicated operations. If a DDB is near this limit, contact Commvault Support to ensure performance is adequate.
- A DDB with an excessive number of pending delete records that increases each day may be indicative of either an underperforming DDB or a blackout window that is too narrow the DDB to completely purge obsolete records.

Monitor Deduplication Databases

COMMVAULT - v11 CommCell Console

Storage Resources > Deduplication Engines > Dedupe Disk/Primary > SIDB_Dedupe Disk_Primary(10/6 2015 11:10AM) [ID: 1]

DDB Partition - [COMMVERSE] E:\DedupeDiskDDB [ID: 1]

Data as of: Thursday, December 26, 2019 11:04:37 PM

Properties


Path: E:\DedupeDiskDDB
MediaAgent: COMMVERSE
Size of DDB path: 479 MB
Status: Online
Offline Reason: N/A
Time taken for Recovery: 7 minutes, 25 seconds
Last Recovery Time: 10/08/2019 05:31 PM
Average Q&I Time in last 3 days: 0 µs (0%)
Maximum number of Unique Blocks in last 24 hours: 0
Maximum number of Secondary Blocks in last 24 hours: 0
Maximum number of Pending Delete Records in last 24 hours: 0
Maximum number of Connections in last 24 hours: 0

Charts

Partition Statistics - 3 Rows

As Of	Number of Unique Blocks	Number of Secondary Blocks	Number of Pending Delete R...	Number of Connections	Average Q&I Time (µs)
12/25/2019 12:00 AM	154,202	208,038	0	0	0
12/23/2019 12:00 AM	154,202	208,038	0	0	0
12/22/2019 12:00 AM	154,202	208,038	0	0	0

1. Expand Storage Resources > Deduplication Engines > select a deduplication policy > expand the DDB display > click DDB partition
2. The Properties section displays information about the DDB partition including information on the last DDB backup time
3. Displays the response time of the database for queries and inserts
4. Choose the format for the export of DDB partition information
5. Additional information of the partition can be viewed in the Partition Statistics pane



6. Details of the deduplication engine can be viewed in the Charts pane
7. Graph displays unique and secondary blocks and pending delete records
8. Options to adjust view of graph

Resource Status View

COMMVAULT v11 CommCell Console

Home Tools Storage Configuration Reports View Support

CommCell Job Controller Event Viewer Alert Scheduler Licensing and Registration Control Panel New Client What's new? Getting Started Web Console Command Center Health Status SLA Status COMMVAULT

View Configure Featured Metrics

CommCell Browser

- COMMVAULT
 - Client Computer Groups
 - Client Computers
 - Security
 - Storage Resources
 - Storage Resources
 - Libraries (1)
 - Basic Disk (CM-1)
 - CommVault SL8500 4
 - DataServerIPDiskLib
 - Dedupe Disk (CM-1)
 - DR Basic Disk (CS)
 - My Cloud Library
 - my storage poolLibrary
 - Locations
 - MediaAgents
 - Orphaned Media
 - RP Store
 - Search Engines
 - Storage Pools
 - VaultTracker
 - Policies
 - Reports
 - Content Director
 - Workflows
 - Network Topologies
 - Dev-Test & DR
- CommCell Browser
- Agents
- My Favorites

Libraries x Job Controller x Event Viewer x

COMMVAULT > Storage Resources > Libraries >


Name	Status	Capacity	Free Space	Usable Free Space	Associated Media...	Manufacturer	Model	Description
Basic Disk (CM-1)	Offline	50 GB	47.67 GB	0 MB	CVMA-1	Disk	Disk	
CommVault SL8...	Offline	50 GB	24.9 GB	0 MB	CVMA-1	CommVault	SL8500	
DataServerIPD...	Ready	25 GB	22.9 GB	20.9 GB	CVMA-1, COMMVAULT	Disk	Disk	
Dedupe Disk (C...	Ready	50 GB	24.9 GB	0 MB	CVMA-1	Disk	Disk	
DR Basic Disk (...)	Ready	19.87 GB	17.71 GB	15.71 GB	COMMVAULT	Disk	Disk	
My Cloud Library	Offline				CVMA-1	Cloud	S3 Compatible Stor...	
my storage po...	Ready	99.36 GB	39.31 GB	37.31 GB	COMMVAULT, CVMA-1	Disk	Disk	

7 object(s)

COMMVAULT - 3307 | 11 SP18 | admin | 98

The Resource status view displays readiness status for storage components within the CommCell environment, including the MediaAgent, library, and tape drive.

1. Expand **Storage Resources** > expand **Libraries** > expand container
2. Displays the status of all libraries



3. Click a tape library MasterPool to display the status of all tape drives
4. Click a disk library to display the status of all its mount paths

Job Controller

Use the Job Controller to manage all active jobs within the CommCell environment. The Job Controller is the most effective tool within the CommCell console for managing and troubleshooting active jobs.

Job Details


The screenshot displays the COMMVAULT COMMSEVERE v11 Commcell Console interface. The main window is titled "COMMSEVERE - v11 Commcell Console" and features a top navigation bar with tabs: Home, Tools, Storage, Configuration, Reports, View, and Support. Below the navigation bar is a toolbar with icons for CommCell, Job Controller, Event Viewer, Alert, Scheduler, Licensing and Registration, Control Panel, New Client, What's new?, Getting Started, Web Console, Command Center, Health Status, and SLA Status. The left sidebar shows a tree view of the CommCell hierarchy, including Client Computer Groups, Client Computers, and various storage resources. The main area is divided into two panes: "Job Controller" and "Event Viewer". The "Job Controller" pane shows a table of jobs with columns: Job ID, Operation, Client Co..., Agent Type, Subclient, and Job Ty. Two jobs are listed: Job ID 27768 (Operation: Job Verific...) and Job ID 27767 (Operation: Backup). A right-click context menu is open over the "Backup" job, showing options: Suspend, Resume, Kill, Change Priority, Change Resume Interval, View Events, View Logs, Send Log Files, Detail... (highlighted with a red circle and number 1), Multi-Job Control, Resubmit Job..., Add Alert..., Delete Alert, Modify Alert, Filters..., List Media, and List Media and Size. The "Detail..." option is selected, opening a "Backup Job Details For Job ID: 27784" dialog box. The dialog box has tabs: General, Progress, Streams, Attempts, Job Retention, and Events. The "General" tab is active, showing job details: Job ID: 27784, Backup Type: Incremental, Priority: 166, Total number of files: 0, Start time: 12/12/2019 4:31 PM, Client Name: CVMA-1, DataAgent: File System, Backup Set: defaultBackupSet (highlighted with a red circle and number 2), Subclient: Mission Critical, Storage Policy: Dedupe Disk, MediaAgent: CVMA-1, Job Started By: Admin, Job Started From: Interactive, Software compression: Storage Policy Settings, and System State: No. The dialog box also has a "Description" field and buttons for OK, View Media, Close, and Help. At the bottom of the console, a status bar shows "Running: 0 - Pending: 1 - Waiting: 1 - Queued: 0 - Suspended: 0 - Total Jobs: 2 - Job Streams: 0 - High Watermark: 500".

1. Right-click the job > Detail or double-click the job
2. Details for job are displayed

Event Viewer

The Event Viewer displays event conditions in the CommCell environment. By default, the event viewer displays the most recent 200 events. The event log maintains up to 10,000 events or 7 days of events. These default settings can be modified.


Filter the Event Viewer



The event viewer can be filtered based on the available fields to quickly locate specific events.

1. Click the **dropdown arrow** to expand Event Viewer menu
2. Select **Filter** to enable Event Viewer filtering
3. Filter fields using the dropdown arrow

Search Event Log



The event viewer displays up to 1,000 events, but the entire event log can be searched from the event viewer. The default total number of events retained is 10,000. Search events by time range, severity, and job ID. Common searches can be saved as a query and run at any time.

1. **Right-click in the *Events* window > Search Events**
2. Define search criteria to display all relevant events in the event log
3. Check the box for **Save this search as** to save the query for future use
4. Click **OK**

Set Event Log Retention

1. Home tab > **Control Panel**

2. In the *CommCell* category > **System**

3. Set the event retention criteria

4. Modify the database space check interval

5. Click **OK**


By default, the event log retains 10,000 events or 7 days of events. When the event logs reach their upper limit, the oldest events are pruned from the event logs. These options can be customized.

1. Home tab > **Control Panel**
2. In the *CommCell* category > **System**
3. Set the event retention criteria
4. Modify the database space check interval
5. Click **OK**

Metrics Reporting

Metrics reporting is a tool that monitors and reports on the health of the CommCell environment and stores the information either in a private Metrics Reporting server, or on Commvault Cloud metrics services. A range of reports and dashboards are available through a portal to help an administrator monitor the CommCell environment.


Configure Private Metrics Reporting




To use the private server, the Metrics Reporting component must be selected when installing the CommServe server. Enable the 'private' or 'cloud' Metrics Reporting from the Control Panel.

1. Home tab > **Control Panel**
2. Monitoring section > **Private Metrics Reporting**
3. Check the box for **Health Check** to collect information about the wellness of the CommCell environment
4. Check the box for **Activity** to collect information about job success, client size, and errors
5. Check the box for **Audit** to collect information about CommCell settings
6. Check the box for **Chargeback** to collect information about data sizes used for billing
7. Click **Upload Now** to manually initiate the upload of information to the Metrics server

Configure Cloud Metrics Reporting




1. Home tab > **Control Panel**
2. Monitoring section > **Cloud Metrics Reporting**
3. Check the box for **Health Check** to collect information about the wellness of the CommCell environment
4. Check the box for **Activity** to collect information about job success, client size, and errors
5. Check the box for **Upgrade Readiness** to collect information required for the pre-upgrade report
6. Check the box for **Proactive Support** to collect log files used by Commvault Support for troubleshooting assistance
7. Click **Upload Now** to manually initiate the upload of information to the cloud Metrics services



8. Modify configuration settings as needed
9. Use advanced setting to upload information for chargeback and billing
10. Click **OK** to apply settings


CommCell Health Status Dashboard




When metrics reporting is configured and information has been uploaded, a health status dashboard is available for the CommCell environment. It provides a wide range of information on the health of the environment.

1. Displays information on the health status of the CommCell.


Access from <http://cloud.commvault.com>.



CommCell® Console Alerts



Alerts




Alerts are provide real-time feedback about conditions in the CommCell environment. They can be triggered based on failures, successes, or changes that may occur.


Built-In Alerts

1. Home tab > **Alert** > **Configure Alert**
2. The Alerts windows lists all the configured alerts; disabled alerts are greyed out
3. Add, edit or delete an alert
4. Enable or disable an alert
5. The summary window displays information about the alert


Alert Wizard




1. Home tab > Alert > Configure Alert
2. Click **Add** to add an alert




3. Enter a name and select the alert Category and Type
4. Check the boxes to select the entities to monitor



5. Select the criteria that will trigger the alert
6. Select the notification criteria
7. Check the box for **Escalate Notification Criteria** to escalate the alert if condition persists
8. Define escalation criteria for the alert
9. Click the desired tab to select the notification type
10. Format the notification



11. Set additional rules for the alert
12. Start typing an account name and select CommCell or domain users as recipients for the alert; non-registered users and groups can be manually added by typing the SMTP email address
13. Define or modify the sender display name and SMTP email address



14. Option to define a security account to manage alert

15. Displays a summary of the defined alerts

Notification Types

- **Email** – Email notifications are sent to the CommCell console or domain users. The user must have logged in at least once to the CommCell console. If the email server is down, the system tries to resend the email for four hours. After that time limit, if the server is still down, the notification is discarded.
- **SNMP** – Alerts can be sent by the CommServe server as SNMP to any computer listening for SNMP traps. This notification method is useful if an existing monitoring and/or ticketing system is in place. SNMP alerts support SNMP Version 1 (SNMPv1) and SNMP Version 3 (SNMPv3) and require the SNMP Enabler to be installed on the CommServe server.

A CommServe server can send SNMP alerts to multiple computers. Computers can receive the SNMP alerts even if they do not have CommServe software installed. SNMP alert notifications can be customized by adding alert token arguments to the alert configuration. The tokens will be included in the body of the alert notification message.


- **Event Viewer** – You can send alert notifications from the CommServe server to the Windows Event Viewer of other computers where it is generated as an event. For all alerts related to backup and restore operations, the following information is sent to the Windows Event Viewer:
 - o Galaxy is the Source
 - o 56 is the Event ID
- **Run Command** – The Run Command notification is used to send alert notifications from the CommServe server to other client computers by executing a command script. The Run Command can be located on the CommServe server or on remote computers but is executed only on the CommServe server. It also can be used to run a script to resolve the issue.
- **Save To** – You can send an alert notification to a local directory, a network share, or the Cloud Services website. This is particularly useful in obtaining a list of failed attempts in an operation. If you plan on using Cloud Services, Cloud Metrics Reports must first be activated for the CommCell console.
- **RSS Feed** – It is possible to turn the CommServe server into a RSS Feed server, which allows an alert notification to be sent as an RSS Feed. Any RSS Feed client can be configured to receive notifications by subscribing to the CommServe server.
- **SCOM** – Commvault software can send alert notifications from the CommServe database to the Microsoft Systems Center Operations Manager (SCOM). The Microsoft SCOM Server provides a monitoring service for critical applications within an enterprise and sends alerts about events in these applications. An administrator can raise tickets against these alerts and take any necessary action to resolve the problem. SCOM must first be installed and the CommServe server defined as a SCOM agent. For the agent to communicate with the SCOM server, firewall ports 5723 and 5724 must be open.
- **Workflow** – It can be useful to try to resolve an issue using automation. When an alert is triggered, a workflow notification launches any workflow. Note that when configuring the alert, the workflow must be created first, then selected.

Try to Resolve Communication Issues During Backups

Scenario: A backup job goes into a pending status, stating that it cannot communicate with the client.

Solution: A workflow alert could launch a script to restart the Commvault services on the client, then restart the backup and send an email if the backup is still pending.

Console Alerts




Console Alerts appear in the Console Alerts window within the CommCell browser. Console alerts can be pinned or deleted.


1. Home tab > Alert > Console Alerts
2. Displays triggered alerts
3. Selecting an alert provides information about the alert, the entity that triggered the alert, and more
4. Right-click the alert to see its details, delete it, mark it read/unread, or insert a note

Common Alerts

Category	Type	Options
Automatic Updates	Download, Install	Job Failed
Job Management	Data Protection, Data Recovery	Job Failed, Phase or network errors
Job Management	Dedupe DDB Reconstruct	All alert criteria
Job Management	Disaster Recovery Backup	Job Failed
Media Management	Device Status	Drive / Library offline
Media Management	Library Management	Insufficient storage, Maintenance alerts




CommCell® Console Reports



Reports


When a report type is selected, it is the default report in the report window. Note that any other report type can be accessed from the window. A report can be scheduled, saved to a specific location, or saved as a report template.

Report Outputs




1. *Reports* tab > Select a report from the ribbon
2. On the *Output* tab, select report output type
3. Check box the box for **Output To** in order to save a copy of the report
4. Select the output location
5. Select a Locale to determine the language used in the report
6. Choose the date and time format

Run and Schedule Reports




1. **Reports** tab > select the report to run
2. Click **Run** to run the report on demand
3. Click **Schedule** to schedule the report




4. Name the report schedule
5. Define the schedule pattern
6. Choose to attach or embed the report to email
7. Select recipients from the *Available Users* section. Click > to add the recipients to the notification list
8. Email address or distribution list can be used

View Scheduled Reports




1. *Reports* tab > **View Schedules**
2. Right-click a schedule to access additional tasks

Job Summary Report




The Job Summary report is considered the most important because it provides details about CommCell jobs including job status, amount of data protected, skipped files and folders, and much more. Although the Job Summary report is available in the CommCell console, it is recommended to execute the report from the Web Console.


1. **Reports** tab > **Job Summary**
2. Select the report version
3. Choose the type of job to include
4. Click **Modify** to choose the computers, agent types, and subclients



5. Configure MediaAgent details from the MediaAgents tab
6. Configure storage policy details copy set details Select the Storage Policies tab




7. Configure additional information for the report from the Selections tab
8. Configure additional details from the Options tab




9. Accept the default time range or define a custom time frame
10. Select the output type
11. Check box the box for **Output to** in order to save a copy of the report rather than display on screen
12. Select to **Run** now, **Schedule**, or **Save As...** to create a script.

Audit Trail Report



The Audit Trail report tracks information about any CommCell configuration modifications along with the user who made the change.


1. *Reports* tab > **Audit Trail**
2. Choose the playback level
3. Select users to include in the report



ID	Severity Level	User	Time	Operation	Details
52,291	High	Admin	12/24/2019 15:12:50	Immediate Job Submitted	Schedules Added Schedule Schedule Type: Set to [Admin] Operation Type: Set to [Report] Job Options Admin Options Report Option Users List Added Include: Selected GUIAudit Trail Report Play Back Level: Set to [4] Common Opt Override Date Time Format: Set to [NONE] Report Type: Set to [Audit Trail Report] Locale LCID: Set to [1033] Display String: Set to [English-UnitedStates] Locale: Set to [en-us] Locale Name: Set to [en] Output Format Output Type: Set to [Microsoft Html] Time Range Option Type: Set to [RELATIVE_DAYS]
52,290	High	Admin	12/24/2019 15:12:10	Immediate Job Submitted	Schedules Added Schedule Schedule Type: Set to [Admin] Operation Type: Set to [Report] Job Options Admin Options Report Option Users List Added Include: Selected GUIAudit Trail Report


- Displays all configuration changes; color indicates impact level

CommCell Readiness Report




The CommCell Readiness report queries every CommCell component to ensure all resources are available. This starts with the MediaAgents, proceeds to libraries, and then clients to determine if they are ready for the next backup.

1. *Reports* tab > **Readiness**
2. Choose the components to include in the readiness check



3. Select computers and agent types to include in the report
4. Select MediaAgents to include in the report

CommCell Growth Report



The CommCell Growth report provides a growth overview of the CommCell environment for a defined period. This report is valuable for trending analysis and resource procurement.

1. *Reports* tab > **Growth**
2. Define the period to be covered by the report

COMMVAULT v11 CommCell Console

Home Tools Storage

Job Summary Audit Trail

CommCell Browser

COMMVAULT


Content Director Workflows Network Topologies Dev-Test & DR

Entity	Date	
	12/15/2016 21:15:16	03/04/2017 22:16:16
Configuration		
Number of clients	7	12
Number of Agents	10	13
Number of Media Agents	2	4
Changes to Agents	13	22
Job Statistics		
Total Data Size Backed Up in Last 24 Hours	0	0
Incremental Data Protection Jobs in Last 24 Hours	0	0
Incremental Data Size Backed Up in Last 24 Hours	0	0
Last Weekend Data Protection Jobs	0	0
Last Weekend Data Size Backed Up	0	0
Data Protection and Collection Jobs in Last 7 Days	0	0
Data Size Backed Up in Last 7 Days	0	0
Total Data Protection and Collection Jobs in Last 24 Hours	0	0
Jobs in Queue(Queued) in Last 24 Hours	N/A	0
Jobs in Queue(Pending) in Last 24 Hours	N/A	0
Jobs in Queue(Waiting) in Last 24 Hours	N/A	0
Jobs in Queue(Suspended) in Last 24 Hours	N/A	0
Jobs in Queue(Running) in Last 24 Hours	N/A	1
Media Management Statistics		
Number of Mounts in Last 24 Hours	0	0
Chunks Closed in Last 24 Hours	0	0
Number of Reservations in Last 24 Hours	0	0

COMMVAULT - 3307 / 11 SP18 / admin / 13

3. This section provides information about the number of clients and agents for the date range
4. This section provides information about jobs for the date range
5. This section provides information about media usage for the date range

License Summary Report



The License Summary report displays license usage statistics for the CommCell environment. This report provides the required information, based on the license model, to help a backup administrator plan license procurement when needed.

1. *Reports* tab > **License Summary**
2. Select the licensing information to include in the report


The screenshot displays the Commvault Job Summary report. The left sidebar contains navigation links for Home, Job Summary, CommServe, Client, Client, Security, Storage, Policy, Report, Content, Work, Network, and Dev-Test. The main content area shows three detailed tables:

- Usage Based License Details (3):** A table with columns for License Name, License Type, License Status, License Key, and License Expiry Date. It lists various licenses such as CommServe, Client, and Network.
- Host End Capacity Usage Details (4):** A table with columns for Host Name, Host ID, Host Type, Host Status, and Host Capacity. It provides information about the capacity usage of different hosts.
- Agent and Feature License Details (5):** A table with columns for Agent Name, Agent Type, Agent Status, Agent Key, and Agent Expiry Date. It lists agents and their associated features.

The bottom of the screenshot shows the Commvault logo and the text "Be ready". The footer contains the text "Copyright © 1999-2023 Commvault | All Rights Reserved."

3. The first section provides information about license usage per types
4. This section provides information about application size data
5. This section provides information about features and agent types

CommServe Event Report



The CommServe Event report is used to display events that might no longer be in the Event Viewer. The Event Viewer displays 200 events by default, but the system keeps 10,000 events back in time. This report has several options are used to filter out unwanted events or to cover a specific time range.

1. **Reports** tab > **Other Reports** > **CommServe Event**
2. Filter to select desired severity levels
3. Define the time range

COMMSERVE - v11 CommCell Console

Home Tools Storage Configuration Reports View Support

Job Summary Audit Readiness Growth License Other View


COMMAULT

Severity	Event ID	Job ID	Time	Program	Computer	Event Code	Description
Minor	5821		05/04/2017 22:55:39	MediaManager	COMMSERVE	32-42	Number of media in the scratch pool [Cleaning Media] inside the library [CommVault SL8500 4] is less than the minimum required number. [1].
Minor	5820		05/04/2017 22:39:40	MediaManager	COMMSERVE	32-42	Number of media in the scratch pool [Cleaning Media] inside the library [CommVault SL8500 4] is less than the minimum required number. [1].
Minor	5819		05/04/2017 22:23:39	MediaManager	COMMSERVE	32-42	Number of media in the scratch pool [Cleaning Media] inside the library [CommVault SL8500 4] is less than the minimum required number. [1].
Major	5818		05/04/2017 22:09:22	CVD	COMMSERVE	72-146	Commserve failed to upload data to Cloud Metrics Reporting Server. In case HTTP Proxy is configured, Update HTTP Proxy details in Control Panel -> Internet Options-> HTTP Proxy.
Minor	5817		05/04/2017 22:09:22	CVD	COMMSERVE	72-146	Commserve failed to upload data to Cloud Metrics Reporting Server. In case HTTP Proxy is configured, Update HTTP Proxy details in Control Panel -> Internet Options-> HTTP Proxy.
Minor	5816		05/04/2017 22:09:22	CVD	COMMSERVE	72-147	Commserve failed to download the remote troubleshooting request configuration from the Cloud Metrics Reporting Server.
Minor	5815		05/04/2017 22:07:40	MediaManager	COMMSERVE	32-42	Number of media in the scratch pool [Cleaning Media] inside the library [CommVault SL8500 4] is less than the minimum required number. [1].
Major	5814	21263	05/04/2017 22:02:47	JobManager	COMMSERVE	19-1041	Processes for job [21263] were forcefully terminated.
Information	5813	21263	05/04/2017 22:02:46	JobManager	COMMSERVE	19-182	Kill request pending for job [21263].
Minor	5810		05/04/2017 21:51:40	MediaManager	COMMSERVE	32-42	Number of media in the scratch pool [Cleaning Media] inside the library [CommVault SL8500 4] is less than the minimum required number. [1].
Minor	5794		05/04/2017 21:35:16	MediaManager	COMMSERVE	32-42	Number of media in the scratch pool [Cleaning Media] inside the library [CommVault SL8500 4] is less than the minimum required number. [1].

COMMSERVE - 3207 / 11 SP18 admin

4. Displays the events that occurred during the period.

User Capability Report



The User Capability report helps to establish the exact capabilities for each user or user group.

1. **Reports** tab > **Other Reports** > **User Capability**
2. Select the output format

COMMSERVE - v11 CommCell Console

Home Tools Storage Configuration Reports View Support

Job Audit Readiness Growth License Other View

COMMAULT

Capabilities By User

User	User Groups	Entity Type	Entity Name	Role Name	Permission Names
Admin	master	CommCell	COMMSERVE	Compliance	Download.Out of Place Recover.Compliance Search.Tag Management.Legal Hold Management.Annotation Management
Admin	master	CommCell	COMMSERVE	No Role	Create Client Group
Admin	master	storage policy	CI-Files-EMails	Compliance	Download.Out of Place Recover.Compliance Search.Tag Management.Legal Hold Management.Annotation Management
Company\student	No Groups	CommCell	COMMSERVE	Compliance	Download.Out of Place Recover.Compliance Search.Tag Management.Legal Hold Management.Annotation Management
TUser	No Groups	No Entity Type	No Entity	No Role	No Permissions

Capabilities By User Group

User Group	Entity Type	Entity Name	Role Name	Permission Names	Users
master	CommCell	COMMSERVE	Dummy	Create Client Group	Admin
View All			No Role		No Users

CommCell Browser


Agents

My Favorites

COMMSERVE - 3307 11 SP18 admin 13


3. Displays the capabilities of users
4. Displays the capabilities of user groups

CommCell Configuration Report




The CommCell Configuration report lists all configuration parameters that are set in the CommCell environment. If all options are selected, it provides a blueprint of the environment in its entirety. Having access to a CommCell Configuration report provides the opportunity to completely reconfigure the environment to a previous state if necessary.


1. **Reports** tab > **Other Reports** > **Configuration**
2. Select the details to include in the report



3. Select computers and agent types
4. Select to include subclient information



5. Include MediaAgent information
6. Include Library information and drive details



7. Include storage policy information
8. Add other details

CommSERVE - v11 CommCell Console

HomeToolsStorageConfigurationReportsViewSupport

CommCell Properties

General (MediaAgent: 5, Client: 10, Agent: 14, Subclient: 21, Software-Caches: 1)


CommServe Name	COMMSERVE	Host Name	CommServe Company.com	OS	Windows Server 2012 R2 Datacenter WinX64	CommCell ID	3307	IP Address	172.19.178.9
Mail Server		Senders Address		Maximum Events Retained in Event Log	10,000	Job Completion Rate (In the Last 24 Hours)	9 Jobs / 0.000 GB	Critical Audit Trail Retention (Days)	365
Job Preemption Control	Restore Preempts Other Jobs	Enabled Activity	All Data Management, Data Recovery, Data Aging, Auxiliary Copy, Scheduler, Offline Content Indexing	Start Phase Retry Interval(Mins)	10	Job Alive Check Interval (Mins)	5	Job Priority Precedence	Client
Number of Full Metadata Backups to be retained	5	DR Export Destination	\\evnuat-1\csdr	DR Export User Name	company\student	DR Backup Storage Policy	CommServeDR(COMMSERVE)	Version	11(BUILD80)
Install Directory	C:\Program Files\CommVault\ContentStore			Install/Upgrade History	11(BUILD80) 10/28/2015				
Updates	ServicePack: 7. -- COMMSERVE -- - Analytics(Ahead of Cache) - Service Packs: 7 (Build 555255) - CommCell Console(Ahead of Cache) - Service Packs: 7 (Build 555255) - CommServe(Ahead of Cache) - Service Packs: 7 (Build 555255) - Commserve DB(Ahead of Cache) - Service Packs: 7 (Build 555255) - Continuous Data Replicator(Ahead of Cache) - Service Packs: 7 (Build 555255) - DML Web services DB(Ahead of Cache) - Service Packs: 7 (Build 555255) - Driver for Continuous Data Replicator(Ahead of Cache) - Service Packs: 7 (Build 555255) - File System(Ahead of Cache) - Service Packs: 7 (Build 555255) - File System Core(Ahead of Cache) - Service Packs: 7 (Build 555255) - iDA for MSSQL Server(Ahead of Cache) - Service Packs: 7 (Build 555255) - MediaAgent(Ahead of Cache) - Service Packs: 7 (Build 555255) - MediaAgent Core(Ahead of Cache) - Service Packs: 7 (Build 555255)								

My Favorites

COMMSERVE - 3307 / 11 SP18 admin


9. Report displays the requested configuration information

Schedule Report



The Schedule report lists all schedules that are configured for the requested time range.

1. **Reports** tab > **Other Reports** > **Schedule**
2. Select tasks and job options to include in the report



3. Select computers and agent types
4. Select the time range to be covered in the report

COMMSERVE - v11 Commcell Console

Home Tools Storage Configuration Reports View Support

Schedules

Scheduled Time(s)	Schedule Policy Name	Schedule name	Job Type	Client/Client Group	Agent	Instance	Backup Set	Subclient	Storage Policy	Storage Policy Copy	Pattern	Time Zone
05/06/2017 08:00:00		Job Summary report	Report	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Every day at 8:00 AM Starting Jul 17 2015	Commserve Time Zone

Job Options:

Admin Options:

Report Option

Common Opt

Report Type : Backup Job Summary Report

Output Format

Output Type : Microsoft Html

Email Type : EMBEDDED

Locale : Locale Name : en-us Language : UnitedStates Country : English

On Commserve : TRUE

Email User

User Name : admin

Report Template Type : Default

Computer Selection List

Include All : TRUE

Agent List

Flags : Include : TRUE

Time Range Option Type : RELATIVE_HOURS To Time Value : 24 Time Zone Name : (UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi

Job Summary Report

Job Options

Backup Types

All : TRUE

Full : TRUE

Incremental : TRUE

Differential : TRUE

Synthetic Full : TRUE

Automated System Recovery : TRUE

Job Status

All : TRUE

Size Unit : NONE

Throughput Unit : FALSE

Increase In Data Size

Selected : FALSE

Value : 10

Decrease In Data Size


Selected : FALSE

Value : 10

COMMSERVE - 3307 11 SP18 admin 113

5. All jobs for the selected time are listed with scheduling information
6. Selected job options are displayed if they were selected


Storage Policy Report



The Storage Policy report is used to display configuration settings storage policies and storage policy copies. If content indexing is enabled on a policy, a dedicated section lists content indexing related configuration options.

1. *Reports* tab > **Other Reports** > **Policy**
2. Select storage policies to include in the report


Storage Information Report




The Storage Information report provides valuable information about CommCell media such as the media location, data size, expiration date, and last write time.

When using tape media as primary recovery method for disaster, send a storage information report offsite daily. If there is a DR, this report can be used to quickly identify the most recent tape that belongs to the CommServeDR storage policy, which is required to restore the CommServe server database.


1. **Reports** tab > **Other Reports** > **Information**
2. Select details to include in the report



3. Select libraries and media location details
4. Select media repositories



5. Select locations
6. Select the storage policies for which the storage information is required



7. Define a time range

COMMSERVE - v11 Commcell Console

Home Tools Storage Configuration Reports View Support

Summary													
Total	Active Ready	Full Offline	Appendable	Idle Spare	Read-only	Bad	Cleaning	Retired	Foreign	Saved	Undiscovered	Other	Total Size (GB)
58	4	0	0	54	0	0	0	0	0	0	0	0	16.02

Bar Code	Media Type	Description	Library [MediaAgent(s)]	Storage Policy [Copy] or Media Group	Retain Data Until	Location (Container)	Prevent Export	Exportable Time	Last Export Time	Media Creation Time	Media Side Information				
											Side	Status	Last Read	Last Write	Total Data (GB)
CLN000A	Virtual Tape		CommVault SL8500 4	CommServeDR(COMMSERVE) [Secondary (Fri Nov 06 11:02:28 2015)]	01/14/2017 10:00:03	slot 51	No	N/A	N/A	11/06/2015 11:03:17	1	Active	N/A	01/16/2016 10:30:36	6.31
											Writes: 10, Reads: 0, Mounts: 10, Read_Write_Errors: 0, Media_Label_Errors: 0, Reuses: 1, Discovered: 11/06/2015 11:03:17				
CLN001	Virtual Tape		CommVault SL8500 4	Default Scratch	N/A	slot 52	No	N/A	N/A	11/06/2015 11:03:17	1	Spare	N/A	N/A	N/A
											Writes: 0, Reads: 0, Mounts: 0, Read_Write_Errors: 0, Media_Label_Errors: 0, Reuses: 0, Discovered: 11/06/2015 11:03:17				
CLN002	Virtual Tape		CommVault SL8500 4	Default Scratch	N/A	slot 53	No	N/A	N/A	11/06/2015 11:03:17	1	Spare	N/A	N/A	N/A
											Writes: 0, Reads: 0, Mounts: 0, Read_Write_Errors: 0, Media_Label_Errors: 0, Reuses: 0, Discovered: 11/06/2015 11:03:17				
CLN003	Virtual Tape		CommVault SL8500 4	Default Scratch	N/A	slot 54	No	N/A	N/A	11/06/2015 11:03:17	1	Spare	N/A	N/A	N/A
											Writes: 0, Reads: 0, Mounts: 0, Read_Write_Errors: 0, Media_Label_Errors: 0, Reuses: 0, Discovered: 11/06/2015 11:03:17				
CLN004	Virtual Tape		CommVault SL8500 4	Default Scratch	N/A	slot 55	No	N/A	N/A	11/06/2015 11:03:17	1	Spare	N/A	N/A	N/A
											Writes: 0, Reads: 0, Mounts: 0, Read_Write_Errors: 0, Media_Label_Errors: 0, Reuses: 0, Discovered: 11/06/2015 11:03:17				
CV00007W	Virtual Tape		CommVault SL8500 4	Default Scratch	N/A	slot 1	No	N/A	N/A	11/06/2015 11:03:17	1	Spare	N/A	N/A	N/A
											Writes: 0, Reads: 0, Mounts: 0, Read_Write_Errors: 0, Media_Label_Errors: 0, Reuses: 0, Discovered: 11/06/2015 11:03:17				
CV00017W	Virtual Tape		CommVault SL8500 4	Default Scratch	N/A	slot 2	No	N/A	N/A	11/06/2015 11:03:17	1	Spare	N/A	N/A	N/A
											Writes: 0, Reads: 0, Mounts: 0, Read_Write_Errors: 0, Media_Label_Errors: 0, Reuses: 0, Discovered: 11/06/2015 11:03:17				

COMMSERVE - 3307 / 11 SP18 | admin |

8. Provides a summary on CommCell media
9. Displays information for each media

Data Retention Forecast and Compliance Report


The screenshot shows the COMMVAULT v11 CommCell Console interface. The 'Reports' tab is selected, and the 'Other Reports' menu is open, highlighting 'Forecast' (1). The 'Report Selection' dialog box is open, showing options for media location (2), view selection (3), and job retention status (4). The 'Run' button is highlighted (6). The table below shows the report data.

[COMMVERSE] G:\ DR Basic Disk (CS) 01/05/2016 13:22:10 (Eastern Standard Time)	3018 Completed	FULL DATA	COMMVERSE	CommServe Management / N/A	DR-BackupSet / DR Subclient	11/06/2015 13:22:10 (Eastern Standard Time)	01/05/2016 13:22:10 (Eastern Standard Time)	BASIC CY CLES	13 (6 / N/A)	3018
---	-------------------	--------------	-----------	----------------------------------	--------------------------------	---	---	------------------	-----------------	------

The Data Retention Forecast and Compliance report lists all media information as it is today or as it will be in the future. This report is helpful if media does not come back from the vault as expected. This report displays the expected return date and the retention criteria that is locking the tape in vault, such as basic retention, extended retention, job retention, etc.


1. **Reports** tab > **Other Reports** > **Forecast**
2. Specify to include media that are in and/or out of the library
3. Specify to include data that is aged out and/or is not aged out
4. Specify to show the current status of jobs or the future (forecasted) status
5. Choose to sort the jobs by client or storage policy
6. Click **Run**
7. The report is displayed with the selected options

Discovery Report



The Discovery report is used in conjunction with content indexing. It displays information about items such as legal holds, review sets, and content searches.

1. **Reports** tab > **Other Reports** > **Discovery**
2. Select the type of discovery report to run



3. Select the review sets to include with report
4. Select the web servers to query

The screenshot displays the COMMVAULT v11 CommCell Console interface. On the left, a tree view shows the hierarchy of reports, with 'Reports' expanded. The 'Report Selection' dialog is open, showing the 'General' tab. The 'Time Range' section is highlighted with a red circle and the number 5. It shows 'Time Zone: (UTC-05:00) Eastern Time (US & Canada)' and 'View From: Select Start Time' and 'View To: Select End Time'. The 'Run' button is highlighted with a red circle and the number 6. On the right, a 'Search Activity Report' is displayed, showing a table of search activity.

Web Server	User Name	Queried On	Query Terms	Number of Hits	Search Engine
CI Company.com		10/30/2019 15:06:24	Keywords	0	
Search Options:					
CI Company.com	Admin	10/30/2019 17:27:06	*	36	CI Company.com
Search Options:					
CI Company.com	Admin	10/30/2019 17:27:06		36	CI Company.com
Search Options:					
CI Company.com	Admin	10/30/2019 17:27:26	*	36	CI Company.com
Search Options:					
CI Company.com	Admin	10/30/2019 17:42:22		36	CI Company.com
Search Options:					
CI Company.com	Admin	10/30/2019 17:42:27	*	36	CI Company.com
Search Options:					
CI Company.com	Admin	10/30/2019 23:10:09		36	CI Company.com
Search Options:					
CI Company.com	Admin	10/30/2019 23:10:09	*	36	CI Company.com
Search Options:					
CI Company.com	Admin	10/30/2019 23:24:59	*	36	CI Company.com
Search Options:					
CI Company.com	Company/student	10/30/2019 23:27:11	*	36	CI Company.com
Search Options:					
CI Company.com	Company/student	10/30/2019 23:27:12		36	CI Company.com
Search Options:					
CI Company.com	Admin	10/31/2019 15:42:58		36	CI Company.com

5. Select the latest time window or define a more specific time
6. Example of a section from the Search Activity Report

Review Set Posting Report

Use the Review Set Posting report to review detailed information about search result items that are posted in a review set. This report is useful if you need to know the name and type of files that are posted to the set, the time that files are posted, the backup job ID, the user who posted the job, restore status, and legal hold status.

Review Set Activity Report

Use the Review Set Activity report to review detailed information about each operation that a user performs on a review set. This report is useful if you need to know the ID number, type, and severity level of an operation; the name of the user who performed an operation; and a description of the operation.

Review Set Summary Report

Use the Review Set Summary report to review information about a review set. This report is useful if you need to know the name of a review set and the users who post to it, the sharing status of a review set, and the number of items contained in a review set.

Legal Hold Summary Report

Use the Legal Hold Summary Report to review detailed information about legal set items. This report is useful if you need to know the legal hold name and description, all user groups that have access to the legal hold, retention policy details, size, and number of files in the legal hold set, and the time and date that the last file was appended.

Search Activity Report

Use the Search Activity Report to review detailed information about searches that users perform on a review set. This report is useful if you need to know the query ID of a search activity, the name and domain of the user that performed the search, and the query parameters including the keyword entered and the number of search results displayed for a query.

Library and Drive Report

The screenshot displays the COMMVAULT v11 CommCell Console. The 'Reports' tab is active, and the 'Other Reports' menu is open, showing the 'Library and Drive' report selected (indicated by circle 1). The 'Report Selection' dialog is open, showing the 'Include' checkbox selected (indicated by circle 2). The main report area displays the 'Disk Libraries' table (indicated by circle 3).

Total Libraries		Capacity (TB)		Space Left (TB)		Space Occupied (TB)	
Library	4	Capacity (TB)	0.080	Space Left (TB)	0.083	Space Occupied (TB)	0.009
		Basic Disk (C34-1)	0.024		0.024		0.000
		DataServerIPDiskLib	0.024		0.024		0
		Dehage Disk (C34-1)	0.024		0.021		0.003
		DR Basic Disk (C3)	0.019		0.013		0.006

Library	Cloud Service Type	Upload Data Size (MB)	Download Data Size (MB)	MediaAgent	Low Watermark	Disk Space Threshold	Mount Path Usage	Mount Path Attribute Number of Writs	Associated User Groups	Offline Reason	Job Completion Rate (in the Last 24 Hours)	Mount Path	Capacity (TB)	Space Left (TB)	Space Occupied (TB)	Size of Applications (TB)	Space Savings (%)	Allocated Writs	Offline Reason	File Fragmentation	Fragmentation Per File	Fragmentation Threshold (in %)	Files Fragmented	Fragmented Percentage
Basic Disk (C34-1)	N/A	N/A	N/A	C34MA-1	15	80% - 70%	Full and Spill	Maximum	master:Virt	N/A	None	[C34MA-1] D:	0.024	0.024	0.000	0.000	75.6%	Maximum	N/A	0	0	100	0	
DataServerIPDiskLib	N/A	N/A	N/A	C34MA-1	15	80% - 70%	Full and Spill	Maximum	master:Virt	N/A	None	[C34MA-1] G: DataServerIPDiskLib	0.024	0.024	0	0	0%	Maximum	N/A	0	0	100	0	

The Library and Drive Configuration report provides information about the storage libraries and drives within the CommCell environment including the number of libraries, their capacity, and the amount of space left. This report is useful if you need to know:

- The libraries and drives you have configured.
- Hardware information, such as the model, barcode reader, and capacity.
- The controlling MediaAgent, SCSI ID, status, and error counts.
- The mount path information for disk libraries.
- The library attribute settings for the drive and media.
- The job completion rate for the last 24 hours in each library.
- Scale and performance information for the last 1 hour and 24 hours.
- Details for cloud storage libraries including name, amount of data uploaded, and amount of data downloaded.

Run a Library and Drive Report

1. **Reports** tab > **Other Reports** > **Library and Drive**
2. Select the libraries to include
3. Sample section of Library and Drive Report

Scratch Pool Report


The screenshot shows the COMMVAULT v11 Commcell Console interface. The 'Reports' tab is selected, and the 'Other Reports' menu is open, highlighting 'Scratch Pool'. The 'Report Selection' dialog box is open, showing the 'General' tab with the 'Scratch Pool' report selected. The dialog also shows options for 'Include Media List', 'Exclude Standalone Libraries', and 'Show Hidden Libraries'. The 'Scratch Pool' report is selected, and the 'Media Selection Criteria' is set to 'New media first'. The 'Run' button is visible at the bottom of the dialog.

Scratch Pool	Library	Number of Media (Inside/Outside)	Watermark (Low/High)	Default Media Type	Priority	Media Selection Criteria	Bar Code	Location
Default Scratch	CommVault SL8300 4	54/0	20/Unlimited	Virtual Tape	High	New media first	CV0000WW	slot 1
							CV0001WW	slot 2
							CV0002WW	slot 3
							CV0003WW	slot 4
							CV0004WW	slot 5
							CV0005WW	slot 6
							CV0006WW	slot 7

The Scratch Pool report is used to display setting that are configured for scratch pool and can display the list of spare media.

1. **Reports** tab > **Other Reports** > **Scratch Pool**
2. Select the scratch pool to include in the report
3. Select to display the list of spare media
4. Sample section of Scratch Pool report lists configuration settings of the spare media group
5. If report option is selected, report will display list the spare media within the scratch group

Media Prediction Report




The Media Prediction report displays the anticipated media that is required by operations performed within the entire CommCell environment, as well as information about media that is required for each backup set, instance, or subclient. This report is useful if you need to know:

- Media requirements on an enterprise-wide scale.
- Whether media required by an operation is available in the library, especially for restoring/recovering data across a firewall.
- Resource conflicts where the media is used by more than one operation.
- Where to find a copy that accesses a faster disk media rather than slower tape/optical media, so that you can then restore/recover from it.
- Where to find media that has been replaced, or changed to meet updated system requirements, or consolidated to efficiently manage media.
- A list of attributes for the media used by the secondary copy and the amount of data yet to be copied.

Run a Media Prediction Report

1. **Reports** tab > **Other Reports** > **Media Prediction**
2. Choose the job type



3. Select computers and agent types
4. Select a specific time frame to recover

COMMVERSE - v11 Commcell Console

Home Tools Storage Configuration Reports View Support

Media for Auxiliary Copy


Storage Policy	Storage Policy Copy	Media Information				
		Bar Code	Library	Location	Container	Data Size
CommServeDR(COMMSERVE)	Secondary (Fri Nov 06 11:02:28 2015)	Up To Date				
Basic Disk	Secondary Tape	V_2072	Basic Disk (CM-1)	[CVMA-1] D:\	N/A	92.68 MB
		V_2083	Basic Disk (CM-1)	[CVMA-1] D:\	N/A	221.08 KB
		V_2093	Basic Disk (CM-1)	[CVMA-1] D:\	N/A	219.57 KB
		V_59	Basic Disk (CM-1)	[CVMA-1] D:\	N/A	24.52 MB
		V_60	Basic Disk (CM-1)	[CVMA-1] D:\	N/A	217.76 KB
		Total Data:				

5

COMMVERSE - 3307 | 11 SP18 | admin | 11.15

- Sample report section displays list of required media for the selected operation

Storage Policy Copies Report




The jobs in the Storage Policy Copies report displays information about data protection jobs that are associated with the specified storage policy copies. You can use this report to review information for operations that run in each storage policy copy. This report is useful if you need to know:

- Detailed information regarding the jobs that reside on each storage policy copy, including the client, backup set, instance, subclient, and data size.
- Whether a job has been picked for data verification.
- Whether or not the job is enabled with 'Data Integrity Validation.'
- The history and status of data verification for each job.
- Whether a job is to be copied to the copy (from another source copy), or if the job has already been copied.
- Jobs with data encryption and deduplication.
- The media that is associated with each job.
- The jobs that are retained using extended retention rules.
- The amount of data that is not copied per job.
- Legal Hold data protection jobs associated with the storage policy copies.

Run a Storage Policy Copies Report

1. *Reports* tab > **Other Reports** > **Storage Policy Copies**
2. Select storage policies
3. Select additional details



4. Select computers
5. Use filters to refine report details
6. Select time frame

COMMSERVE - v11 Commcell Console

Summary By Storage Policy Copies											
Throughput: From the last auxiliary copy job that has success throughput for the copy.											
Storage Policy	Storage Policy Copy	Copy Type	Jobs On Copy	Application Size	Size on Media (Space Savings (%))	Jobs To Copy	Data To Copy	Estimation for Auxiliary Copy		Last Auxiliary Copy Job	
								Throughput (GB/Host)	Hours	Job ID	Status
Basic Disk	Primary	Primary	0/0	0/0%				N/A			
Basic Disk	Secondary Tape	Synchronous	0/0	0/0%		0/0		N/A		N/A	
Basic Tape	Primary	Primary	0/0	0/0%				N/A			
CL-Files-EMails	Primary	Primary	0/0	0/0%				N/A			
CommserveDR/COMMSERVE	Primary	Primary	0/0	0/0%				N/A			
CommserveDR/COMMSERVE	Secondary (Fri Nov 06 11:02:28 2015)	Synchronous	0/0	0/0%		0/0		168.336	0.000	7.238	06/16/2016 10:30:11 Completed
Desktop Disk	Primary	Primary	0/0	0/0%				N/A			
IntelliSnapData	Primary	Primary	0/0	0/0%				N/A			
Total			0/0	0/0%		0/0		N/A			

Auxiliary Copy Summary By Clients For All Jobs									
This table only includes clients associated to storage policies that have secondary copies. Restorable Until: The minimum backup job start time among all subclients that the latest data can be fully restored from secondary copies.									
Client Group	Client	Primary Copy						Secondary Copy	
		Jobs On Copy	Application Size	Data Written	Jobs Copied	Data Copied	Jobs To Copy	Data To Copy	Restorable Until
	ORACLE/CE	2	2.63 GB	117.20 MB	0/0	0/0	2	13.20 GB	N/A
Total		2	2.63 GB	117.20 MB	0/0	0/0	2	13.20 GB	N/A
Media Agent	COMMSERVE	11	6.32 GB	6.32 GB	11	6.32 GB	0/0	N/A	N/A
Media Agent	COMMA-1	3	61.33 MB	696.41 KB	0/0	0/0	3	5.72 GB	N/A
Total		16	6.38 GB	6.32 GB	11	6.32 GB	3	5.72 GB	N/A


ER Jobs in Storage Policy Copies														
Policy Name	Copy Name	Job ID (Status)	Database	Destination	Type	Start Time	End Time	Size of Application	Data Written (Space Savings (%))	Copied Time	Retain Data Until	Aged Time	Media	To Be Copied To

Jobs in Storage Policy Copies																			
Policy Name	Copy Name	Job ID (Status)	Client	Agent	Instance	Backup Set	Subclient	Backup Type (Cycle/Seq/No)	Start Time	End Time	Size of Application (Compression Rate)	Data Transferred	Data Written (Space Savings (%))	Copied Time	Data Verification	Retain Data Until	Aged Time	Media	To Be Copied To

COMMSERVE - 3307 | 11 SP18 | admin


- Sample report section provides storage policy copies settings summary
- This area of report provides auxiliary copy summary
- This section of report lists all jobs in storage policy copies

Tracking Reports




Built-in VaultTracker reports provide a list of tapes that are required to be exported or recalled that can be sent to tape operators or backup administrators. The list is automatically populated by the software based on the tracking policy's media movement and media status.


1. *Reports* tab > **Other Reports** > **Tracking**
2. Select **Reconciliation (Pending Actions)** to generate an Export Media report




3. Select the source libraries to include in the report
4. Select the destination location where media are sent



5. Select a tracking policy
6. Select a time frame




7. Select the report format
8. Choose where to save the report
9. Click **Schedule** to schedule the report to be automatically generated




10. Name the report schedule
11. Define schedule pattern
12. Choose to embed or attach the report to the email
13. Select users and/or groups as recipients
14. Enter email addresses or distribution lists for accounts not listed

File Level Analytics Report



The File Level Analytics report provides information on files protected in Commvault software. File attributes such as the file size and type, the modification, and last access time are used to build the report. Clients, backup sets and subclients can also be included.

1. **Reports** tab > **Other Reports** > **File Level Analytics**
2. Select the clients, backup sets, and subclients to include in the report



3. Select the filter criteria
4. Select additional options
5. Select the time frame

Client	Agent	Instance	Backup Set	Subclient
COMMSERVE	Windows File System	DefaultInstanceName	defaultBackupSet	CI Subclient

Total Files	Total File Size
4	0.01 GB

Distribution by Modification Time						
Type	Less than 3 Months	3-6 Months	6-12 Months	1-2 Years	2-5 Years	More than 5 Years
Count	0	0	0	0	4	0
Total Size	0.00 GB	0.00 GB	0.00 GB	0.00 GB	0.01 GB	0.00 GB

Full Path	Type	Size	Date Modified
C:\Mission Critical\Core Fundamentals Student Guide 10.7.pdf	F	0.00 GB	01/07/2014 08:39:36
C:\Mission Critical\ImplementationandMaintenanceStudentGuide.pdf	F	0.00 GB	07/10/2014 17:14:18
C:\Mission Critical\Virtual Data Management Student Guide 10.3.pdf	F	0.00 GB	02/25/2014 13:40:12
C:\Mission Critical\core fundamentals activities 10.9.pdf	F	0.00 GB	01/07/2014 08:38:18

7. This section of report displays the list of entities included in the report
8. Displays the total number and size of files meeting the criteria.
9. Displays the file distribution over time based on modification time
10. Displays the list of all files meeting the criteria.

Use File Level Analytics Report to Implement Commvault OnePass Archiving

When implementing Commvault OnePass archiving without a good knowledge of the data being archived, two situations might happen. Either the archiving rules are not strict enough and almost no data gets archived, or the rules are too strict resulting in most of the data being archived. To avoid this situation, use the File Level Analytics report to properly establish the archiving rules.