

About Ops Center Automator

Ops Center Automator is a module of Ops Center that will allow one to automate tasks in the datacenter for consistent and secure provisioning of applications and the infrastructure associated with the applications.

Launching Automator <#>

From the Ops Center portal, one can click on the automator link to launch the automator.

The Automator dashboard will be displayed.

← → ↻ 🏠 ⚠ Not secure | opsvm:22016/Automation/main.htm?module=dashboard

HITACHI | Ops Center Automator | **Dashboard** | Services | Tasks | Service Templates | Administration

🔗 👤 ⚙️ ? ↺

Most Frequently Failed Services

Service	Failed	Last Failed Date
No Data		

Most Frequently Used Services

0 Executed / 77 Day(s)

0 Executed / 7 Day(s) Time Period: Last 7 Days

🟢 Completed 🟡 Failed

<< <Prev 1 - 0 / 0 Next> >>

Tasks Waiting for Action

🚫 0	Recently Failed	More...
⌚ 0	Long Running	More...
👤 0	Waiting for Input	More...

My Tasks

0	Active	More...
0	Finished	More...
0	Scheduled	More...

My Favorite Services

Services marked as favorite will appear here (Click on the service, select "more actions" and then select "mark as favorite" from the drop-down menu).

Scheduled: 🕒 0 🕒 0 | Active: 🟢 0 🟡 0 | Finished: 🟢 0 🚫 0

Here one can see the overview status of the automator


There are three types of users; the system admin role user, service admin role user, and submit service user.

The atcdemo user has the service admin role. As the service admin role user, one can create service templates and publish services from the templates.

If the user only had the submit service role, one would not see the "Service Templates" tab, and one can only submit a already published service.


Since atcdemo user has the service admin role, one can look at the Service Templates.

When one selects the "Service Templates" tab, one will see:



This tab contains all of the service templates available in the system. One can create their own service template to add to the system. From one of these service templates, One can create a service. The services are listed under the Services tab.

When one clicks on the Services tab, one will see:



This tab shows all of the services available in the system.

Find the service titled "HK-Allocate_smallvolume" and select it.

One should see:

The screenshot displays the Hitachi Ops Center Automator interface. The top navigation bar includes 'HITACHI', 'Ops Center Automator', and tabs for 'Dashboard', 'Services' (active), 'Tasks', 'Service Templates', and 'Administration'. A search bar is located at the top left. The left sidebar contains a 'Tag Search' section with categories: Applications (Brocade, File Service, Oracle Database), Hypervisors (VMware vSphere), Storage Operations (Add Like Storage, Add New Storage, Configuration Manager, Disaster Recovery, Gather Storage Information, Gather VSM Information, HA Pair, High Availability, Migration, Replicate Storage, Snapshot), and Service Group (Default Service Group, admin service group, monitor service group). The main area shows a grid of services. The service 'HK-Allocate_smallvolume' is highlighted with a blue border. Below the grid, the detailed view of this service is shown, including its description, metadata, and a diagram illustrating the 'Allocate Like' process between a Server and Storage.

Services

Service Name	Created	Modified
Create	2020-03-30	
Allocate Volumes with Configuration...	2020-03-30	
Allocate Volumes with Remote Replication(Glo...	2020-03-30	
Allocate Volumes, Fabric, and Datastore f...	2020-03-30	
Configure CIFS/NFS for Hitachi	2020-03-30	
Copy Allocate Like Volumes with Configur...	2020-04-24	
Create High Availability Pair for Migration	2020-03-30	
Expand Volume Capacity	2020-03-30	
Export Virtual Storage Machine Configuration A...	2020-03-30	
Global-Active Device Setup	2020-03-30	
HK-Allocate_smallvolume	2020-04-24	
Migrate Data Using High Availability Pair	2020-03-30	
Online Migration	2020-03-30	

HK-Allocate_smallvolume

Allocate new volumes to the host to which specified source volume is allocated with same LUN path.

Service Group: monitor service group

Service Template: [Allocate Like Volumes with Configuration Manager \(02.10.00\)](#)

Vendor Name: Hitachi, Ltd.

Tags: Add Like Storage, Configuration Manager

Status: Test

Create Date: 2020-04-24 15:44:52

Modify Date: 2020-04-24 15:48:52

Submit Date:

Diagram: A diagram showing a 'Server' connected to 'Storage'. A blue arrow labeled 'Allocate Like' points from the 'Storage' to the 'Server'.

Here one can see more detail about the service, and one can create a request from the service.

click on "Create Request" button.

The following window is displayed:

The screenshot displays the Hitachi Ops Center Automator interface. The main window is titled 'Submit Service Request - HK-Allocate-smallvolume_20200427081232'. The interface includes a sidebar with navigation options like 'Applications', 'Hypervisors', 'Storage Operations', and 'Service Group'. The main content area shows the 'Overview' of the service request, which is to 'Allocate new volumes to the host to which specified source volume is allocated with same LUN path.' Below this, there is a diagram illustrating the 'Allocate Like' process between a 'Server' and 'Storage'. The 'Settings' section is visible, showing a table of connections and a list of storage systems. The 'Volume Settings' section is also present, detailing source volume, capacity, number of volumes, pool, volume label, LDEV ID starts from, LUN starts from, and virtual LDEV ID starts from. At the bottom, there are buttons for 'Import', 'Export', 'Submit', 'Submit and View Task', and 'Cancel'.

Navigation

- Storage System: VSP G370(450734)

Volume Settings

- Source Volume: 00:00:4A
- Capacity: 100 MIB
- Number Of Volumes: 1
- Pool: g37010kpool1 (1)
- Volume Label: (Not specified)
- LDEV ID Starts From: (Not specified)
- Lun Starts From: (Not specified)
- Virtual LDEV ID Starts: (Not specified)

Connections

Category	Name	IP Address/...	Port	Protocol	User ID	Status	Connected...
Configuration	opsvm	10.255.143.1	23450	http	ops-admin	success	2020-04-24T

Storage System

Volume S...

Buttons: Import, Export, Submit, Submit and View Task, Cancel

From this window, one can submit the service request.

As one can see, this service does not have any requestor input. When this service was created, the variables such as storage system and the source volume, new volume destination and size were locked. One could have created the service with some of the requestor input unlock and allow the requestor to input them.

Once the service request is submitted, one can see it running under "Tasks" tab.