```
(1025602, 6)
['AGE', 'DIFFERENTIAL_DIAGNOSIS', 'SEX', 'PATHOLOGY', 'EVIDENCES', 'INITIAL_EVIDENCE'
]

==============================
DATA ANALYSIS (SUMMARY)
==============================
Observations (rows):  1,025,602
Features (columns):   6
Complete rows:        1,025,602

--- Unique counts ---
Unique pathologies:   49
Sex categories:       ['M', 'F']

--- Age statistics ---
Mean: 39.71
Std: 22.72
Min: 0
Q1: 22.0
Median: 39.0
Q3: 56.0
Max: 109

--- Evidence count per patient ---
Mean: 19.69
Std: 8.04
Min: 2
Q1: 14.0
Median: 20.0
Q3: 25.0
Max: 47

--- Missing values (all columns) ---
AGE                       0
DIFFERENTIAL_DIAGNOSIS    0
SEX                       0
PATHOLOGY                 0
EVIDENCES                 0
INITIAL_EVIDENCE          0
dtype: int64

==============================
Table 1: Distribution of Pathologies (top 15)
==============================
                                                                  Count  Percent
PATHOLOGY
IVRS ou virémie                                                   64368     6.28
Pharyngite virale                                                 61642     6.01
Anémie                                                            50665     4.94
VIH (Primo-infection)                                             29013     2.83
Oedème localisé ou généralisé sans atteinte pulmonaire associée  27825     2.71
Anaphylaxie                                                       27718     2.70
Embolie pulmonaire                                                27468     2.68
Possible influenza ou syndrome virémique typique                  26812     2.61
```

```
Bronchite                                                          26400     2.57
Rhinite allergique                                                 26203     2.55
Réaction dystonique aïgue                                          25982     2.53
RGO                                                                25979     2.53
Otite moyenne aigue (OMA)                                          25917     2.53
Pneumonie                                                          25761     2.51
Attaque de panique                                                 25019     2.44

==============================
Table 2: Statistics of evidence count per patient
==============================
  Avg  Std dev  Min  1st quartile  Median  3rd quartile  Max
19.69     8.04    2          14.0    20.0          25.0   47

==============================
Sample row (example patient)
==============================
 AGE
DIFFERENTIAL_DIAGNOSIS SEX                 PATHOLOGY
EVIDENCES INITIAL_EVIDENCE
   2 [['Réaction dystonique aïgue', 0.19720313746291385], ['Embolie pulmonaire', 0.13
71912358923549], ['Syndrome de Guillain-Barré', 0.11746342938108761], ['Fibrillation
auriculaire/Flutter auriculaire', 0.11219881622460944], ['Myocardite', 0.110804133200
48868], ['Anémie', 0.08271896628366372], ['Anaphylaxie', 0.08271896628366372], ['Scom
broïde', 0.05232446608959167], ['TSVP', 0.044185554653956786], ['Lupus érythémateux d
isséminé (LED)', 0.038294932783012006], ['Chagas', 0.02489636174465757]]   F Réaction
dystonique aïgue ['antipsy_récent', 'dyspn', 'laryngospasme', 'spasme_trapeze', 'spas
mes_msk', 'trav1_@_N']            dyspn
```



Figure 2: Sex Distribution



Figure 3: Age Distribution



Figure 4: Distribution of Evidence Count per Patient



Figure 5: Pathology Share (Top 8 + Other)



Figure 6: Missing Values per Column